	WELL RI			Form WWC-5 Division of Water Resources; App. No.					
Count	LOCATION OF WATER WELL:		Fraction NE 1/4 S		Section Nu		т ЗО s	Range Number R 2 EW	
Distance and direction from nearest town or city street address of well if located within city? Long. North 2 mi East From Longton. North 2 mi East Prom Lon						Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude:			
2 WAT	CER WELL O	WNER: JANO	ISUS		Longitude:				
RR#,	St. Address, E	Box# : 1243 P	2004, Q1,		Elevation: Datum:				
City,	State, ZIP Coo	le : Harma	d. Ks. 67349	1	Datum. Data Coll	ection N	Method:		
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL									
LOC	ATION	1					-1-2		
	H AN "X" IN	Depth(s) Groundwat	Depth(s) Groundwater Encountered (1) 26-28 (2) 40-63 ft. (3) ft. WELL'S STATIC WATER LEVEL						
SECT	TION BOX:	WELL'S STATIC W	WELL'S STATIC WATER LEVEL						
	Pump test data: Well water wasft. after								
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Ir								ection well	
w NW	1 Demarks 2 Feedlet (Oil field water graphs) Devectoring 12 Other (Specific below)								
"	2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well								
sw									
l i	Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs								
Sample was submitted									
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped									
						CASIN(
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded									
PVC 4 ABS 7 Fiberglass Threaded. Blank casing diameter 5 in. to 43 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface Weight lbs./ft. Wall thickness or guage No.									
Casing height above land surface. 7.5									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless Steel 5 Fiberglass PVC 9 ABS 11 Other (Specify)									
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
GRAVEL PACK INTERVALS: From									
From									
6 GROUT MATERIAL: Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From30 ft. to3 ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify									
	Sewer lines Watertight sew	5 Cess pool er lines 6 Seepage pit		1 Fuel ste	orage er Storage		oandoned water well il well/gas well	below)	
	from well?	Si mics o Geopage pit		How many		300			
FROM	ТО	LITHOLOG		FROM			PLUGGING INT	ERVALS	
\overline{C}	20CH	Clau							
20	267	shale ¹							
20 26 38	17 80	Sand							
979	404	shale							
40	634	cara							
					+ +				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged									
under my jurisdiction and was completed on (mo/day/year) and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No									
	e business nam	ne of Canonic pewriter or ball point pen. PL	Drilling Co					preset engineers. Cond ton	
	s to Kansas Depa	rtment of Health and Environ	ment, Bureau of Water, Geold	gy Section,	1000 SW Jac	ekson St.,	Suite 420, Topeka, Kansas	66612-1367. Telephone	
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html.									