		WATER W	ELL RECORD	Form WWC-5	KSA 82a	-1212				
LOCATION OF W	/ATER WELL: IN	Fraction NE 1/4	SW 1/2 SW	37 j	tion Number 20		Number 30 _S		ge Number	1
County:	on from nearest town of		74	74		T	30 S	R	16 EN	<u>N</u>
Distance and directi	on nom nearest town	or only street addre	33 OF WEIF IT IOCATED	within City:						
NATED MELL	NAMED.									
WATER WELL	Cres	aves Mini M	art Attn: No	orm Cast:	ama					
RR#, St. Address,	025		esha, Kansas		agria		Agriculture, D	ivision of	Water Hesou	urces
City, State, ZIP Coo						Applicati				
LOCATE WELL'S AN "X" IN SECT	LOCATION WITH 4	DEPTH OF COME	PLETED WELL	1.8	ft. ELEVA	TION:				
AN A IN SECT	N De		r Encountered 1.							
!	ı w	ELL'S STATIC WA	TER LEVEL//.!	<i>e.</i> l ft. b	elow land sur	face measured of	on mo/day/yr			
	1 1 1		t data: Well water							
NW -	- NE Es		gpm: Well water							
	Bo	ore Hole Diameter.	. 8.625 in. to .	18		and	==in.	to		ft.
w		ELL WATER TO B		5 Public water		8 Air conditionir		njection w		
-	i "	1 Domestic	•			9 Dewatering	-	•	ecify below)	
, sw -	SE	2 Irrigation	4 Industrial	7 Lawn and o	arden only	Monitoring w	el maj			
		•	eriological sample s							
<u> </u>		as a chemica/back itted	enological sample si						•	Sub
T 7/25 05 81 41			Africa - La frica			ter Well Disinfec				-
_	CASING USED:		Wrought iron	8 Concre			OINTS: Glued		•	
Steel	3 RMP (SR)		Asbestos-Cement		(specify below	•			• • • • • • • • • • • • • • • • • • • •	
(2) PVC	4 ABS		Fiberglass							
	er 2 in.									
Casing height above	e land surface		weightsc	H 40 PV	უ lbs./	ft. Wall thickness	or gauge No) <u></u> _		
TYPE OF SCREEN	OR PERFORATION N	MATERIAL:		<i>⊘</i> ≥∨	С	10 A	sbestos-ceme	nt		
1 Steel	3 Stainless st	teel 5	Fiberglass	8 RM	IP (SR)	11 0	ther (specify)	<u> </u>	. <u></u>	
2 Brass	4 Galvanized	steel 6	Concrete tile	9 AB	s	12 N	one used (ope	en hole)		
CREEN OR PERF	ORATION OPENINGS	S ARE:	5 Gauze	d wrapped		8 Saw cut		11 None	(open hole)	
1 Continuous	slot (3)Mill s	slot	6 Wire w	vrapped		9 Drilled holes	;			
2 Louvered sh	utter 4 Key i	punched 🔼	7 Torch	cut ,		10 Other (spec	ify)			
SCREEN-PERFORA	ATED INTERVALS:		ft. to	cut 18	ft From	m				ft.
		From	<u>.</u> ft. to							
SANE	PACK INTERVALS:	From 7	ft. to	18	ft From	n	ft to			ft
OTTALE !	AOR IIVIEIVAEO.	From	ft. to							ft.
GROUT MATER	AL:_ 1 Neat cerr		ement grout	3 Rento	nite 4	Other				
	rom. Oft.									
			it., 110iii						water well	
	source of possible cor		7 Dit mine			tock pens				
·	1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel storage		15 Oil well/Gas well (16 Other (specify below)			
2 Sewer lines	5 Cess po		8 Sewage lago	on		zer storage	(6,0)	ner (spec	ify below)	
3 Watertight s	ewer lines 6 Seepage	e pit	9 Feedyard			ticide storage	conta	ع فڪرار تينا	Le G	
Direction from well?				1	How mai		21100110 11	<u> </u>	THE	
FROM TO		LITHOLOGIC LOG	<u> </u>	FROM	ТО		PLUGGING IN	IIEHVAL:	5	
GL 0.50	Concrete									
0.50 5.00	Silty Clay	y (CL)								
5.00 18.00	Clayey Sil	t (ML)			1					
18.00 TD	End of Bor									
			र जार १४ के में प्रशासकता स्थाप समार्थिक । -				T) M	l		
							D. Tay			
		<u> </u>			† †	· · · · · · · · · · · · · · · · · · ·	Finsu	Mount		
					 			12/27	/96	
										
				1	 					
				1						
CONTRACTOR	S OR LANDOWNER'S	CERTIFICATION:	This water well wa	e (I) constru	cted. (2) reco	instructed or (3)	plugged und	er mv iuri	sdiction and	was
nompleted on (mold	S OR LANDOWNER'S ay/year) 4-30	47	water wen we	1.7 00110110	and this reco	rd is true to the l	pet of my kar	wledne s	nd heliaf Kan	دی معم
Alatar Mail Caster ::	or's License No		This \4/-4 \4/-	all Dogged and	and this 1800	na is tide to the l	<i>5.</i> -:/2-		na pener. Nari	ısdS
		96I	uns vvater We	an Liecola Ma	-			Ω.	····/	
under the business	-	·			by (signat		um Atn	Var	m/lun	0
INSTRUCTIONS: Us	e typewriter or ball point pen. onment, Bureau of Water, Top	PLEASE PRESS FIRML Deka, Kansas 66620-000	<u>Y</u> and <u>PRINT</u> clearly. Plea 1. Telephone: 913-296-55	ise fill in blanks, 45. Send one to	underline or circle WATER WELL OV	the correct answers WNER and retain one	Send top three of for your records.	copies to Kar	nsas Department	