	WATER WELL RECORD Form WWC-5 KSA 82a-12	12
1 LOCATION OF WATER WELL:	Fraction Section Number	Township Number Range Number
County: Wilson	NE 1/4 NE 1/4 NE 1/4 19	T 30 S R 16 E/W
Distance and direction from nearest town or city street address of well if located within city? DP-01 325ft South & 275ft West of Intersection of 12 th Ave. & Tank Ave, Neodesha, Ks		
2 WATER WELL OWNER: BP Amoco Oil Co.		
RR#, St. Address, Box # : 1100		Board of Agriculture, Division of Water Resources
City, State, ZIP Code : Neoc	desha, Kansas 66757	
3 LOCATE WELL'S LOCATON WIT	[H 4 DEDTH OF COMPLETED WELL 17.5 & SIEW	
N N	TH 4 DEPTH OF COMPLETED WELL 17.5 ft. ELEVA Depth(s) Groundwater Encountered 1 12 ft. :	ATION:
\ \ ^ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Deptin(s) Groundwater Encountered 1 14 IL.	t. 3π.
	WELL'S STATIC WATER LEVEL ft. below land sur	face measured on mo/day/yr
NWNE	Pump test data: Well water was ft. a	after hours pumping gpm
₩ W	Est. Yield gpm: Well water was ft. a	after hours pumping gpm
-	E Bore Hole Diameter 14 in. to 17.5 ft WELL WATER TO BE USED AS: 5 Public water supply	t. and in. to ft. 8 Air conditioning 11 Injection well
swse	1 Domestic 3 Feed lot 6 Oil field water supply	9 Dewatering 12 Other (Specify below)
	2 Irrigation 4 Industrial 7 Lawn and garden (domestic)	10 Monitoring well
V	Was a chemical/bacteriological sample submitted to Department? Ye	
S		r Well Disinfected? Yes No
5 TYPE OF BLANK CASING USED:		
1 Steel 3 RMP		
	7 Fiberglass	
·		Threaded
Casing height above land surface	in. to 7, 17-17.5 ft., Dia in. to 0.00 in., weight N/A lbs./ft. W	π., Diaπ. 10. toπ.
TYPE OF SCREEN OR PERFORATION	ON MATERIAL: 7 PVC	/all thickness or gauge No
	nless steel 5 Fiberglass 8 RMP (SR)	
· · · · · · · · · · · · · · · · · · ·	vanized steel 6 Concrete tile 9 ABS	11 Other (specify) 12 None used (open hole)
SCREEN OR PERFORATION OPENII		
i e		8 Saw cut 11 None (open hole)
	cappea	9 Drilled holes
SCREEN-PERFORATED INTERVALS		0 Other (specify)
SOILLIA-I LIN OIGHES HILL, W		mπ.
GRAVEL PACK INTERVALS:	From ft. to ft. From From 5 ft. to 17.5 ft. From	m ft. to ft.
		n
6 GROUT MATERIAL: 1 Neat		m ft. to ft.
Crest Intervals From 0.5	t cement 2 Cement grout 3 Bentonite 4	Other
What is the nearest source of possible	π. to ft. From ft. to	ft. From ft. to ft.
What is the hearest source of possible	contamination:10_ Livestock	k pens 14 Abandoned water well
2 Sewer lines	4 Lateral lines 7 Pit privy 11 Fuel store	
2 Sewer lines 3 Watertight sewer lines	5 Cess pool 8 Sewage lagoon 12 Fertilizer 6 Seepage pit 9 Feedyard 13 Insecticid	
Direction from well? North	•	
FROM TO CODE	How many fee	et? 360 PLUGGING INTERVALS
CI	LAY FILL W/ SAND AND	PLUGUING INTERVALO
0 1 01 GF	RAVEL	
1 10 01 CL	LAY, SLIGHTLY SILTY	
10 15 11 GF 15 16 03 SII	RAVEL W/ CLAY AND SAND	
7.00	LTY CLAY RAVEL W/ SLIGHT AMOUNTS	
16 17 11 OF	F CLAY	
	EDROCK - SANDSTONE	
l		
7 CONTRACTOR'S OR LANDOWNER	R'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed	cted. or (3) plugged under my jurisdiction and was
completed on (mo/day/yr) 07-13-02 and this record is true to the best of my knowledge and belief. Kansas		
Water Well Contractor's License No. This Water Well Record was completed on (mp/day/yr) 07-25-02		
under the business name of Thiele Geotech, Inc. by (signature)		
	- 1 (2	orms-On-A-Disk, Inc. Dallas, Texas · (214) 340-9429
Form provided by Forms-On-A-Disk, Inc. *Dallas, Texas • (214) 340-9429		