

1 LOCATION OF WATER WELL: Fraction 1/4 NW 1/4 SE 1/4 Section Number 18 Township Number T 30 S Range Number R 16 EW

Distance and direction from nearest town or city street address of well if located within city? Infield on the NW corner of Granby & 12th Street in Neodesha, KS

2 WATER WELL OWNER: City of Neodesha. RR#, St. Address, Box #: 1407 N. 8th City, State, ZIP Code: Neodesha, KS 66757 Board of Agriculture, Division of Water Resources Application Number:

3 LOCATE WELL'S LOCATION WITH AN 'X' IN SECTION BOX: [Diagram showing a 4x4 grid with 'X' in the SE quadrant] 4 DEPTH OF COMPLETED WELL 12 ft. ELEVATION: WELL'S STATIC WATER LEVEL 0.8 ft. below land surface measured on mo/day/yr 11/28/05 Pump test data: Well water was ... gpm Est. Yield ... gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No X

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded Threaded X Blank casing diameter 2 in. to 4.5 ft., Dia. Casing height above land surface Flush with in., weight lbs./ft. Wall thickness or gauge No. Sch. 40 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-Cement 11 Other (Specify) 12 None used (open hole) 2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 2 Louvered shutter 3 Mill slot 4 Key punched 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 11 None (open hole) 10 Other (specify) ft. SCREEN-PERFORATED INTERVALS: From 12 ft. to 4.5 ft. GRAVEL PACK INTERVALS: From 12 ft. to 3.5 ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 3.5 ft. to 2 ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? How many feet?

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Entries include: 0 to 10 ft. Silty Clay, dark brown, soft; 10 to 11.5 ft. Sandy w/ clay, tan, moist; 11.5 to - ft. Limestone. The table is crossed out with a large X.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1 constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11/28/05 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 710 This Water Well Record was completed on (mo/day/yr) 2/16/05 under the business name of Below Ground Surface, Inc. by (signature) [Signature]