	MW-9						
WATER WELL RE		Form WWC-5		Division o	of Water	r Resources; App. No.	
1 LOCATION OF WA	TER WELL:	Fraction NW 1/4 NE 1/4 NW	J 1/4	Section Nun	nber	Township Number T 30 S	Range Number R C W
Distance and direction	SOV In from nearest town or cit 100 E. And	ty street address of well	if	Gl <mark>obal Positi</mark> Latitude:	ioning	Systems (decimal deg	rees, min. of 4 digits)
Tocated within city:	Tank St. and	Rth St.		-			
2 WATER WELL OV	WNER: KDHE		_	Elevation:			
RR#, St. Address, Box # : 1000 SW Jackson St. 57E. 410				Elevation:			
City, State, ZIP Code: Tope Ka, KS lebela-1367				Data Collection Method:			
3 LOCATE WELL'S	4 DEPTH OF COMP	PLETED WELL			ft.		
LOCATION WITH AN "X" IN	Double(s) Crossed-setse	F		0 (0)	`	6 (2)	
SECTION BOX:	Depth(s) Groundwater WELL'S STATIC WA	TER LEVEL	\ A	ے۔۔۔ الہ (2) helow land s) surface		/vr 5/21/03
N	Pump test data	: Well water was		ft. after		hours pumping	gpm
	Est. Yieldgpm	: Well water was		ft. after		hours pumping	gpm
NWNE	WELL WATER TO B	E USED AS: 5 Public	water	supply 8	8 Air c	conditioning 11 Inj	ection well
W E	1 Domestic 3 Feed 2 Irrigation 4 Ind	dlot 6 Oil field w ustrial 7 Domestic	ater su	ippiy & garden) 17	9 Dew D Mon	atering 12 Otl	ner (Specify below)
	2 migation 4 ma	ustriai / Domestic	(Iawii C	x garden)	101011	mornig wen	•••••
SW SE	Was a chemical/bacter Sample was submitted	iological sample submit	tted to I Wate	Department? er well disinfe	Yes ected?	Yes No	If yes, mo/day/yrs
_	USED: 5 Wrought 1	Iron 8 Concre	te tile		ASINO	G JOINTS: Glued	Clamped
1 Steel 3 RM	IP (SR) 6 Asbestos-	Cement 9 Other (specify	helow)		Welded	-
PVC 4 AB	S 7 Fiberglass					Threaded	L
Blank casing diameter	S 7 Fiberglass 7 F	ft., Diameter	i	in. to	ft.,	Diameter	in. toft.
Casing neight above land	d surface	m., weight	• • • • • • • • • •	lbs./π. W	all thic	kness or guage No	
1 Steel 3 Sta	inless Steel 5 Fiber	glass PVC	9 A	ABS		11 Other (Specify)	
2 Brass 4 Ga	ninless Steel 5 Fiber Ilvanized Steal 6 Conc	rete tile 8 RM (SR)	10 .	Asbestos-Cen	nent	12 None used (open	hole)
SCREEN OR PERFORA	ATION OPENINGS ARE	3:					
1 Continuous slot	Mill slot 5 G r 4 Key punched 6 W	auzed wrapped 7 Toi	rch cut	9 Drilled	holes	11 None (open h	ole)
SCREEN-PERFORATE	D INTERVALS: From	ft to	18	i a fi Fr	specify om	ft to	ft
	From	ft. to		ft., Fr	rom	ft. to	ft.
GRAVEL PAC	K INTERVALS: From.						
	From.	ft. to	• • • • • • • • •	ft., Fr	rom	ft. to	ft.
6 GROUT MATERIA	L: 1 Neat cement 2	Cement grout Sente	onite	Other 5	21		
Grout Intervals: Fre	om	. [ft., From	.1	ft. to	ft	., From	ft. toft.
	ce of possible contaminate		.				
1 Septic tank 2 Sewer lines	4 Lateral lines 5 Cess pool		Livest Fuel st			ecticide storage bandoned water well	6 Other (specify
	r lines 6 Seepage pit			•		well/gas well	Dry (learner
Direction from well?			w man	y feet? 3.6	פֿייי		
FROM TO	LITHOLOGIC		FROM		_	PLUGGING INT	ERVALS
			0	1	Soi	·	
				18.2 7	20/10	nite Chips	
						-	
7 CONTRACTORS O	D I ANDOWNEDS OF	DTIELCATION: TT	a		\ ac= '		-1 - 63 -1 · ·
under my inrisdiction an	R LANDOWNER'S CE d was completed on (mo/	day/year) 6/2/109	s water	well was (1)	constr	ucted, (2) reconstruct to the best of my know	ea, or plugged vledge and ballof
Kansas Water Well Conf	tractor's License No4	This Water W	and √ell Re	cord was com	npleted	on (mo/dav/vear)	7.11.09
under the business name	of Terracon Consul	tants Inc.	b	y (signature)	Z	Plankly	•
INSTRUCTIONS: Use types	writer or ball point pen. PLEA	SE PRESS FIRMLY and PR	INT clea	rly. Please fill i	in blanks	, underline or circle the co	orrect answers. Send top
785-296-5522. Send one	ment of Health and Environment to WATER WELL OWN	ER and retain one for	your r	i, 1000 SW Jacks ecords. Fee	son St., 1 of \$5.0	Suite 420, 1 opeka, Kansas 00 for each constructed	s 66612-1367. Telephone d well. Visit us a
http://www.kdheks.gov/waterv			,				_