WATER WELL REC	CORD	Form WV	VC-5	Division of W	ater Resources App. N	آo، لــــــــــــــــــــــــــــــــــــ	
1 LOCATION OF WATER WELL: County: Wilson		Fraction SW ¼ SW ¼ NW	1/4 1/4	Section Numbe 20		Range Number	
Street/Rural Address of Well Location; if unknown, distance & direction				Global Positioning System (GPS) information:			
from nearest town or in	owner's address, check	Latitude: .37.4237(in decimal degrees)					
9th and Illinois St.				Longitude: 95.6879 (in decimal degrees)			
Neodesha, Kansas 66757				Elevation:			
2 WATER WELL OWNER: Airosol Company, Inc.				Datum: ☐ WGS 84, ☑ NAD 83, ☐ NAD 27 Collection Method:			
RR#, Street Address, Box #: P. O. Box 120				GPS unit (Make/Model: Garmin Colorado 4			
City, State, ZIP Code : Neodesha, KS 66757			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
	1400003] <3 m, 🔲 3-5 m, 🗀		
3 LOCATE WELL		2014D1 DEED 11/D1 1	16.7		^		
WITH AN "X" IN	4 DEPTH OF COMPLETED WELL 16.7 ft.						
SECTION BOX:	Depth(s) Groundwater Encountered (1)						
	Pump test data: Well water was						
	EST VIELD Well water was A often house purposes						
NW NE E	- NW - - NE - E Bore Hole Diameter 2.125in. to						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
SW							
Industrial ☐ Domestic-lawn & garden ☑ Monitoring well							
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No							
S If yes, mo/day/yr sample was submitted							
I mile Water well disinfected? ☐ Yes ☑ No							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter .1 in. to .8.3 ft., Diameter in. to ft., Diameter in. to ft.							
Casing height above land surface. 0							
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel							
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)							
Louvered shutter Key punched Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From							
From							
6 GROUT MATERIAL: ☐ Neat cement ☑ Cement grout ☑ Bentonite ☐ Other							
Grout Intervals: From 3							
What is the nearest source of possible contamination:							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)							
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedvard Fertilizer storage Oil well/gas well ASTs							
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well AS Is Direction from well ☐ Distance from well < 100 feet							
FROM TO	LITHOLOG		FROM			UGGING INTERVALS	
	rown clay with si		11011	Lillio	200 (cont.) or 1 D	COMITO MILITARY ALIS	
	rown/gray clay						
8 9 No reco							
9 12 Tan/gra							
				AMW-3			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .5/18/2009 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No							
under the business name of .KS Department of Health and Environment by (signature)							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000-SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212 Check: White Copy, Deluc Copy, Pink Copy							
KSA 82a-1212				Check: 📥	write Copy, \[\] B	lue Copy, Pink Copy	