WATER WELL RECORD	Form W	WC-5	Division of Water Resources App. No.	
1 LOCATION OF WATER W	ELL: Fraction	. 1)6	Section Number Township No. Range Number	
County: Wilson	1/4 5 \ 1/4 5 \ \	1/1/ C 1/	1/4 T 30 S R /6 DE DW	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here				
from nearest town or intersection	on. If at owner's address, check	k nere	Longitude: 95. 696. 4069 (in decimal degrees)	
			Elevation: Sch. 28	
A WATER WELL ON THE			— <u>Datum</u> : ∠ WGS 84, □ NAD 83, □ NAD 27	
2 WATER WELL OWNER: RR#, Street Address, Box #:	Di l'ioddoto itoliai / allonod		Collection Method: GPS unit (Make/Model:)	
City, State, ZIP Code :	1000 North Sterling Avenue		☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey	
eny, state, zir code	Sugar Creek, MO 64054		Est. Accuracy:	
3 LOCATE WELL		- 14		
WITH AN "X" IN 4 DEP	PTH OF COMPLETED WELL	L	1. f (2) N/A	
SECTION BOX: Depth(Depth(s) Groundwater Encountered (1)			
"LEE	Pump test data: Well water was N/A ft. after N/A hours pumping N/A gpm			
EST. YIELD. N/Agpm. Well water was. N/Aft. after. N/Ahours pumping. N/Agpm				
W Bore Hole Diameter 8.25 in. to ft., and N/A in. to N/A ft.				
 				
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)				
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well MW- [.6]				
s If yes, mo/day/yr sample was submitted N/A				
mile Water well disinfected? ☐ Yes ☑ No				
5 TYPE OF CASING USED:				
CASING IOINTS: Glued Clamped Welded Threaded				
Casing diameter 2 in to 1.5 ft., Diameter N/A in to N/A ft., Diameter N/A in to N/A ft. Casing height above land surface 3.0 in., Weight N/A lbs/ft., Wall thickness or gauge No. Schedule 40				
Casing height above land surface				
TYPE OF SCREEN OR PERFORATION MATERIAL:				
	Steel Stainless Steel PVC Other (Specify)			
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:				
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)				
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 1.5. ft. to				
SCREEN-PERFORATED INTERVALS: From				
From N/A ft. to N/A ft., From N/A ft. to N/A ft. o N/A ft. o N/A ft. to N/A f				
From N/A ft. to N/A ft., From N/A ft. to N/A				
6 GROUT MATERIAL: Neat cement . Cement grout Bentonite Other Concrete 0 to 2-feet				
Grout Intervals: From .2	ft. to 7 ft., From	1 N/A	ft. to N/A ft., From N/A ft. to N/A ft.	
What is the nearest source of poss		—		
		☐ Livestock✓ Fuel stora		
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well				
Direction from well			ce from well	
	THOLOGIC LOG	FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
O 0.5 Topson				
0,5 2 clay		<u> </u>		
2 2000 X CIO				
	`\			
13 14 Sandy	\aY			
1 1				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged				
under my jurisdiction and was completed on (mo/day/year)				
Kansas Water Well Contractor's License No759 This Water Well Record was completed on (mo/day/year) .11/29/2014 under the business name of RAZEK Environmental LLC by (signature)				
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to				
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.				
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at				
	niip://www.kaneks.gov	//waterwell/ind	иех пин	