WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL:	Fraction	Section Number Township No. Range Number
County: Wilson	4 NW45W 4 NW 4	
Street/Rural Address of Well Location;		Global Positioning System (GPS) information: Latitude:3
from nearest town or intersection: If at o	owner's address, check here	Latitude:5.14.226.7.55 (in decimal degrees)
		Longitude: 95 (86.289.5.3. (in decimal degrees)
		Elevation:
2 WATER WELL OWNER: BP Proc	ducts North America, Inc.	Collection Method:
nnu o i i i n u	orth Sterling Avenue	GPS unit (Make/Model:)
C. C. 7ID C 1	reek, MO 64054	☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey
		Est. Accuracy:
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL 34	50 ft.
SECTION BOX: Depth(s) Ground	water Encountered (1) 19	ft (2) N/A ft (3) N/A ft
N WELL'S STATI	C WATER LEVEL 19:25 ft	ft. (2).N/A ft. (3).N/A ft. below land surface measured on mo/day/yr.10139114
Pump	test data: Well water was N/A	ft. after N/A hours pumping N/A gpm
W NW - NE - EST. YIELD. N Bore Hole Diam	Agpm. Well water was N/A	ft. after N/A hours pumping N/A gpm
W E Bore Hole Diam	eter 8.25 in. to	ft., and .N/Ain. to .N/Aft.
	TO BE USED AS:  Public wat	
Domestic	Feedlot Oil field water	er supply
☐ Irrigation	☐ Industrial ☐ Domestic-lay	vn & garden Monitoring well MW-155
Was a chemical/bacteriological sample submitted to Department? Yes No  If yes, mo/day/yr sample was submitted N/A		
	fected? Yes No	
water wen dishi		
5 TYPE OF CASING USED: Steel		
CASING JOINTS: Glued Clan	ped Welded M Threaded	N/A G D: 4 N/A · 1 N/A G
Casing diameter 2 in. to NA ft., Diameter N/A in. to N/A ft. Diameter N/A in. to N/A ft. Casing height above land surface. O in., Weight N/A lbs./ft., Wall thickness or gauge No. Schedule 40		
TYPE OF SCREEN OR PERFORATION	MATERIAI	lbs./it., wall tillekness of gauge No
Steel Stainless Steel		Other (Specify)
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:		
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)		
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From ft. to N/A ft.		
From N/A ft to N/A ft From N/A ft to N/A ft to N/A		
From. N/A ft. to N/A ft., From N/A ft. to N/A ft.  GRAVEL PACK INTERVALS: From. S. ft. to A/A ft. From N/A ft. to N/A ft.		
	From N/A ft. to N/A	ft., From N/A ft. to N/A ft.
6 GROUT MATERIAL: Neat ceme	nt 🔲 Cement grout 💆 Benton	nite Other Concrete 0 to 2-feet ft. to N/A ft., From N/A ft. to N/A ft.
Grout Intervals: From .2 ft. to	ft., From N/A	ft. to .N/A ft., From .N/A ft. to .N/A ft.
What is the nearest source of possible conta		
	es Pit privy Livestock p  Sewage lagoon Fuel storage	
	Sewage lagoon Fuel storagit Feedyard Fertilizer st	
Direction from well		from well
FROM TO LITHOLOG		TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 2 Asphalt (fill)	KORK	
2 \$15 Clay	(	
8.5 16 5.1t'x Clay		
10 12 Sandy clay		
12 15 Sand		
15 17 Soudy clang		
17 245 Grandly Son		
S COVER A STORY OF A AVERAGE		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed, or plugged		
under my jurisdiction and was completed on (mo/day/year) . 101.24.1.14 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No 759		
under the business name of RAZEK Environmental LLC by (signature)		
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to		
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.		
		records. Include fee of \$5.00 for each constructed well. Visit us at

http://www.kdheks.gov/waterwell/index.html