	* 14		WATI	ER WELL RECORD	Form WWC-5	KSA	82a-1212		1		
LOCATION OF WATER WELL:		Fraction			tion Nun	nber	Township Number	Range Number			
	Wilson			4 NE NE 1/4 SE	1/4	18		r 30 s	R 16 GW		
			or city street	address of well if located	within city?				_		
1	<u>esha, K</u>				<u> </u>		T	0 1 /010\CC	A 4003	_	
•	R WELL OV		dard Oil (Company	Contact	: Mr	. lony	Gogal, (918)66	0-400/		
	Address, Bo		Box 591	74100				Board of Agriculture, I	Division of Water Resour	rces	
City, State	, ZIP Code	: Tulsa	a, Uklahor	homa 74102				Application Number: LEVATION:			
LOCATI	E WELL'S L	OCATION WITH 4	DEPTH OF	COMPLETED WELL	. 37	ft. EL	EVATION:				
AN X	IN SECTIO			dwater Encountered 1.							
ī	<u> </u>	ıv	VELL'S STATIO	C WATER LEVEL X	7 ft. b	elow lan	d surface n	neasured on mo/day/yr	8/25/81		
	· - NW		Pum	np test data: Well water	was		ft. after	hours pu	mping gr	pm	
i i	1			gpm: Well water							
≝ w L	<u>i</u>	. 8	Bore Hole Diam	neter8in. to .	37		.ft., and		to	.ft.	
ŧ ∾├	i	ı X 'v	WELL WATER						Injection well		
ī _	sw	SF	1 Domestic	3 Feedlot 6	Oil field wa	ter suppl	y 9 Dev	vatering 12	Other (Specify below)	- 1	
	3 W	%	2 Irrigation	4 Industrial	7 Lawn and o	jarden oi	nly 10 Obs	servation well)			
L	<u> i </u>	<u> </u>	Vas a chemical	/bacteriological sample s	ubmitted to D	epartmer	nt? Yes	NoX; If yes,	mo/day/yr sample was s	sub	
			nitted			···		Il Disinfected? Yes	No X		
TYPE	OF BLANK	CASING USED:		5 Wrought iron	8 Concre	ete tile	(CASING JOINTS: Glued	d Clamped	1	
_ 1 Ste	e l	3 RMP (SR)		6 Asbestos-Cement	9 Other	(specify	below)	Weld	ed		
2 PV		4 ABS		7 Fiberglass				Threa	aded)		
				ft., Dia							
Casing hei	ight above I	and surface	36	in., weight	<u></u>	<u>.</u>	lbs./ft. Wal	I thickness or gauge N	o		
TYPE OF	SCREEN C	R PERFORATION	MATERIAL:		(7 PV	<u></u>		10 Asbestos-ceme	nt		
1 Ste	el	3 Stainless s	steel	5 Fiberglass	8 RM	IP (SR)		11 Other (specify)		.	
2 Bra	ass	4 Galvanized	d steel	6 Concrete tile	9 AB	S		12 None used (op			
SCREEN (OR PERFO	RATION OPENING	S ARE:	5 Gauze	d wrapped		8 S	aw cut	11 None (open hole)	.	
Co	ntinuous sid	3 Mill	slot	6 Wire w	rapped		9 D	rilled holes			
2 Lo	uvered shut	ter 4 Key	punched	7 Torch							
SCREEN-F	PERFORAT	ED INTERVALS:	From	17 ft. to	37	ft.,	, From	ft. to	o	.ft.	
			From	ft. to		ft.,	, From	ft. to	o	.ft.	
0	RAVEL PA	CK INTERVALS:	From	10 ft. to	37	ft.,	, From	ft. to	o	.ft.	
-			From	ft. to		ft.	, From	ft. to	0	ft.	
GROUT	MATERIAL	.: 1 Neat cei	ment	2 Cement grout	3 Bento	nite	4 Other				
Grout Inter	vals: Fro	m	r to	ft., From	ft.	to	ft	., From	[`] ft. to	.ft.	
		ource of possible co	ontamination:				Livestock pe		bandoned water well		
1 Se	ptic tank	4 Lateral	lines	7 Pit privy		11 F	Fuel storage	9 15 <u>O</u>	il well/Gas well	6	
2 Sewer lines 5 Cess po				8 Sewage lago	on	12 F	Fertilizer sto	orage 160	ther (specify below)		
	· · · ·	er lines 6 Seepag	ge pit	9 Feedyard		13 I	nsecticide s		ry waste		
	rom well?					How	many feet		al pit		
FROM	TO '		LITHOLOGIC		FROM	ТО		LITHOLOG	IC LOG	؛ إــــــــــــــــــــــــــــــــــــ	
0	35	CLAY, brown									
35	37	SANDSTONE,	gray, ha	rd						_	
										_	
								* ***			
					<u> </u>						
					ļ						
					<u> </u>					 :	
				,							
										- 1	
								T-1		7	
		`\								;	
					1						
CONTE	RACTOR'S	OR LANDOWNER'S	S CERTIFICAT	ION: This water well wa	a (1) constru	cted, (2)	reconstruc	ted, or (3) plugged und	er my jurisdiction and w	∕as \	
									owledge and belief. Kans	16	
				This Water We							
	business na	me of HEMPI	HILL CORP	ORATION			signature)	James R. 2		Ι,	
NSTRUCT	TIONS: Use	typewriter or ball po	oint pen, <i>PLEA</i> S	SE PRESS FIRMLY and		y. Please	fill in blank	underline or circle the	correct answers. Send t		
hree copie	s to Kansas	Department of Heal ne for your records.	Ith and Environ	ment, Division of Environn	nent, Environ	nental G	eology Sect	ion, Topeka, KS 66620.	Send one to WATER WE	:LL	
TAAINEL 9	IN DECEMBER OF	io ioi your records.								—	