

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Neosho</u>		<u>NW 1/4 SE 1/4 NW 1/4</u>	<u>35</u>	<u>T 30S S</u>	<u>R 18E E/W</u>
Distance and direction from nearest town or city street address of well if located within city? <u>Galesburg 5 1/2 S.W.</u>					
2 WATER WELL OWNER: <u>Samuel C. Schwartz</u>					
RR#, St. Address, Box # : <u>7305 20th Rd. 66190</u>				Board of Agriculture, Division of Water Resources	
City, State, ZIP Code : <u>Galesburg Mo.</u>				Application Number:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>100</u> ft. ELEVATION: <u>100</u> ft.			
		Depth(s) Groundwater Encountered <u>1.35</u> ft. 2. <u>3.5</u> ft. 3. <u>100</u> ft.			
		WELL'S STATIC WATER LEVEL <u>30</u> ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was <u>1.4</u> gpm. Well water was <u>8</u> ft. after <u>100</u> hours pumping <u>100</u> gpm			
		Bore Hole Diameter <u>8</u> in. to <u>100</u> ft., and <u>100</u> in. to <u>100</u> ft.			
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well					
<u>1 Domestic</u> 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)					
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes. <u>No</u> If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes <u>No</u>					
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <u>Clamped</u>					
<u>2 PVC</u> 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded					
7 Fiberglass Threaded					
Blank casing diameter <u>4 1/2</u> in. to <u>100</u> ft., Dia <u>160</u> in. to <u>160</u> ft., Dia <u>160</u> in. to <u>160</u> ft.					
Casing height above land surface <u>18</u> in., weight <u>160</u> lbs./ft. Wall thickness or gauge No. <u>160</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass <u>8 RMP (SR)</u> 10 Asbestos-cement					
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)					
12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot 5 Gauzed wrapped <u>8 Saw cut</u> 11 None (open hole)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes					
7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From <u>100</u> ft. to <u>80</u> ft., From <u>80</u> ft. to <u>100</u> ft.					
GRAVEL PACK INTERVALS: From <u>100</u> ft. to <u>25</u> ft., From <u>25</u> ft. to <u>100</u> ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout <u>3 Bentonite</u> 4 Other					
Grout Intervals: From <u>25</u> ft. to <u>5</u> ft., From <u>5</u> ft. to <u>100</u> ft., From <u>100</u> ft. to <u>100</u> ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy <u>10 Livestock pens</u> 14 Abandoned water well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)					
13 Insecticide storage					
Direction from well? <u>130</u>					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	4	soil			
4	9	sand rock			
9	18	clay			
18	30	shale			
30	35	lime water			
35	70	shale			
70	85	lime			
85	100	shale			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>9-18-06</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. <u>512</u> This Water Well Record was completed on (mo/day/yr) <u>9-20-06</u> under the business name of <u>Jeffrey Well Drilling</u> by (signature) <u>Jack Jeffers</u>					