1 LOCATION OF WATER WELL:			FRACTION	N	water	water well Record Form v			Section Number	Township Num	Township Number		Range Number	
Sumner			SE	SE 1/4		SE 1/4 NE		1/4	24	т 30	т 30 s		R 2E E/W	
Distance and direction frem nearest town or city street address of well if located within city?														
300' W. of corner of K-15, Cowley Co. & Sumner Line, N. side														
WAT	ER WELL O		AN, Jo											
RR#, S	T. ADRESS,	BOX#: P.O.	Box 47	3						Board	of Agriculture, Di	vivsion of Water Res	ource	
CITY, STATE, ZIP CODE: Udall, Kansas Application Number:														
	E WELL'S L	OCATION WITH 4	DEPTH O				. 9	0		EVATION:				
AN	IN SECTION	N	Depth(s) gro				1		ft.	2	ft.	3	ft.	
1		W	ELL'S STAT			VEL 3	30	FT	. BELOW LAND SU	URFACE MEASURED O	ON mo/day/yr	06/27/	1996	
	NW	NE		np test da	ata:		water v		ft.	after	hours pum		gpm	
<u> </u>			t. Yield		gpm:		l water v		ft.	after	hours pum		gpm	
Mg w	 	T I	re Hole Dian		12	in.		0	ft.	and	in.	to	ft.	
			ELL WATEI 1 Domestic		USED A 3 Feedle				er supply ater supply	8 Air conditioning 9 Dewatering		njection well Other (Specify be	olow)	
1	sw	s	2 Irrigation	_	4 Indust				garden only	10 Monitoring well		diei (Speeny be	.1011)	
l I			_	•				•				o/dav/vr sample	was	
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No														
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped														
1 Steel 3 RMP (SR)					6 Asbestos-Cement				Other (Specify	below)		Welded		
2 PVC	:	4 ABS			7 Fiber	glass		S	DR-26		T	hreaded		
Blank ca	_ sing Diam	eter 5 in	. to 30)	ft. ,	Dia		in.	. to	ft., Dia	in.	to	ft.	
	•	ve land surface 12		in. ,	,	weight	2.35		lbs. / ft.	Wall thickness or		.21	4	
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)														
1 Stee	-	3 Stainless Steel			Concre				8 RMP (SR)		other (specify	•		
2 Bras	-	4 Galvanized steel		0	Concre		_		9 ABS	12] 8 Saw cut	None used (op	•	n hole)	
SCREEN ON TENTON OF ENTING ARE:											en noie)			
	ious siot red shutte:	3 Mill slot	had				re wrapp	ea						
		• •					rch cut	•		10 Other (spe				
SCREE	v-PERFO	RATION INTERVAL		ч 30			ft. to 9(U	ft., Fro		ft. to		ft.	
	CD	OF BACK SPINNS	fron				ft. to	^	ft., Fro		ft. to		ft.	
	GRAVI	EL PACK INTERVA					ft. to 9	U	ft., Fro		ft. to		ft. ft.	
from ft. to ft., From ft. to 6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug														
	tervals:	_	ft. to 24		ft. F	_			to	ft. From		ft. to	ft.	
What is	the nearest	t source of possible co		:	1			444	10 Livest		14 A	bandon water w		
1 Septic tank 4 Lateral lines					7 Pit privy				11 Fuel storage		15 Oil well/Gas well			
2 Sewer lines 5 Cess pool					8 Sewage lagoon					lizer storage	16 Other (specify below)			
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage									None	Appare	nt			
Direction from well?										How many fe	feet?			
FROM	TO		THOLOGIC	LOG			F)	ROM	ТО	PLUG	GING INTE	RVALS		
0 4	4 15	topsoil												
15	18	clay sand												
18	90	shale												
														
		4.574.4												
						-								
7 CON	NTRACTO	OR'S OR LANDOWNER'S	CERTIFICATION	วท: This	water v	vell wa	s (1) <u>con</u>	struc	ted, (2) recons	tructed, or (3) plu	ged under r	ny jurisdiction	and	
Was co	ompleted	on (mo/day/year) r's License No	<u></u>	ሐ.//ሐ <i>)</i> 	7.7.Q bis 14'	Ar 18/-	and t	nis re	cord is true to	tne best of my kn	owledge and のん/つ	i belief. Kansa R/96	s Water	
Under	the busin	r's License No ness name of. 	p Well	P	ump	Ser	vice	was , T	nc hy fein	mo/day/yr) mature\		W./		
Januar	wuali	Halle VI.MMA	WVIIII					·····	ny (siý	jiraturej C	Todd &	. Harp		
l										U	Curi X	· · · · · · · · · · · · · · · · · · ·	-	