1 LOCATION OF		FRACTION NW SW NW SW				Orm WWC-5 K				RANGE NUMBER		
1.1	SUMNER	SAW		SAM	1/4	PE.	1/4	<b>82</b> 23		<b>₩</b> 30 s	R	2E E/W
	on from nearest town		ess of well if	located w								
	iver <b>a</b> Road		Mulvar	ie, Kai	nsas							
2 WATER W		BENJAMIN								Decad of Acris	- Muse Divisies	of Water Decourse
RR#,\$T. ADDI		1134 N. Rive		d						Board of Agric	culture, Division	of Water Resource
		Mulvane, K				( -		IP CODE:		Application Num	ber:	
	L'S LOCATION N SECTION BOX:	4 DEPTH O	COMPLE	ETED W	ELL:	67			ELEVATION			
1	N	Depth of grou						t.		ft.	_	ft.
		WELL'S STA				25		DW LAND S		SURED ON mo/d		3/9/04
NW	NE	Est. Yiel		test dat		Well wat			ft. after		of pumping @	-
₩ <u>₩</u>	<u> </u>	Bore Hole D		gpm 12		Well wat	er was to	<b>67</b> ft	ft. after . and	in.	of pumping (	-
<del>-</del>		WELL WATE					10	-		9. Dewaterir	44.1	njection well
sw.	SE	1. Domesti	c 3. Fe	edlot	5. Pu	ıblic wat	er supply	7. Lawn	and garden o	oly s. Dewatern	.a	· (Specify below
		2. Irrigation		dustrial			ater suppl	y 8. Air co	nditioning	10. Monitorin		,
	s	Was a chemi submitted	cal/bacteriol	ogical sar	nple subr	nitted to D	epartment?	YES	NO Water Well Dis		YES YES	yr was sample NO
5 TYPE OF	CASING USED:						0.0			ASING JOINTS: C	Glued	Threaded
1. Stee		PM (SR) 5. V	Vrought Iro	on	7. Fib	erglass		Other (Specify	y below) C	ASING JOINTS.	Welded	Clamped
2. PVC	4. AE	3S 6. A	Asbestos-C	ement	8. Co	ncrete til	e SD	R-26			***************************************	Glampou
Blank casing dia	meter	<b>5</b> in.	to 40	) ft.,	-	Dia.	in.	to	ft.,	Dia. i	n. to	ft.
Casing height a	bove land surface	: 12	in.,		Wei	ght:	2.35	lbs. / ft.	Wall	thickness or gaug	e No2	14
TYPE OF SCRE	EN OR PERFOR	ATION MATERIA	AL:									
1. Steel	3. Stainless S		erglass	<	7. PV0		9. A	ABS		Other (specify)		
2. Brass	<ol><li>Galvanized</li></ol>	6. Co	ncrete Tile		8. RM	P (SR)	10. /	Asbestos-Ce	ment 12. I	None used (open h	nole)	
	RFORATION OP											
1. Continuous slot 3. Mill slot 5. Gauzed wrapped						7. To	orch cut	9. Drilled holes 11. None ( open hole			e ( open hole)	
2. Louvered s	hutter 4. I	Key punched	6. <b>Wi</b> i	re wrap <sub>l</sub>	ped		(8. S	aw cut	10. O	ther (specify)		
SCREEN - PERF	ORATION INTER	VAL From	1	40	ft.	to	80	ft.,	From	ft.	to	ft.
		From	า		ft.	to		ft.,	From	ft.	to	ft.
GRAVE	L PACK INTERVA	LS: From	1	24	ft.	to	80	ft.,	From	ft.	to	ft.
		Fron	n		ft.	to		ft.,	From	ft.	to	ft.
GROUT MA	TERIALS: 1	Neat cement		2. Cem	ent Gro	ut		3. Bentonite	· · · · · · · · · · · · · · · · · · ·	Other bento	onite hole	nlug
Grout Interva		<b>4</b> ft.	to	24		From	ft.		ft.,		ft.	to ft.
What is the near	est source of poss		n:				D. Livesto				15 011	.II/Caa wall
7. Septic talik 7. Lateral lines									cticide storage		ell/Gas well (specify below)	
2. Sewer lines		Cess Pool		_	_		1. Fuel sto	_	14. Abar	ndon water well	io. Other	(Specify below)
	sewer line 6. S	ieepage pit	9. F	eed yar	d	1.	2. Fertilize	er storage	How	manu fanta 12		
From T		LITHOL	OGIC	OG			From	То	now	many feet? 12 LITHOLO	GIC I OG	
0 3		2111101					1 10111	<del>  '`</del>		LITTIOLO	<u> </u>	· · · · · · · · · · · · · · · · · · ·
	I -											
3 1												
12 5	5 tan shale											
								1				
12 5										-		
12 5												
12 5												
12 5					· · · · · · · · · · · · · · · · · · ·							
12 5												
12 5												
12 5												

Contractor's or Landowner's Certification: This water well was 1. **constructed** 2. **reconstructed** or 3. **plugged** under my jurisdiction and was completed on (mo/day/year) 3/9/2004 and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 3/10/2004

under the business name of Harp Well & Pump Service Inc.

by (signature)

Jodd S. Harp