WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

1 1	County	Fraction	Section	number	Township number	Range number	
1. Location of well:	Sumner	SE 1/4 SE 1/4 NE 1/4	15		_T 30 s	_R 2E E/W	
2. Distance and direct	ction from nearest town or city:	rom NE corner 3. Ow	ner of wel	l: Nea	1 Brown	•	
CI Sunte	r Co. 2m S. 2 m	use on N side			W 16th		
	efore R. R. trac		state, zip	code: ¼	ichita, Ks.	6 - 1 11 - 11	
4. Locate with "X" in N		Sketch map:			Well depth 78 ft.	6/2/79	
-				ı	7. X Cable tool Rotary		
						Bored Reverse rotary	
<u>.</u> !				Ī	8. Use: X Domestic Pr		
W I I K					Irrigation Air conditioning Stock		
SW	SE					il field water Other •	
1 []	!				9. Casing: Material p1 ts Threaded Welded	Height: Above or below	
<u> </u>						iSurfacein. iWeightlbs./ft.	
1 Mi	ile ————————————————————————————————————				Dia. 6_ in. to 38_ ft. dep	th Wall Thickness: inches or	
5. Type and color of material				To	Dia in. to ft. dep	th gage No200	
			-		10. Screen: Manufacturer's r Plastics Pir	name <u>Sunflower</u>	
Top Soil				4			
•					Type 200 Slot/gauze 06 (1/16		
Shale, brown				16	Set between <u>58</u>		
Shale, yellow gray				33	ft. and ft. Gravel pack? X8.5 ize range of material 3/14-2		
Shale, XXXX gray, yellow gray				47	11. Static water level:ft. below land sur	mo./day/yr. face Date <u>6/2/70</u>	
Limestone, yellow gray (sm. amt. water)				48	12. Pumping level below land		
Dimostono, youron gray (om. ame. water)				40		nrs. pumping g.p.m.	
Shale, Gray, yellow gray				52	ft. after hrs. pumping g.p.m. Estimated maximum yield g.p.m.		
Shale, reddish brown				59	13. Water sample submitted:	mo./day/yr.	
			52		Yes T No	Date	
Shale, gray (gummy)				66	14. Well head completion:		
Siltstone, gray				67	Pitless adapter	Inches above grade	
				0,	15. Well grouted? <u>yes</u> With: T Negt cement	Bentonite Concrete	
Shale, gray				72	Depth: From ft. to		
Gypsum, (sm. amt. water)				72	16. Nearest source of possible		
			72		Well disinfected upon comple	Type Creak	
Shale, gray				74	17. Pump:	X Not installed	
Gypaum. (water)		74	75	Manufacturer's name		
,,					Model number	HP Volts	
Shale, light gray (water)				76	Length of drop pipe Type:	ft. capacityg.p.m.	
					Submersible	Turbine	
					Jet	Reciprocating	
10 Fl T	(Use a second s	heet if needed)			Centrifugal	Other	
18. Elevation: 19. Remarks:					20. Water well contractor's of This well was drilled under m		
					is true to the best of my know	· · ·	
Topography:					welvin R Fi	dge 279	
Hill					Business name	Box 192D	
▼ Slope Upland					Address Augusta	Ks.	
Upland 1				,	פרשב די די כנייי אלות	gent,	