OCATION OF WA					KSA 82a				
unty: SUMNE		Fraction NE 1/4 NI	E 1/4 NE		tion Number 15	Township N	lumber 30 <sub>S</sub>	Range Number	EW.
	n from nearest town	/		/4		<u> </u>		(	<del>J''</del>
	outh of Lucky	•		-	Mulvan	e, KS.			
WATER WELL ON		Bill Wess							
		R#1 Box				D	A	Nicialan af Makau Da	
#, St. Address, Bo		Mulvane,						Division of Water Re	sourc
, State, ZIP Code	· · · · · · · · · · · · · · · · · · ·	riui vane /	140.	75		Applicatio	n Number:	,	
OCATE WELL'S IN "X" IN SECTIO	N De	epth(s) Groundwater	Encountered 1	<u></u>	ft. 2	<u>2</u> <i></i>	ft. 3.	5-13-87	ft.
NW		ELLS STATIC WAT	data: Well wate	er was	elow land sur ft. a ft. a	fter	. hours pui . hours pui	mping	gpr gpr
" !		ELL WATER TO BE		5 Public water		8 Air conditioning	•	Injection well	
, sw		1 Domestic	3 Feedlot	6 Oil field was	ter supply	9 Dewatering	12 (	Other (Specify below	v)
3W	3E	2 Irrigation	4 Industrial	7 Lawn and	<u>arden o</u> nly	10 Observation w	ell		
<u> </u>		/as a chemical/bacte	riological sample s	submitted to De	Wa	ter Well Disinfect	ed? Yes	X No	
YPE OF BLANK	CASING USED:	5 V	Vrought iron	8 Concre	ete tile	CASING JC	INTS: Glued	X. Clamped.	
1 Steel 2 PVC	3 RMP (SB) 4 ABS	. 6 A	sbestos-Cement	9 Other Cer-Ma	(specify below		Welde	ed	
		to 30	# Dia						
in casing diamete	r	12	. II., Dia			t Mall thickness	or goves N	• 203	!!
ang height above	ialiu suriace	· · · + +- · · · · · · · · · · · · · · ·	weight	***	IDS./	it. Wall trickriess	or gauge ive	<i>).</i>	
	OR PERFORATION N			7 PV	-		bestos-ceme		
1 Steel	3 Stainless st		iberglass		<u>P_(SB)</u>				
2 Brass	4 Galvanized		Concrete tile	9 AB	S	12 No	ne used (op	en hole)	
	PRATION OPENINGS	S ARE:	5 Gauz	ed wrapped		8 Saw cut	_	11 None (open hol	le)
1 Continuous sl	ot 3 Mill s	slot	6 Wire	wrapped		9 Drilled holes			
2 Louvered shu	tter 4 Key	punched	7 Torch						
REEN-PERFORAT	FED INTERVALS:							o	1
					ft., Fro	m	ft. to	<b>)</b>	،f
GRAVEL P	ACK INTERVALS:	From	$24 \dots$ ft. to		ft., Fro	m	ft. to	<b>.</b>	,f
		From	24 ft. to ft. to	<b>7</b> 5	ft., Fro	m	ft. to	)	,f
GROUT MATERIA ut Intervals: Fro	L: 1 Neat cem	From 2 Ce to	24 ft. to ft. to ement grout	75 3 Bento	ft., From	m	ft. to	o	,f <u>f</u> f
GROUT MATERIA ut Intervals: Fro	L: 1 Neat cen	From 2 Ce to	24 ft. to ft. to ement grout	75 3 Bento	ft., From tt., F	m Other tt., From tock pens	ft. to	oo  ft. too  pandoned water well	,f <u>f</u> f
GROUT MATERIA ut Intervals: Fro	L: 1 Neat cem	From	24 ft. to ft. to ement grout	75 3 Bento	ft., From tt., F	m	ft. to	oo  ft. too  pandoned water well	,f <u>f</u> f
GROUT MATERIA ut Intervals: Fro at is the nearest s	L: 1 Neat cerrors4ft.	From	24 ft. to ft. to ft. to ft. to ft. to ft. ft. ft., From	3 Bento	ft., From tt., F	m Other tt., From tock pens	ft. to	oo  ft. too  pandoned water well	,f <u>f</u> f
GROUT MATERIA ut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines	L: 1 Neat cerrom	From	ft. to ft. The ft., From ft	3 Bento	tt., From tt., F	m Other	ft. to	oft. to	,f <u>f</u> f
ROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser	L: 1 Neat cerrom4ft. cource of possible corrow 4 Lateral I 5 Cess power lines 6 Seepage	From 2 Ce to 24  Intamination:  lines cool e pit	24 ft. to ft. to ft. to ft. to ft. to ft. ft. ft. ft., From	3 Bento	tt., Froi ft., Froi nite 4 to	m	ft. to	oft. to	1 <u> </u>
ROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well?	L: 1 Neat cerr om 4	From 2 Ce to 24  Intamination:  lines cool e pit	24 ft. to ft. to ft. to ft. to ft. to ft. ft. ft. ft., From	3 Bento	tt., From tt., F	m	14 Ab 15 Oi 16 Ot	o	1 <u> </u>
ROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO	L: 1 Neat cerr om4ft. cource of possible cor 4 Lateral I 5 Cess po wer lines 6 Seepage South	From	24 ft. to ft. to ft. to ft. to ft. to ft. ft. ft. ft., From	3 Bento ft.	nite 4 to	m	14 At 15 Oi 16 Or	o	
arrout MATERIA at Intervals: Fro at is the nearest s  1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO 0 3	L: 1 Neat cem om4	From	24 ft. to ft. to ft. to ft. to ft. to ft. ft. ft. ft., From	3 Bento ft.	nite 4 to	m	14 Ab 15 Oi 16 Ot	o	
ROUT MATERIA at Intervals: Fro it is the nearest s  1 Septic tank 2 Sewer lines 3 Watertight ser ction from well? OM TO 0 3 3 17	L: 1 Neat cem om. 4	From	24 ft. to ft. to ft. to ft. to ft. to ft. ft. ft. ft., From	3 Bento ft.	nite 4 to	m	14 Ab 15 Oi 16 Ot	o	
ROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser ction from well? OM TO 0 3 1 17 17 58	L: 1 Neat cem om. 4	From	24 ft. to ft. to ft. to ft. to ft. to ft. ft. ft. ft., From	3 Bento ft.	nite 4 to	m	14 Ab 15 Oi 16 Ot	o	
ROUT MATERIA at Intervals: Fro t is the nearest s  1 Septic tank 2 Sewer lines 3 Watertight ser ction from well? OM TO 0 3 3 17	L: 1 Neat cem om. 4	From	24 ft. to ft. to ft. to ft. to ft. to ft. ft. ft. ft., From	3 Bento ft.	nite 4 to	m	14 Ab 15 Oi 16 Ot	o	
ROUT MATERIA It Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser ction from well? OM TO 0 3 17 17 58	L: 1 Neat cem om. 4	From	24 ft. to ft. to ft. to ft. to ft. to ft. ft. ft. ft., From	3 Bento ft.	nite 4 to	m	14 Ab 15 Oi 16 Ot	o	
ROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser ction from well? OM TO 0 3 1 17 17 58	L: 1 Neat cem om. 4	From	24 ft. to ft. to ft. to ft. to ft. to ft. ft. ft. ft., From	3 Bento ft.	nite 4 to	m	14 Ab 15 Oi 16 Ot	o	
ROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser ction from well? OM TO 0 3 1 17 58	L: 1 Neat cem om. 4	From	24 ft. to ft. to ft. to ft. to ft. to ft. ft. ft. ft., From	3 Bento ft.	nite 4 to	m	14 Ab 15 Oi 16 Ot	o	
ROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser ction from well? OM TO 0 3 1 17 58	L: 1 Neat cem om. 4	From	24 ft. to ft. to ft. to ft. to ft. to ft. ft. ft. ft., From	3 Bento ft.	nite 4 to	m	14 Ab 15 Oi 16 Ot	o	
ROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser ction from well? OM TO 0 3 1 17 58	L: 1 Neat cem om. 4	From	24 ft. to ft. to ft. to ft. to ft. to ft. ft. ft. ft., From	3 Bento ft.	nite 4 to	m	14 Ab 15 Oi 16 Ot	o	
ROUT MATERIA at Intervals: Fro t is the nearest s  1 Septic tank 2 Sewer lines 3 Watertight ser ction from well? OM TO 0 3 3 17 17 58	L: 1 Neat cem om. 4	From	24 ft. to ft. to ft. to ft. to ft. to ft. ft. ft. ft., From	3 Bento ft.	nite 4 to	m	14 Ab 15 Oi 16 Of	o	
ROUT MATERIA at Intervals: Fro t is the nearest s  1 Septic tank 2 Sewer lines 3 Watertight ser ction from well? OM TO 0 3 3 17 17 58	L: 1 Neat cem om. 4	From	24 ft. to ft. to ft. to ft. to ft. to ft. ft. ft. ft., From	3 Bento ft.	nite 4 to	m	14 Ab 15 Oi 16 Of	o	
AROUT MATERIAL Intervals: From the state of	L: 1 Neat cem om. 4	From	24 ft. to ft. to ft. to ft. to ft. to ft. ft. ft. ft., From	3 Bento ft.	nite 4 to	m	14 Ab 15 Oi 16 Of	o	
arrow MATERIA  at Intervals: Fro ti is the nearest s  1 Septic tank 2 Sewer lines 3 Watertight ser ction from well? OM TO 0 3 3 17 17 58	L: 1 Neat cem om. 4	From	24 ft. to ft. to ft. to ft. to ft. to ft. ft. ft. ft., From	3 Bento ft.	nite 4 to	m	14 Ab 15 Oi 16 Of	o	
BROUT MATERIA  ut Intervals: Fro at is the nearest s  1 Septic tank 2 Sewer lines 3 Watertight serection from well?  ROM TO 0 3 17 17 58	L: 1 Neat cem om. 4	From	24 ft. to ft. to ft. to ft. to ft. to ft. ft. ft. ft., From	3 Bento ft.	nite 4 to	m	14 Ab 15 Oi 16 Of	o	
BROUT MATERIA  ut Intervals: Fro at is the nearest s  1 Septic tank 2 Sewer lines 3 Watertight servection from well?  ROM TO 0 3 17 17 58	L: 1 Neat cem om. 4	From	24 ft. to ft. to ft. to ft. to ft. to ft. ft. ft. ft., From	3 Bento ft.	nite 4 to	m	14 Ab 15 Oi 16 Of	o	
BROUT MATERIA  ut Intervals: Fro at is the nearest s  1 Septic tank 2 Sewer lines 3 Watertight serection from well?  ROM TO 0 3 17 17 58	L: 1 Neat cem om. 4	From	24 ft. to ft. to ft. to ft. to ft. to ft. ft. ft. ft., From	3 Bento ft.	nite 4 to	m	14 Ab 15 Oi 16 Of	o	
GROUT MATERIA out Intervals: Fro at is the nearest s  1 Septic tank 2 Sewer lines 3 Watertight serection from well? ROM TO 0 3 3 17 17 58 58 75	L: 1 Neat cem om. 4	From 2 Ce to24 Intamination: lines col e pit l LITHOLOGIC LOG il Shale cone	24 ft. to ft.	3 Bento ft.	nite 4 to	m Other	14 At 15 Oi 16 Or 82 LITHOLOG	ft. to	
BROUT MATERIA  ut Intervals: Fro at is the nearest s  1 Septic tank 2 Sewer lines 3 Watertight serection from well?  ROM TO 0 3 17 17 58 58 75  CONTRACTOR'S	L: 1 Neat cem om. 4	From 2 Ce to24  Intamination: lines col e pit l LITHOLOGIC LOG il Shale cone	24 ft. to ft.	3 Bento ft.	tt., Froinite 4 tto	m Other	14 At 15 Oi 16 Or 82 LITHOLOG	of the first of th	l
AROUT MATERIA Let Intervals: Fro the is the nearest state is shown in the nearest state in the nearest state is shown in the nearest state in the nearest state is the nearest state in the nearest state in the nearest state is the nearest state in the nearest state in the nearest state is the nearest state in the n	DR LANDOWNER'S	From  Prom  Prom	24 ft. to ft.	3 Bento ft.	tt., From tt., F	m Other	14 At 15 Oi 16 Of 82 LITHOLOG	ft. to pandoned water well well/Gas well ther (specify below)  IC LOG  er my jurisdiction ar pwledge and belief.	l
AROUT MATERIAL ALT Intervals: From the is the nearest state of the sta	Dr. 1 Neat cem  om. 4	From  Prom  Prom	24 ft. to	3 Bentoft.  oon  FROM  as (1) construction	tt., From tt., F	m Other	14 At 15 Oi 16 Of 82 LITHOLOG	ft. to pandoned water well well/Gas well ther (specify below)  IC LOG  er my jurisdiction ar pwledge and belief.	l and w