1 LOCATION OF WATER WELL:	FRACTION	wate	A WEII RECOIL	FOIII W WC	Section Number	Township Number	Range Number
Sumner	SW 1/4	NW	1/4 N	W 1/4	25	T 30 s	R 2E E/W
Distance and direction frem nearest town or city street address of well if located within city?							
4 m. SE of Mulvane, 1 1/4 S. of K-15 Hwy, E. side Mulvane, Kansas							
2 WATER WELL OWNER: CRAFT, Glenn							
RR#, ST. ADRESS, BOX#: RR 1 Box 591C Board of Agriculture, Divivsion of Water Resource							
CITY, STATE, ZIP CODE: Mulvane, Kansas Application Number:							
3 LOCATE WELL'S LOCATION WITH 4	DEPTH OF COM	MPLETEI	WELL	80	ft. ELE	VATION:	
AN "X" IN SECTION BOX:	Depth(s) groundw	ater Enco	untered	1	ft.	2 ft.	3 ft.
	VELL'S STATIC W	ATER LE	EVEL 20) F1	. BELOW LAND SUR	FACE MEASURED ON mo/day/yr	08/02/1993
X NW NE	Pump tes	t data:	Well v	vater was	ft. a	ifter hours pum	* *
E	st. Yield	gpm:	Well	water was	ft. s	after hours pum	
E B	ore Hole Diameter	12	in.	to 80	ft.,	and in.	to ft.
	ELL WATER TO		AS:	5 Public wate	· ·	8 Air conditioning 11 I	njection well
Sie	1 Domestic	3 Feedl	ot	6 Oil field w	ater supply	9 Dewatering 12 (Other (Specify below)
SW SE	2 Irrigation	4 Indus	trial	7 Lawn and	garden only 10	0 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was							
S submitted Water Well Disinfected? Yes X No							
5 TYPE OF CASING USED:		5 Wro	ught iron		8 Concrete tile	CASING JOINTS: G	Hued X Clamped
1 Steel 3 RMP (SR)			stos-Ceme	nt 9	Other (Specify be	elow) V	Velded
2 PVC 4 ABS		7 Fiber	glass	S	DR-26	7	Threaded
Blank casing Diameter 5	n. to 25	ft.,	Dia	in		ft., Dia in.	to ft.
Casing height above land surface 12		-	weight 2	.35	lbs. / ft.	Wall thickness or gauge No.	.214
TYPE OF SCREEN OR PERFORATI	ON MATERIAL:				7 <u>PVC</u>	10 Asbestos-cem	ent
1 Steel 3 Stainless Steel		5 Fiberg	glass		8 RMP (SR)	11 other (specify	7)
2 Brass 4 Galvanized steel		6 Concr	ete tile		9 ABS	12 None used (o	pen hole)
SCREEN OR PERFORATION OPEN	ING ARE:		5 Gauz	ed wrapped		8 Saw cut	11 None (open hole)
1 Continous slot 3 Mill slot		6 Wire wrapped			9 Drilled holes		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)							
SCREEN-PERFORATION INTERVALS: from 25 ft. to 80 ft., From ft. to ft.							
	from			to	ft., From		ft.
GRAVEL PACK INTERVA	_	4		. to 80	ft., From		ft.
	from	-		. to	ft., From		n.
6 GROUT MATERIAL: 1 Neat ce	ment 2 (Cement gr	out	3 B	entonite	4 Other	
Grout Intervals: From 4	ft. to 24	ft	From	ft.	to	ft., From	ft. to ft.
What is the nearest source of possible of		,			10 Livesto	•	Abandon water well
1 Septic tank 4 Lateral lines		7	7 Pit privy		11 Fuel sto	orage 15	Oil well/Gas well
2 Sewer lines 5 Cess pool		8 S	8 Sewage lagoon		12 Fertiliz	zer storage 16	Other (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage							
Direction from well? Souther	•		-			How many feet? 200	
	ITHOLOGIC LOG			FROM	ТО	PLUGGING INTE	RVALS
0 3 topsoil							
3 12 clay							
12 57 brown sha							
57 80 gray sha:	<u>le and lin</u>	nesto	ne				
							N. J
				-			11-12-1
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and							
was completed on (mo/day/year) .	08/02/	1993		. and this re	cord is true to th	e best of my knowledge and	l belief. Kansas Water
Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr) 10/27/93							
Under the business name of Harp Well & Pump Service, Inc. by (signature)							
758 Jane Frederick							