T. COLT	ION OF THE	TED SHELL	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212			- N
ك	ION OF WA	40-	, I /	CW -		Section Number	Township Number	Ran	nge Number
	Sumne		/	SW 1/4 S	W 1/4	28	т 30 s	R	2E E/W
Distance and direction frem nearest town or city street address of well if located within city?									
3 m. E. of Belle Plaine, 1 1/4 m. N., E. side of road Belle Plaine, KS. 2 WATER WELL OWNER: MERRITT, I.loyd									
			RITT, Lloyd	L			Roard of Agr	iculture Divivsion of W	ater Descuerce
RR#, ST. ADRESS, BOX #: RR #1 CITY, STATE, ZIP CODE: Belle Plaine, Kansas						Board of Agriculture, Divivsion of Water Resource			
					40	A E1		on Number:	
Local	IN SECTION	OCATION WITH BOX:	<u></u>	MPLETED WELL rater Encountered	4.U	ft. EI ft.	.EVATION: 2 ft.	. 3	ft.
t		7	1	ATER LEVEL 15	_		URFACE MEASURED ON mo	•	26/1995
			Pump tes		ater was	ft.		ırs pumping	
'	NW	NE	Est. Yield		vater was	ft.		irs pumping	gpm gpm
1Mile A			Bore Hole Diameter		to 40	ft.	and	in. to	ft.
∑ W			WELL WATER TO		Public water	r supply	8 Air conditioning	11 Injection w	ell
١.,			1 Domestic		6 Oil field wa	ter supply	9 Dewatering	12 Other (Spe	cify below)
	X. sw		2 Trrigation	4 Industrial	7 Lawn and g	arden only	10 Monitoring well		
 			Was a chemical/bact	eriological sample sul	bmitted to De	partment? Yes	No X ;	If yes, mo/day/yr s	ample was
<u> </u>		S	submitted			W	ater Well Disinfected?	Yes X	No
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped									
1 Steel		3 RMP (SR)		6 Asbestos-Cemer	ıt 9	Other (Specify	below)	Welded	
2 PVC		4 ABS		7 Fiberglass	S	DR-26		Threaded	
Blank ca	sing Diam	eter 5	in. to 30	ft., Dia	in.	to	ft., Dia	in. to	ft.
	_	e land surface		weight 2		lhs / ft	Wall thickness or gauge	e No. stos-cement	.214
I			ATION MATERIAL:	5 Fiberglass		PVC RMP (SR)			
								•	
2 Bras	-	4 Galvanized ste				ADS	8 Saw cut	used (open hole)	ne (open hole)
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped							9 Drilled holes	11 1101	ne (open noie)
o name store									
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) SCREEN-PERFORATION INTERVALS: from 30 ft. to 40 ft. From ft. to 40 ft.									
SCREE	N-PERFO	RATION INTER	3,		to 40	ft., Fro	om	ft. to	ft.
GRAVEL PACK INTERVALS: from 24 ft. to						ft., Fr		ft. to	ft.
	GRAV	EL PACK INTER	RVALS: from 2		to 40	ft., Fr ft., Fr		ft. to ft. to	ft. ft.
6 GRO	IIT MAT	ERTAL: 1 Neat		Cement grout	,	ntonite	4 Other	11. 10	11-
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 4 ft. to 24 ft. From ft. to ft. From ft. to ft.									
What is the nearest source of possible contamination:					144	10 Livestock pens 14 Abandon water well			
1 Septic tank 4 Lateral lines 7 Pit privy						11 Fuel	11 Fuel storage 15 Oil well/Gas well		as well
2 Sewer lines 5 Cess pool 8 Sewage lagoo					on		12 Fertilizer storage 16 Other (specify below)		cify below)
3 Wate	rtight sew	er lines 6 See	page pit	9 Feedyard		13 Insecticide storage None Apparent			
Direction from well? How many feet?									
FROM			LITHOLOGIC LOG		FROM	ТО	PLUGGIN	G INTERVALS	
<u> 0</u>	3	topsoil							
3	8	clay							
8	29	fine sa							
29	40	medium	sand						

							///		
7 CON	TRACTO	P'S OP LANDOWN	EDIS CEDTIFICATION: T	nis water well was /	1) construct	ed (2) recons	tructed, or (3) plugged	under my juried	iction and
CO	ompleted	on (mo/dav/vea	01/26	1995	and this re	cord is true to	the best of my knowle	dge and belief. k	Cansas Water
Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr)									
1							Van	re Freder	ick.