1 LOCATION OF WATER WE	LL:	Fraction			_	ection Numb	1	p Number	Range N	
County: Neosho		SW ½			7 1/4	16	T 30) s	R 20	(E)V
Distance and direction from ne					d within cit	y?				
SW Corner of Main & F				<u>v</u> 2						
2 WATER WELL OWNER: U										
RR#, St. Address, Box # : 14	_							griculture, Divis	sion of Water I	Resources
		ebraska 6					Application			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION B							EVATION:			
_ N	Dep						ft. 2			I .
	WE						d surface measure			
NE W			-				. after			
	Est						after			
X X	1 – 1						i., and			
- "			TO BE USE					oning 11 I	•	/ below)
sw. se		1 Domestic					9 Dewatering			
	1 1	2 Irrigation					(10) Monitoring ent? YesN			
<u> </u>		as a cnemic omitted	al/pacteriolog	icai sampie	submitted		enta res Water Well Disinf			mpie was in
S S		Jiiilled	E \//		0.0					See
5 TYPE OF BLANK CASING U			-	tiron s-Cement				JOINTS: Glued	edClarr	iped
	MP (SR)		7 Fibergla			r (specify b	•		ded	
2 PVC 4 A Blank casing diameter		to								
Casing height above land surface										
TYPE OF SCREEN OR PERFO			. In., weight					Asbestos-ceme		
	tainless ste		5 Fibergla	ee	8 RI			Other (specify)		-
		teel	_		9 AE			None used (op		
SCREEN OR PERFORATION O			0 0010100	5 Gauzeo			8 Sawcut	Terro asca (op	11 None (op	en hole)
1 Continuous slot	3 Millsk				rapped		9 Drilled hole	es	TT TWOTIC (OP	erriole)
	4 Key p			7 Torch o			10 Other (spe			
SCREEN-PERFORATED INTER						ft	From	• •		
SOMEEN EN SIVILES INVEN	F	From		. ft. to		ft.,	From	ft.	to	ft.
GRAVEL PACK INTER	F	From From		. ft. to . ft. to		ft., ft.,	From	ft.	to	ft. д
	F VALS: F	From		. ft. to		ft.,	From	ft.	to	ft.
GRAVEL PACK INTER	F VALS: F	rom rom		. ft. to . ft. to		ft., ft.,	From		to	ft. ft.
GRAVEL PACK INTER	RVALS: F Neat cem	From From ent	2 Cement g	.ft.to .ft.to rout	3 Bent	ft., ft., onite	From		to	ft.
GRAVEL PACK INTER	VALS: F Neat cem ft.	From From ent to	2 Cement g	.ft.to .ft.to rout	3 Bent	onite	From	ft. ft.	to	ft. 7ftftftftft.
GRAVEL PACK INTER 6 GROUT MATERIAL: 1 Grout Intervals: From What is the nearest source of p	VALS: F Neat cem ft.	From From ent to ntamination:	2 Cement g	ft. to ft. to rout	3 Bent	onite to 10 Liv	From		to	ftftftftft
GRAVEL PACK INTER 6 GROUT MATERIAL: 1 Grout Intervals: From	VALS: F Neat cem t ft. ossible cor	From From ent to ntamination:	2 Cement g	ft. to ft. to rout	3 Bent ft.	ft., ft., onite to 10 Liv	From		to	ft ft
GRAVEL PACK INTER 6 GROUT MATERIAL: 1 Grout Intervals: From What is the nearest source of p 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6	Neat cem ft. ossible cor Lateral lir 5 Cess poo	From From	2 Cement gft., Fi 7 P 8 S	ft. to ft. to rout rom	3 Bent ft.	onite to	From		toto	ftftftftft
GRAVEL PACK INTER 6 GROUT MATERIAL: 1 Grout Intervals: From What is the nearest source of p 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 Direction from well?	Neat cem The consideration of the core Lateral line Cess poor Seepage	From From	2 Cement gft., F 7 P 8 S 9 F	ft. to ft. to rout rom t privy ewage lagoo	3 Bent ft.	ft.,ft., onite to 10 Li 11 Fu 12 Fe 13 In: How n	From	14 At 15 Oi	totoft. to	ftftftftft
GRAVEL PACK INTER 6 GROUT MATERIAL: 1 Grout Intervals: From What is the nearest source of p 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6	Neat cem The consideration of the core Lateral line Cess poor Seepage	From From	2 Cement gft., F 7 P 8 S 9 F	ft. to ft. to rout rom t privy ewage lagoo	3 Bent ft.	ft.,ft., onite to 10 Li 11 Fc 12 Fc 13 In Hown	From		totoft. to	ft
GRAVEL PACK INTER 6 GROUT MATERIAL: 1 Grout Intervals: From What is the nearest source of p 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 Direction from well?	Neat cem The consideration of the core Lateral line Cess poor Seepage	From From	2 Cement gft., F 7 P 8 S 9 F	ft. to ft. to rout rom t privy ewage lagoo	3 Bent ft.	ft.,ft., onite to 10 Li 11 Ft 12 Fe 13 In Hown TO 7	From	14 Al 15 Oi 16 Ot	totoft. to	ft
GRAVEL PACK INTER 6 GROUT MATERIAL: 1 Grout Intervals: From What is the nearest source of p 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 Direction from well?	Neat cem The consideration of the core Lateral line Cess poor Seepage	From From	2 Cement gft., F 7 P 8 S 9 F	ft. to ft. to rout rom t privy ewage lagoo	3 Bent ft.	ft.,ft., onite to 10 Li 11 Fc 12 Fc 13 In Hown	From	14 Al 15 Oi 16 Ot	totoft. to	ftftftftft
GRAVEL PACK INTER 6 GROUT MATERIAL: 1 Grout Intervals: From What is the nearest source of p 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 Direction from well?	Neat cem The consideration of the core Lateral line Cess poor Seepage	From From	2 Cement gft., F 7 P 8 S 9 F	ft. to ft. to rout rom t privy ewage lagoo	3 Bent ft.	ft.,ft., onite to 10 Li 11 Ft 12 Fe 13 In Hown TO 7	From	14 Al 15 Oi 16 Ot	totoft. to	ft
GRAVEL PACK INTER 6 GROUT MATERIAL: 1 Grout Intervals: From What is the nearest source of p 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 Direction from well?	Neat cem The consideration of the core Lateral line Cess poor Seepage	From From	2 Cement gft., F 7 P 8 S 9 F	ft. to ft. to rout rom t privy ewage lagoo	3 Bent ft.	ft.,ft., onite to 10 Li 11 Ft 12 Fe 13 In Hown TO 7	From	14 Al 15 Oi 16 Ot	totoft. to	ft
GRAVEL PACK INTER 6 GROUT MATERIAL: 1 Grout Intervals: From What is the nearest source of p 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 Direction from well?	Neat cem The consideration of the core Lateral line Cess poor Seepage	From From	2 Cement gft., F 7 P 8 S 9 F	ft. to ft. to rout rom t privy ewage lagoo	3 Bent ft.	ft.,ft., onite to 10 Li 11 Ft 12 Fe 13 In Hown TO 7	From	14 Al 15 Oi 16 Ot	totoft. to	ft
GRAVEL PACK INTER 6 GROUT MATERIAL: 1 Grout Intervals: From What is the nearest source of p 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 Direction from well?	Neat cem The consideration of the core Lateral line Cess poor Seepage	From From	2 Cement gft., F 7 P 8 S 9 F	ft. to ft. to rout rom t privy ewage lagoo	3 Bent ft.	ft.,ft., onite to 10 Li 11 Ft 12 Fe 13 In Hown TO 7	From	14 Al 15 Oi 16 Ot	totoft. to	ft
GRAVEL PACK INTER 6 GROUT MATERIAL: 1 Grout Intervals: From What is the nearest source of p 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 Direction from well?	Neat cem The consideration of the core Lateral line Cess poor Seepage	From From	2 Cement gft., F 7 P 8 S 9 F	ft. to ft. to rout rom t privy ewage lagoo	3 Bent ft.	ft.,ft., onite to 10 Li 11 Ft 12 Fe 13 In Hown TO 7	From	14 Al 15 Oi 16 Ot	totoft. to	ft
GRAVEL PACK INTER 6 GROUT MATERIAL: 1 Grout Intervals: From What is the nearest source of p 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 Direction from well?	Neat cem The consideration of the core Lateral line Cess poor Seepage	From From	2 Cement gft., F 7 P 8 S 9 F	ft. to ft. to rout rom t privy ewage lagoo	3 Bent ft.	ft.,ft., onite to 10 Li 11 Ft 12 Fe 13 In Hown TO 7	From	14 Al 15 Oi 16 Ot	totoft. to	ft
GRAVEL PACK INTER 6 GROUT MATERIAL: 1 Grout Intervals: From What is the nearest source of p 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 Direction from well?	Neat cem The consideration of the core Lateral line Cess poor Seepage	From From	2 Cement gft., F 7 P 8 S 9 F	ft. to ft. to rout rom t privy ewage lagoo	3 Bent ft.	ft.,ft., onite to 10 Li 11 Ft 12 Fe 13 In Hown TO 7	From	14 Al 15 Oi 16 Ot	totoft. to	ft
GRAVEL PACK INTER 6 GROUT MATERIAL: 1 Grout Intervals: From What is the nearest source of p 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 Direction from well?	Neat cem The consideration of the core Lateral line Cess poor Seepage	From From	2 Cement gft., F 7 P 8 S 9 F	ft. to ft. to rout rom t privy ewage lagoo	3 Bent ft.	ft.,ft., onite to 10 Li 11 Ft 12 Fe 13 In Hown TO 7	From	14 Al 15 Oi 16 Ot	totoft. to	ft
GRAVEL PACK INTER 6 GROUT MATERIAL: 1 Grout Intervals: From What is the nearest source of p 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 Direction from well?	Neat cem The consideration of the core Lateral line Cess poor Seepage	From From	2 Cement gft., F 7 P 8 S 9 F	ft. to ft. to rout rom t privy ewage lagoo	3 Bent ft.	ft.,ft., onite to 10 Li 11 Ft 12 Fe 13 In Hown TO 7	From	14 Al 15 Oi 16 Ot	totoft. to	ft.
GRAVEL PACK INTER 6 GROUT MATERIAL: 1 Grout Intervals: From What is the nearest source of p 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 Direction from well?	Neat cem The consideration of	From From	2 Cement gft., F 7 P 8 S 9 F	ft. to ft. to rout rom t privy ewage lagoo	3 Bent ft.	ft.,ft., onite to 10 Li 11 Ft 12 Fe 13 In Hown TO 7	From	14 Al 15 Oi 16 Ot	totoft. to	ft.
GRAVEL PACK INTER 6 GROUT MATERIAL: 1 Grout Intervals: From What is the nearest source of p 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 Direction from well?	Neat cem The consideration of	From From	2 Cement gft., F 7 P 8 S 9 F	ft. to ft. to rout rom t privy ewage lagoo	3 Bent ft.	ft.,ft., onite to 10 Li 11 Ft 12 Fe 13 In Hown TO 7	From	14 Al 15 Oi 16 Ot	totoft. to	ft.
GRAVEL PACK INTER 6 GROUT MATERIAL: 1 Grout Intervals: From What is the nearest source of p 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 Direction from well?	Neat cem The consideration of	From From	2 Cement gft., F 7 P 8 S 9 F	ft. to ft. to rout rom t privy ewage lagoo	3 Bent ft.	ft.,ft., onite to 10 Li 11 Ft 12 Fe 13 In Hown TO 7	From	14 Al 15 Oi 16 Ot	totoft. to	ft.
GRAVEL PACK INTER 6 GROUT MATERIAL: 1 Grout Intervals: From What is the nearest source of p 1 Septic tank 2 Sewer lines 3 Watertight sewer lines Direction from well? FROM TO	Neat cemft. ossible cor Lateral lir Cess poc Seepage	From	2 Cement gft., Fi 7 P 8 S 9 Fi	ft. to ft. to rout rout trom t privy ewage lagoo	3 Bent ft.	ft.,ft., onite to 10 Li 11 Fu 12 Fe 13 In Hown TO 7 3	From	14 Al 15 Oi 16 Ot 15 Oi 16 Oi	to	ft.
GRAVEL PACK INTER 6 GROUT MATERIAL: 1 Grout Intervals: From What is the nearest source of p 1 Septic tank 2 Sewer lines 3 Watertight sewer lines Direction from well? FROM TO	Neat cemft. ossible cor 4 Lateral lir 5 Cess poc 6 Seepage	From From ent to Itamination: nes ol pit ITHOLOGIC	2 Cement gft., Fi 7 P 8 S 9 Fi	ft. to ft. to rout rout trom t privy ewage lagoo	3 Bent ft.	10 Ling 12 Fe 13 In: Hown TO 7 3	From	14 Al 15 Oi 16 Ot 15 Oi 16 Oi 16 Ot 15 Oi 16 Oi	to	t
GRAVEL PACK INTER GROUT MATERIAL: 1 Grout Intervals: From What is the nearest source of p Septic tank Sewer lines Watertight sewer lines TO TO TO TO TO TO TO TO TO T	Neat cemft. ossible cor 4 Lateral lir 5 Cess poc 6 Seepage	From	2 Cement gft., Fi 7 P 8 S 9 Fi LOG	ft. to ft. to rout rout trom t privy ewage lagoc eedyard ater well was 6	3 Bent ft.	10 Ling 12 Fe 13 In Hown TO 7 3	From	TSPCI (3) plugged untile best of my	to	t
GRAVEL PACK INTER GROUT MATERIAL: 1 Grout Intervals: From What is the nearest source of p 1 Septic tank 2 Sewer lines 3 Watertight sewer lines Direction from well? FROM TO TO 7 CONTRACTORS OR LANDO and was completed on (mo/day) Kansas Water Well Contractor's	Neat cemft. ossible cor 4 Lateral lir 5 Cess poc 6 Seepage	ent to	2 Cement gft., Fi 7 P 8 S 9 F6 LOG	ft. to	3 Bent ft.	ructed, (2) r and this	From	TSPCI (3) plugged untile best of my	to	t
GRAVEL PACK INTER GROUT MATERIAL: 1 Grout Intervals: From What is the nearest source of p Septic tank Sewer lines Watertight sewer lines TO TO TO TO TO TO TO TO TO T	Neat cem	ent to	2 Cement gft., Fi 7 P 8 S 9 F6 LOG	ft. to	3 Bent ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	ructed, (2) r and this	From	JSPCI (3) plugged unter best of my (mo/day/yr)	to	t

WATER WELL RECORD Form WWC-5 KSA 82a-1212