				R WELL RECORD	Form WWC-5		32a-1212		·		
		TER WELL:	Fraction		i	ction Numb		hip Number	Range N		
County: C	CRAWI	-crex	$15\omega_{4}$	56 45E	1/4	19_	<u> </u>	<u>05</u> s	I ROS	€ w	
Distance	and direction	from nearest tow	n or city street a	ddress of well if located	17						
43	1 W.	4 20 5	to Vi		(5.						
2 MATE	B WELL OV	VNER COAC	V_A) M/Aa	Tax sol	_						
RR#, St.	Address, Bo	× # : 305 A	s MCARA	hic			Boar	d of Agriculture,	Division of Wate	er Resources	
City. State	e ZIP Code	OKE,	OK-					cation Number:			
3 LOCAT	F WELL'S I	OCATION WITH	4 DEPTH OF C	COMPLETED WELL	18	# FLF					
AN "X	IN SECTIO	N BOX:	Dopth(s) Groups	water Encountered 1.	٠	11. LLL	• 2			4	
_ r					4				_	_	
†	i			VELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr 5-19-72 Pump test data: Well water was							
 	NW	NE									
	1		Est. Yield gpm: Well water was ft. after hours pumping								
i w w		F F	Bore Hole Diameter9in. to				., and	ir	. to	. <i></i> .ft.	
₹ "	1.	! [· · · · · · · · · · · · · · · · · · ·				8 Air conditioning 11 Injection well				
17 1	I CVA/		1 Domestic	3 Feedlot	Oil field wa	ter supply	9 Dewaterin	g 12	Other (Specify	below)	
	3W	%	2 Irrigation	4 Industrial	Lawn and	garden only	/ (10) Monitorin	y well			
	i		Was a chemical/	bacteriological sample s	ubmitted to D	epartment?	YesN	o. 🗶; If yes	, mo/day/yr sam	iple was sub	
I		S	mitted			,	Water Well Disi	nfected? Yes	No 🌙	K	
5 TYPE	OF BLANK	CASING USED:		5 Wrought iron	8 Concr	ete tile	CASIN	G JOINTS: Glue			
1 S	•	3 RMP (SF	3)	6 Asbestos-Cement	9 Other	(specify be			led		
(2)		4 ABS	•/	7 Fiberglass					aded.		
	-	a	in to	ft., Dia				· -			
		and surface		in, weight 54							
1 -				.in., weight						• • • • • • • • •	
		R PERFORATION			(7 PV			Asbestos-ceme			
1 S		3 Stainless		5 Fiberglass		MP (SR)		Other (specify)			
l .	rass	4 Galvaniz		6 Concrete tile	9 AB	S		2 None used (or	en hole)		
SCREEN	OR PERFO	RATION OPENIN		5 Gauze	d wrapped		8 Saw cut		11 None (ope	en hole)	
1 C	ontinuous sle	ot 3 Mi	ill slot	6 Wire wrapped			9 Drilled h	oles			
2 L	ouvered shut	ter 4 Ke	ey punched	7 Torch	cut		10 Other (s	pecify)			
SCREEN	-PERFORAT	ED INTERVALS:	From	3 ft. to	<i>.</i> . 5	ft., F	rom	ft. 1	ю		
			From	ft. to		ft., F	rom	ft. 1	o		
	GRAVEL PA	CK INTERVALS:	From	f ft. to		ft., F	rom	ft . 1	· · · · · · · · · · · · · · · · · · ·		
			From	ft. to				ft. 1			
6 GROU	T MATERIA	L: 1 Neat o	ement	2 Cement grout	3 Bento	nite	4 Other				
Grout Inte	ervals: Fro	m 3	ft. to	ft., From	ft.	to	ft., Fro	om .	ft. to		
What is the		ource of possible					estock pens		bandoned wate		
1 S	eptic tank	4 Latera	al lines	7 Pit privy			el storage	15 C	il well/Gas well		
2 Sewer lines 5 Cess p		loog									
3 Watertight sewer lines 6 Seepag			•				13 Insecticide storage				
1	from well?	10: III.00 0 000pt	ago pii	o i codyala			nany feet?				
FROM	TO		LITHOLOGIC	LOG	FROM	TO	nany leet:	PLUGGING I	NTERVALS		
0		TOP SO			1		Mow				
3	ब्रे	DARK GA	eny Clay	***	†	 	1 ,,,,,,,	0 2			
38		DARK GR	29 5 129	H20	 						
10	10	SALL ST	and Pla		 		 				
10	15	THUIL O	raay Cun	1	ļ	<u> </u>	├	BORD	WIPE.		
	<u> </u>				ļ		├	10.1	7 2 1 1		
	_				_		107		- 45/11/1		
	_						J	1-1			
								JUN 22	000		
							7	JUNZ	336		
	İ										
							Г	71/161/04	IOF		
							DIVISION OF ENVIRONMENT				
						ENVIRO			NMENT		
	†				†						
	1				 	 		· - 1/			
 	1	1				1	1				
7 CONT	RACTOR'S	OR LANDOWNER	'S CERTIFICAT	ON: This water well wa	(1) constru						
		/year) 5 /.9						he best of my kn	owledge and be	lief. Kansas	
1			•	This Water We				1 61-17I	72		
under the	business na	me of Associa	1.d ENVIR	comendal Inch	stains la	by (sig	nature //	MED.	March 1	>	
									/ N		
INSTR	JCTIONS Use to	pewriter or ball point of	oen <i>PLEASE PRESS</i> F	FIRMLY and PRINT clearly Plea 0-0001. Telephone 913-296-55	se fill in blanks."	underline or ci	role ine correct ansi	vers. Seno lop unes	copies to Kansas Di	epartment	