			•				ta akibar ya sa nisunaliwi	inco-1	
1 LOCAT	ION OF WA	TER WELL:	Fraction.	NEJ NE	Form WWC	5 KSA 82a- ection Number	1212 Township Numb - 30	756 %	н
County:			<u>'</u>	address of well if located	<i>y</i> <sub>4</sub>		Т 50	S R 13 T	E/N
Distance	and direction	_	· ~ ·	HSburj	within city				
2 WATE	R WELL OV	VNFR							
RR#, St.	Address, Bo	X # .	Fleming Fet		1: E. R		•	culture, Division of Water Res	sources
	e, ZIP Code			. Pittsburg, Ks			Application Nu		
3 LOCAT	E WELL'S L	LOCATION WITH IN BOX: N	Depth(s) Ground	COMPLETED WELL dwater Encountered 1.	.20	ft. ELEVAT	ION:	ft. 3	
Ī	K /w	   NE	WELL'S STATION	C WATER LEVEL 7.  up test data: Well wate	.2 7 ft. r was	below land surfa	ace measured on mo	o/day/yr . <b>3</b> //.7/9 ours pumping	
	1		Est. Yield	gpm: Well wate	r was	ft. aft	er h	ours pumping	. gpm
₩.		<del>                                     </del>	1		بنجة 5 Public wai		na BAir conditioning		π.
-	i		1 Domestic			ater supply	•	12 Other (Specify below)	Λ
-	SW	SE	2 Irrigation						
								; If yes, mo/day/yr sample wa	
i.		5	mitted				er Well Disinfected?		•
5 TYPE	OF BLANK	CASING USED:		5 Wrought iron	8 Conc	rete tile	CASING JOINTS	S: Glued : Clamped	
 1 St	teel	3 RMP (S	SR)	6 Asbestos-Cement	9 Other	(specify below)		Welded	
<b>②</b>		4 ABS		7 Fiberglass		T: 7.T		Threaded 🔏	
								razioni, in. to	
Casing he	eight above l	and surfacef.".	4.054.:	.in., weight &C			. Wall thickness or g	auge No	
TYPE OF	SCREEN O	R PERFORATIO	N MATERIAL:		(7)P		10 Asbesto		
1 Steel 3 Stainless steel				5 Fiberglass		MP (SR)		specify)	· · · · ·
2 Brass 4 Galvanized steel				6 Concrete tile	9 AI	BS		sed (open hole)	
		RATION OPENIN			d wrapped		8 Saw cut	11 None (open hole	e)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
	ouvered shut	ter 4 N ED INTERVALS:	(ey punched					ft. to , , , , ,	
SCHEEN-	FERFORATI	ED INTERVALS.						ft. to	
	GRAVEL PA	CK INTERVALS						. ft. to	
			From		,				ft.
6 GROU	T MATERIAL	.: 1 Neat	cement	Cement grout	3 Bent				
Grout Inte	rvals: 3 Fro	m	.ft. to	ft., rom	7 ft.			ft. to	
			contamination:	-				14 Abandoned water well	
1 Septic tank 4 Lateral lines				7 Pit privy		11 Fuel storage		15 Oil well/Gas well	
2 Sewer lines 5 Cess pool			8 Sewage lagoon		12 Fertilize	er storage	16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit				9 Feedyard		13 Insection	cide storage		
	from well?					How many	feet?		
FROM	то		LITHOLOGIC	LOG	FROM	то	PLUG	GING INTERVALS	
	-	-			<del> </del>	-			
بياز	0.50	Asthait.	Concrete		- <del></del>				
0.50	7.50		one Clay		-				
	20.00		tace of Si	It (CL)		1			
20.00	TD	End of 8						1,	
		•		· · · · · · · · · · · · · · · · · · ·					
		_							
CONTE	RACTOR'S	OR LANDOWNER	R'S CERTIFICATI	ON: This water well wa	s (1) constru	cted, (2) recons	structed, or (3) plugg	jed under my jurisdiction and	d was
	on (mo/day/		1/97					my knowledge and belief. Ka	
	,	s License No	585	This Water We	Record wa	as completed on	(mo/day/yr) پر کورو	125/97,	
	business nar	1	cratie Ex	wa mater	Lui.	by (signatur	(e)	ne 60	
INSTRU	CTIONS: Use ty	pewriter or ball point ent, Bureau of Water,	pen. <u>PLEASE PRESS F</u> Topeka, Kansas 6662	FIRMLY and PRINT clearly. Plea 0-0001. Telephone: 913-296-55	se fill in blanks, 45. Send one to	underline or circle th	e correct answers. Send to ER and retain one for you	op three copies to Kansas Departmen records.	nt