WATER WELL RE	CORD Form WWC-5	KSA 82a-	1212 ID	No			
1 LOCATION OF WATER WELL: Fraction	1) N)		tion Numbe	r Tow	nship Number	Range Nu	mber
County: Crawford DW 1/2	1 5W 1/4 VL) 1/4		ス 名	T	36 s	RQJ	(3/16)
Distance and direction from nearest town or city street		vithin city?	1-1	6762			
2 WATER WELL OWNER: Grag Shau	Y, HSDING 1	<u> </u>	W I	0 10 0		0	
RR#, St. Address, Box # : 610 Tangle				Bo	ー こ るの - ard of Agriculture,	Bore 5	Resources
City, State, ZIP Code : P.Hsburg	KJ. 66762				plication Number:	5,7,0,0,1,0,1	
3 LOCATE WELL'S LOCATION WITH 4 DEPTH OF	COMPLETED WELL\$						
	indwater Encountered 1						
	IC WATER LEVEL . NO. 9 Jump test data: Well water						
Fst Yield N	gpm: Well water						
NW - NE WELL WATER	TO BE USED AS: 5 P	ublic water s	supply	8 Air cor	nditioning 11	Injection well	.'
W E 2 Irrigation		il field water	r supply vn & garden	9 Dewat 10 Monito	ering 12 oring well	Other (Specify bel	
VV L L III.gallor	, industrial , b	omoono (iar	m a garaon	, 10 111011110			
SW SE Was a chemic	al/bacteriological sample s	ubmitted to f	Department	? Yes	loX: If ves.	mo/dav/vrs sample	e was sub-
mitted	a paoto no logical campio o				Disinfected? Yes		o V
S							<i>A</i>
5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concre	ete tile	CAS	SING JOINTS: Glu		
1 Steel 3 RMP (SR)	6 Asbestos-Cement	(9) Other	specify belo	Rn.C	Wel	lded tusion	
2 PVC 4 ABS Blank casing diameter	7 Fiberglass		#14/41/J W 1 # # # # # # # # # # # # # # # # #	/··/·/·······		eadedin to	
Casing height arove and surface	in weight SDL1	1 160	PS1	lbs./ft. Wa	ıll thickness or qua	ae No	
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PV	•	100./11. ***	10 Asbestos-Cei		
1 Steel 3 Stainless Steel	5 Fiberglass		IP (SR)			y)	
2 Brass 4 Galvanized Steel	6 Concrete tile	9 AB	S		12 None used (c	pen hole)	
SCREEN OR PERFORATION OPENINGS ARE: No		ed wrapped		8 Saw		11 None (open	hole)
1 Continuous slot 3 Mill slot 2 Louvered shutter 4 Key punched	6 Wire w				d holes r (specify)		ft.
	ft. to		# Ero				
	ft. to						
GRAVEL PACK INTERVALS: From	ft. to		ft., Fro	m	ft. t	o	ft.
From	ft. to		ft., Fro	m	π. τ	0	п.
6 GROUT MATERIAL: 1 Neat cement	2 Cement grout	3 Bent	onite	4 Other			
Grout Intervals: From 200 ft. to	3 ft., From	ft. t	o	ft., Fr	om	ft. to	ft.
What is the nearest source of possible contamination:	None		10 Live	estock pens	14	Abandoned water	
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well							
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage					Other (specify bel	ow)	
Direction from well?	9 reeuyalu			any feet?	ige		
FROM TO LITHOLOGI	IC LOG	FROM	ТО	iany room	PLUGGING I	NTERVALS	
0 5 Soil Llan							·
5 200 Shale				7-20	0' Bore	5 Plngs	ed
						111	e
		200	3	High	Solids	Bentonite	2
						•.	
-1							<u> </u>
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION	ATION: This water well wa	s (1) constru	ucted, (2) re	econstructed	, o ((3) p) ugged ur	nder my jurisdictio	n and was
completed on (mo/day/year) Feb 2.5						knowledge and bel	ief. Kansas
Water Well Contractor's Licence No51		veil Hecord	-	eted on (mo/o y (signatu re)	avy)		
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS		fill in blanks und			ers Send ton three cont	es to Kansas Departmen	nt of Health
and Environment, Bureau of Water, Geology Section, 1000 SW Jack							