

		RECORD		WWC-5		5157		sion of Wate						
Original Record Correction Changer I LOCATION OF WATER WELL:			e in Well U		Resources App. Section Num				Well ID er Range Number					
County:				Fraction	/4 ¹ /4			er	T S R		$\Box E \Box W$			
	· · · · · · · · · · · · · · · · · · ·								treet or Rural Address where well is located (if unknown, distance and					
							irection from nearest town or intersection): If at owner's address, check here:							
Address:										,		,		
Address:			State:	ZIP:										
City: 3 LOCAT	FWFII		State.	ZIF.	l									
WITH "	IPLETED WELL:													
	N BOX:	1 . /	Depth(s) Groundwater Encountered: 1)					Longitude:						
Ν	N	2) ft. 3) ft., or 4) Dry WELL'S STATIC WATER LEVEL:						Datum: 🗌 WGS 84 🔲 NAD 83 🗌 NAD 27						
			□ below land surface, measured on (mo-day-yr).							Latitude/Longitude)		
NW	NE		above land surface, measured on (mo-day-yr)					☐ GPS (unit make/model:) (WAAS enabled? ☐ Yes ☐ No)						
		Pump test d	Pump test data: Well water was ft.					□ Land Survey □ Topographic Map						
W	E	after	after hours pumping						nline	Mapper:				
S W	SE	often	Well water was ft.											
			after hours pumping gpm Estimated Yield:gpm						6 Elevation:ft. Ground Level TOC					
	S		Bore Hole Diameter: in. to					d <u>Source</u> : Land Survey GPS Topographic				Гороgraphic Map		
1 r	nile		in. to					Other						
7 WELL WATER TO BE USED AS:														
1. Domestic: 5. Public Water Supply: well ID 														
			Dewatering: how many wells?							well ID				
									Cased Uncased Geotechnical					
	□ Livestock 8. □ Monitoring: well ID . □ Irrigation 9. Environmental Remediation:							12. Geothermal: how many bores? a) Closed Loop						
3. \Box Feedlo	e Soil Vapor Extraction				b) Open Loop \Box Surface Discharge \Box Inj. of Water									
4. 🗌 Industr					13. Other (specify):									
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:														
Water well disinfected? \square Yes \square No														
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded														
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.														
Casing height above land surface														
TYPE OF SCREEN OR PERFORATION MATERIAL:														
	Steel Steel Fiberglass PVC Other (Specify) Brass Galvanized Steel Concrete tile None used (open hole)													
SCREEN OR PERFORATION OPENINGS ARE:														
Contir	uous Slot	☐ Mill Slot	🗆 G	auze Wrapp	ed 🗌 T	orch Cut	🗌 Dr	illed Holes		Other (Specify)				
		Key Punc	hed 🗌 W	vire Wrappe	d 🗆 S	aw Cut	🗌 No	one (Open H	lole)					
										ft., From				
										ft., From				
										ft to				
		le contaminati		It., From	• • • • • • • • • • • • • • • • • •	. It. to	•••••	It., From		ft. to	It.			
			Lateral Line	es 🔽	Pit Privy		ΠI	Livestock Pe	ns	☐ Insectio	cide Stora	ge		
			Cess Pool		Sewage L	agoon	ΠF	Fuel Storage		Abando				
U Waterti	ight Sewer Li	nes 🔲	Seepage Pit		Pit Privy Sewage L Feedyard		🗆 F	Fertilizer Sto	rage	🗌 Oil We	ll/Gas We	1		
						• • • • • •				ŝ				
10 FROM	TO		ITHOLO		ance from v	FRC				ft. HO. LOG (cont.) or		NGINTERVALS		
IU IROM	10					TRC	/1/1	10			TLUUUI	NO INTERVALS		
						N T 4	~							
						Note	s:							
11 CONT	RACTOR'S	S OR LAND	OWNER'	S CERTII	FICATIO	N: This	water	well was		nstructed.	nstructed	or plugged		
under my ju	11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.													
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year)														
under the business name of														
KS Departr	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.													
		eks.gov/waterwel							-			SA 82a-1212		