127 h	J-)							
WATE	WATER WELL RECORD Form WWC-5				Division of Water Resources App. No.			
		F WATER WELL:	Fraction	NNA/			Range Number	
	nty: Crawl		SW 1/4 SE 1/4 SW			T 30 S		
	Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here					Global Positioning System (GPS) information: Latitude: .37,38982		
150 ft. south of intersection of S. Joplin street & east Lindburg st. &					Longitude: -94.70163 (in decimal degrees) Elevation: 91.0			
80' west					Elevation:9.	Elevation: 9.10		
2 WATER WELL OWNER: Pittsburg State University					Datum: ☐ WGS 84, ☑ NAD 83, ☐ NAD 27 Collection Method:			
RR#, Street Address, Box #: 307 E. Lindburg St.					GPS unit (Make/Model:)			
City, State, ZIP Code : Pittsburg, Ks.					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
3 LOCATE WELL					Est. Accuracy:	Est. Accuracy:		
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 18							
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1)							
	N WELL'S STATIC WATER LEVEL 11.56							
1	Pump test data: Well water was ft. after hours pumping gpm EST. YIELD gpm. Well water was ft. after hours pumping gpm							
lw l	w Bore Hole Diameter 8.25 in. to ft. and in. to ft.							
" -	WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well							
sv	Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
	☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well							
	S		day/yr sample was sul			ies Fino		
	1 mile		fected? Yes		••••••			
5 TYPE OF CASING USED: Steel V PVC Other								
CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded 🗹 Threaded								
Casing diameter .2 in. to .8 ft., Diameter in. to ft., Diameter in. to ft.								
Casing height above land surface. 0 in., Weight								
Steel Stainless Steel PVC Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From . 6								
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other								
Grout Intervals: From 0 ft. to 6 ft., From ft. to ft., From ft. to ft., From ft. to ft.								
What is the nearest source of possible contamination:								
] Septic tank] Sewer lines			☐ Livestock p			her (specify below)	
Sewer lines								
		well			from well			
FROM		LITHOLOG		FROM	TO LITHO. L	OG (cont.) <u>or</u> PLU	JGGING INTERVALS	
1		concrete and gravel fill Bilty clay, It brown, no		 				
4	+	Sily clay, light brown, s						
		dry to moist, no odor						
11		Shale/ claystone, light						
		ray, hard, dry, no odo						
		aturated at 14'						
14		ard, no odor Shale, brown, hard, dr	v. no odor					
17	1.0	oriale, brown, riara, ar	, 110 0doi					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .6/11/2014 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 604 This Water Well Record was completed on (mo/day/year)/ 1.7								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Burcau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
i reiebuo	ハに 10ンームゲローン	Jan. Schuone copy to WALI	EV METT OMINEK SUG LEG	and one for your	records. Include lee of 3	DO TO TOTICAL CONSULO	ALL WEIL VISILUS AL	

http://www.kdheks.gov/waterwell/index.html