

1 LOCATION OF WATER WELL: Cowley	FRACTION NW 1/4 NE 1/4 NE 1/4	Section Number 29	Township Number T 30 S	Range Number R 3E E/W
--	---	-----------------------------	----------------------------------	---------------------------------

Distance and direction from nearest town or city street address of well if located within city:
1 7/8 mile N. of Udall & K-15 on Williams St., 1/4 W. Udall, KS.

WATER WELL OWNER: BOSLAUGH, Jay	RR#, ST. ADDRESS, BOX #: RR#2, Box 371	CITY, STATE, ZIP CODE: Udall, Kansas	Application Number: 08/08/1997
---	--	--	--

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	4 DEPTH OF COMPLETED WELL 82 ft.	ELEVATION:
	Depth(s) groundwater Encountered 1 ft.	2 ft.
	WELL'S STATIC WATER LEVEL 30 FT. BELOW LAND SURFACE MEASURED ON 08/08/1997	
	WELL WATER TO BE USED AS:	
	1 Domestic 3 Feedlot 6 Oil field water supply 2 Irrigation 4 Industrial 7 Lawn and garden only	5 Public water supply 8 Air conditioning 11 Injection well 9 Dewatering 12 Other (Specify below)
	Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm Est. Yield _____ gpm: Well water was _____ ft. after _____ hours pumping _____ gpm Bore Hole Diameter 12 in. to 82 ft. and _____ in. to _____ ft.	

5 TYPE OF CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS:	Glued <input checked="" type="checkbox"/> Clamped
1 Steel 3 RMP (SR)	6 Asbestos-Cement	9 Other (Specify below)		Welded
2 PVC 4 ABS	7 Fiberglass	SDR-26		Threaded
Blank casing Diameter 5 in. to 82 ft., Dia	weight 2.35 lbs./ft.	ft., Dia	ft., Dia	in. to _____ ft.
Casing height above land surface 12 in.,			Wall thickness or gauge No. .214	
TYPE OF SCREEN OR PERFORATION MATERIAL:	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement	11 other (specify)
1 Steel 3 Stainless Steel	6 Concrete tile	9 ABS	12 None used (open hole)	
2 Brass 4 Galvanized steel				
SCREEN OR PERFORATION OPENING ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)	
1 Continuous slot 3 Mill slot	6 Wire wrapped	9 Drilled holes		
2 Louvered shutter 4 Key punched	7 Torch cut	10 Other (specify)		
SCREEN-PERFORATION INTERVALS:	from 24 ft. to 82 ft., From		ft. to _____ ft.	
GRAVEL PACK INTERVALS:	from 24 ft. to 82 ft., From		ft. to _____ ft.	

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other bentonite hole plug
Grout Intervals: From 4 ft. to 24 ft. From		ft. From	ft. From	ft. to _____ ft.
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
	2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage
	3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage
				13 Insecticide storage
				14 Abandon water well
				15 Oil well/Gas well
				16 Other (specify below)
				None Apparent

LITHOLOGIC LOG			PLUGGING INTERVALS		
FROM	TO		FROM	TO	
0	4	topsoil			
4	10	clay			
10	15	rock			
15	82	shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) **08/08/1997** and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. **236**. This Water Well Record was completed on (mo/day/yr) **08/11/97** Under the business name of **Harp Well & Pump Service, Inc** by (signature) *Todd S. Harp*