			WATER W	ELL RECO	DRD F	orm WW	/C-5 K	(SA 82a-121	12		
1 LOCATION	OF WATER	WELL:	FRACTION			SECT	ION NUMBE	R TOWNSHIE	NUMBER	RANGE N	UMBER
Cowley	y		NW 1/4	NE 1/4	NW	1/4	9	T 3	0 s	R 31	E E/W
Distance and d	firection fron	nearest town or cit	y street address of we	ell if located within	city?	•		•			
4 miles	South	of 95th S. &	.08 mile East	of Butler R	d. on Sou	th side		Udall, Ka	nsas		
	R WELL O		EENWELL,								
RR#,ST. A			9 12th Rd.						Board of Agri	culture, Division of V	Nater Resource
,	CITY, S		ell, Kansas			ZI	P CODE:		Application Nun	nber:	
2 100475			DEPTH OF COM	DI ETED WELL	. 95			ELEVATION:			
	WELL'S LO	TION BOX:	,					ELEVATION.	4		
l. —	N		epth of groundwate			ft.			ft.		ft.
	\times		VELL'S STATIC W	ATER LEVEL	30	FT. BELO	W LAND S	URFACE MEASU	JRED ON mo/o	day/yr: 1/5	5/10
	4M	- NE -	Pi	ump test data:	Well water	er was		ft. after	hours	of pumping @	gpm
w <u>≅</u>	'	1	Est. Yield:	gpm	Well water		_	ft. after	hours	of pumping @	gpm
≅ w	:		Bore Hole Diamete		in.	to 9	95 f	t, and	in.	to	ft.
-	1	'	VELL WATER TO				7 1		9. Dewateri	ng 11. Inje	ction well
1 18	3W	-8E			. Public wat			and garden only			pecify below)
			•		. Oil field wa			nditioning	10. Monitorii	n g we ll what mo/day/yr i	was sample
	S		Was a chemical/bact submitted	eriological sample	submitted to D	epartment?	YES	NO Water Well Disin			NO
- TVD	- 05 040	NG USED:	admitted							=	
J	Steel	NG USED: 3. RPM (\$	5. Wrough	nt Iron 7	. Fiberglass	9. O	ther (Specif	y below) CAS	ING JOINTS: (Threaded
		4. ABS	•	os-Cement 8	. Concrete til	_e SDI	R-26			Welded	Clamped
	PVC	_			Dia.		4-	4	Dia.	:	4
Blank casin	ng diamete	7 5	in. to	35 ft.,		in.	to	ft.,	Dia.	in. to	ft.
Casing hei	ight above	land surface:	12 in.,	,	Weight:	2.35 It	os. / ft.	Wall th	ickness or gau	ge No214	ļ
TYPE OF S	CREEN C	R PERFORATIO	ON MATERIAL:								
1. Steel	3	Stainless Steel	Fiberglas	s $\frac{7}{2}$	PVC	9. A	BS	11. Ot	her (specify)		
2. Brass	4	Galvanized	Concrete	Tile 8.	RMP (SR)	10. A	sbestos-Ce	ement 12. No	ne used (open	hole)	
SCREEN O	R PERFO	RATION OPENIN	NGS ARE:								
1. Contin	uous slot	3. M ill s	slot 5.	Gauzed wrapp	ed	7. To	rch cut	9. Dril l	ed holes	11. None (open hole)
2 Laureau	ed shutte	. 4 Kau	punched 6.	Wire wrapped		(8 Sa	w cut	10 Oth	er (specify)		
2. Louven	eu snutte	4. Rey	punched o					10. 04.	or (opcomy)		
SCREEN - F	PERFORA	TION INTERVAL	. From	35 ft.	to	95	ft.,	From	ft.	to	ft.
			From	ft.	to		ft.,	From	ft.	to	ft.
GR	AVEL PAG	CK INTERVALS:	From	24 ft.	to	95	ft.,	From	ft.	to	ft.
			From	ft.	to		ft.,	From	ft.	to	
	T T										ft.
띧	T MATERI.	1.1100	t cement	2. Cement		3	3. Bentonit	е	Other bent	onite hole pl	ug
Grout In		From 4	• 10.	24 ft.,	From	ft.	to	ft.,	From	ft. to	ft.
1		urce of possible 4. Later		7. Pit privy	10	0. Livestoc	k pens	13. Insect	cide storage	15. Oil well/	Gas well
1. Septic				8. Sewage lago	non 1	1. Fuel sto	rage	14 Aband	on water well	16. Other (s	pecify below)
2. Sewer	lines	5. Cess	1 001				•	14. Abano	on water wen		
	ight sewe	r line 6. Seep Southeast	page pit	9. Feed yard	'	2. Fertilize	r storage			ft plus	
Direction fro		Southeas		10.1.00	****	F	T-	How m	any feet? 100		
From	10		LITHOLOG	IC LOG		From	То		LITHOLO	OGIC LOG	
0	3	topsoil					<u>-</u>				
3	8	clay									
8		brown shale	}								
63	95	grey shale				l	 	 			
							 				
							 				
							1				
				_							

7 Contra	actor's or i	andowner's Cert	ification: This wate	er well was 1	constructed) 2 re	constructe	ed or 3	plugged	under my jurisdic	ction and
			ification: This wate				constructe		plugged	under my jurisdic	ction and
		andowner's Cert	ification: This wate 1/5/2010					ed or 3.	belief.		ction and
was com	pleted on		1/5/2010	and	I this record i	s true to the	e best of my		belief.	under my jurisdic	ction and
was com Kansas V	pleted on Vater Well	(mo/day/year) Contractor's Lice	1/5/2010	and	this record in this water we	s true to the	e best of my	y knowledge and ed on (mo/day/yea	belief.		