WATEF	R WEI	L RECORD	Form W	WC-5	Division of Water	r Resources App. No),
1 LOC	ATION	OF WATER WELL:	Fraction		Section Number		Range Number
	ty: Cov		1/4 NW 1/4 N E		2	T 30 S	R 3 XE □W
		Address of Well Location; i			Global Positioning		
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees)		
5-1/2 miles North & 3 miles East of Udall, KS					Longitude: (in decimal degrees) Elevation:		
					Datum: WGS 84, NAD 83, NAD 27		
2 WATER WELL OWNER: Jeremy Green					Collection Method:		
RR#, Street Address, Box #: 1429 51st. Rd.					GPS unit (Make/Model:)		
City, State, ZIP Code : Douglass, KS 67039					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m		
3 LOCATE WELL							
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 200 x 4 holes ft.						
SECT	SECTION BOX: Depth(s) Groundwater Encountered (1)						
<u> </u>	WELL 5 STATIC WATER LEVEL						
	Pump test data: Well water was						
W -NW - -NE - EST. YIELD.11/.agpm. Well water was							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
	☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes X No							
S If yes, mo/day/yr sample was submitted							
water weit districted?							
5 TYPE OF CASING USED: Steel X PVC Other							
CASING JOINTS: X Glued Clamped Welded Threaded							
Casing diameter 3/4 in. to 200. x. 4t., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight lbs./ft., Wall thickness or gauge No							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ PVC ▼ Other (Specify) Polyethylene Loops							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From							
From							
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ▼ Bentonite ☐ Other							
What is the nearest source of possible contamination:							
Septic tank X Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)							
	Sewer lin		Sewage lagoon	☐ Fuel storage			, <u>,</u> ,
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well							
FROM	TO	LITHOLOG	IC LOG	FROM	·····		GGING INTERVALS
0	2	Topsoil		110141	LITTIO, LA	A (cont.) of 1 DO	OUTAN HATTIKAVINA
2	20	Clay, tan					
20	22	Limestone,					
22	115	Shale, gray w/Lim	estone layers				
115	116	Cavity - 15-20 gp	m				
116	200	Shale, gray					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo/day/year)11./15/ and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 1.38 This Water Well Record was completed on (mo/day/year)1.1/21/11							
under the business name of Peterson, Irrigation, Inc by (signature) Here. Leliu							
INSTRUCTIONS : Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							