				WELL RECORD	Form WV		2a-1212		· · · · · · · · · · · · · · · · · · ·	
	COWLE?	TER WELL:	Fraction NE 1/4	SW 1/4	NW 1/4	Section Number 29			Range N	
ounty:		from nearest town (30 S	R 3E	E/ W //
			•			-		77		
		aight south of		n Sign on	K-15, ½	East, % No	ortn. Mulva	ine, Kan	sas	
	WELL OV		Armstrong							_
-	dress, Bo		#1, Box 5					•	Division of Wate	er Resource
	ZIP Code	1 1	vane, Kans					on Number:		
LOCATE An "Y" IN	WELL'S L N SECTIO	OCATION WITH 4								
~ · ·	· OLO IIO	N De					. 2			
	!	! W	ELL'S STATIC W	ATER LEVEL	2.0	ft. below land s	surface measured of	on mo/day/yr	11-1-	82
	NW	NE					after	-		
1	¥						after	•		
w	1	l Bo	re Hole Diamete	r 1.1in.			, and		. to	
"	!	! W	ELL WATER TO	BE USED AS:		water supply		•	Injection well	
	- sw	SE	1 Domestic	3 Feedlot		water supply	•		Other (Specify I	below)
	1	ï	2 Irrigation	4 Industrial		•	10 Observation v			
L	ı	l Wa	as a chemical/bac	cteriological samp	ole submitted	•	YesNo	-		ple was sub
		s mit	tted			<u>v</u>	Vater Well Disinfec	ted? Yes	X No	
TYPE OF	BLANK (CASING USED:	5	Wrought iron		oncrete tile		OINTS: Glue	d 🗶 Clamp	ed
1 Stee	H	3 RMP (SR)		Asbestos-Ceme	ent 9 Ot	her (specify bel	ow)	Weld	ed	
2 PVC		4 ABS	. 20	' Fiberglass				Threa	aded	
ank casing	g diameter	5in. and surface1	to	ft., Dia	ir	. to	ft., Dia	DP_26	in. to	ft.
sing heigl	nt above l	and surface 1	2 in	., weight	1	.59	s./it. Wall thickness	or gauge N	o. • 203	. <i>.</i>
PE OF S	CREEN O	R PERFORATION M	MATERIAL:		7	PVC	10 As	sbestos-ceme	ent	
1 Stee	ı	3 Stainless ste	steel 5 Fiberglass			8 <u>RMP (</u> SR)		11 Other (specify)		
2 Bras	s	4 Galvanized	steel 6	6 Concrete tile 9 ABS			12 None used (open hole)			
REEN OF	R PERFO	RATION OPENINGS	ARE:	5 G	auzed wrappe	d	8 Saw cut		11 None (ope	n hole)
1 Cont	inuous slo	ot 3 Mills	lot	6 W	ire wrapped		9 Drilled holes	; .		
2 Louv	ered shut	ter 4 Key p	ounched		orch cut		10 Other (spec	ify)		
REEN-PE	RFORAT	ED INTERVALS:	From	O ft. to	5 60	ft., Fr	rom	ft. t	0	ft.
			From	ft. to		ft Fr	rom	ft. t	0	
GF	RAVEL PA	CK INTERVALS:	From 1	4 ft. to	, 60	ft Fr	rom	ft t	0	ft
			From	ft. to		ft., Fr				ft.
GROUT I	MATERIAL	: 1 Neat cem	ent 2_	Cement grout			4 Other			
out Interva	als: Fro	m40". ft.	to14	ft From		ft. to	ft. From		. ft. to	ft
nat is the	nearest so	ource of possible con	tamination: N		_				bandoned water	
1 Sept	ic tank	4 Lateral li	ontamination: None Apparent.			11 Fuel storage		15 Oil well/Gas well		
	er lines	5 Cess po				_			ther (specify be	
		ver lines 6 Seepage	5 5			13 Insecticide storage			.011)	
ection fro	•		•	,			any feet?			
ROM	TO		LITHOLOGIC LO	G	FROM		uny 100t.	LITHOLOG	IC LOG	
0	3	Topsoil								
3	17	Clay	81							
17	25	Fine Sand	07							
25	32	Gray Clay	01						· · · · · · · · · · · · · · · · · · ·	
32	35	Fine Sand	07		1					
35	60	Gray Shale	19							
-		Gray Suare					-			
- +										
						_1				
CONTRA	CTOR'S	OR LANDOWNER'S	CERTIFICATION	I: This water wel	l was (1) con	structed, (2) rea	constructed, or (3)	plugged und	ler my jurisdictio	on and was
npieted o	n (mo/day	/year) 1	1-1-82	<i></i>		. and this red	cord is true to the b	est of my kn	owledge and be	lief. Kansas
ter Well (Contractor	's License No. 236 .		This Wate	r Well Record	was completed	d on (mo/day/yr) .	تور	1-21-83	
er the bu	isiness na	me of Harp Wel	1 & Pmp Se	rvice, Inc		by (sign	nature)	Uk	nold	
STRUCTION	ONS: Use	typewriter or ball poir	nt pen, <i>PLEASE I</i>	PRESS FIRMLY	and <i>PRINT</i> c	early. Please fill	l in blanks, underlin	e or circle th	e correct answer	s. Send top
		Department of Health ne for your records.	and Environmer	nt, Division of Envi	ironment, Env	ronmental Geol	ogy Section, Topek	a, KS 66620.	send one to WA	TER WELL
TITLE TO CITY	a retail Of	io ioi joui records.								
•										MITT