

1. LOCATION OF WATER WELL  
 County: Cowley Fraction: NE 1/4 NE 1/4 SE 1/4 Section Number: 17 Township Number: T 30 S Range Number: R 4 E  
 Distance and direction from nearest town or city? \_\_\_\_\_ Street address of well if located within city? 1 Block W. of Post Office in Rock


2. WATER WELL OWNER: Merlin Keely  
 RR#, St. Address, Box #: 11229 Creed Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code: Wichita KS 67210 Application Number: \_\_\_\_\_

3. DEPTH OF COMPLETED WELL: 59 ft. Bore Hole Diameter: 12 in. to 38 ft., and 8 in. to 59 ft.  
 Well Water to be used as:  
 Domestic 3 Feedlot 5 Public water supply 6 Oil field water supply 7 Lawn and garden only 8 Air conditioning 9 Dewatering 10 Observation well 11 Injection well 12 Other (Specify below)  
 Well's static water level: 20 ft. below land surface measured on 1 month 8 day 8 year  
 Pump Test Data: Well water was \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ gpm  
 Est. Yield: gpm: Well water was \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ gpm

4. TYPE OF BLANK CASING USED:  
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints:  Glued  Clamped  
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded \_\_\_\_\_  
 Blank casing dia: 5 in. to 39 ft., Dia \_\_\_\_\_ in. to \_\_\_\_\_ ft., Dia \_\_\_\_\_ in. to \_\_\_\_\_ ft.  
 Casing height above land surface: 16 in., weight \_\_\_\_\_ lbs./ft. Wall thickness or gauge No. 160.16  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  PVC 10 Asbestos-cement  
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) \_\_\_\_\_  
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)  
 Screen or Perforation Openings Are:  
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped  8 Saw cut 11 None (open hole)  
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes  
 7 Torch cut 10 Other (specify) \_\_\_\_\_  
 Screen-Perforation Dia: 5 in. to 59 ft., Dia \_\_\_\_\_ in. to \_\_\_\_\_ ft., Dia \_\_\_\_\_ in. to \_\_\_\_\_ ft.  
 Screen-Perforated Intervals: From 39 ft. to 59 ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 Gravel Pack Intervals: From 59 ft. to 13 ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

5. GROUT MATERIAL:  Neat cement  Cement grout 3 Bentonite 4 Other \_\_\_\_\_  
 Grouted Intervals: From 13 ft. to 3 ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank 4 Cess pool 7 Sewage lagoon 11 Fertilizer storage 14 Abandoned water well  
 2 Sewer lines 5 Seepage pit 8 Feed yard 12 Insecticide storage 15 Oil well/Gas well  
 3 Lateral lines 6 Pit privy 9 Livestock pens 13 Watertight sewer lines 16 Other (specify below) \_\_\_\_\_  
 Direction from well: SE How many feet: 50? Water Well Disinfected? Yes  No \_\_\_\_\_  
 Was a chemical/bacteriological sample submitted to Department? Yes \_\_\_\_\_ No  If yes, date sample was submitted \_\_\_\_\_ month \_\_\_\_\_ day \_\_\_\_\_ year Pump Installed? Yes \_\_\_\_\_ No   
 If Yes: Pump Manufacturer's name \_\_\_\_\_ Model No. \_\_\_\_\_ HP \_\_\_\_\_ Volts \_\_\_\_\_  
 Depth of Pump Intake \_\_\_\_\_ ft. Pumps Capacity rated at \_\_\_\_\_ gal./min.  
 Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other \_\_\_\_\_

6. CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed,  reconstructed, or  plugged under my jurisdiction and was completed on \_\_\_\_\_ month \_\_\_\_\_ day \_\_\_\_\_ year  
 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 363  
 This Water Well Record was completed on \_\_\_\_\_ month \_\_\_\_\_ day \_\_\_\_\_ year under the business name of Braddy Water wells by (signature) Richard Braddy

7. LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	1	TOP Soil			
1	12	clay Red v. Hard			
12	35	clay Red w. fine sand			
35	37	Gravel Red			
37	45	Limestone yellow			
45	59	Shale Gray			

  
 ELEVATION: Slope

Depth(s) Groundwater Encountered 1. 35 ft. 2. \_\_\_\_\_ ft. 3. \_\_\_\_\_ ft. 4. \_\_\_\_\_ ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY  
 T  
 30  
 R  
 4  
 BW  
 SEC  
 17  
 NE 1/4  
 NE 1/4  
 SE 1/4