				Water Well Record	Form WWC-5	KSA 82a-1212		
1 LOCAT	ION OF WA	TER WELL:	FRACTION		1	Section Number	Township Number	Range Number
	Sumne	r	NW 1/4	NE 1/4 SV	7 1/4	7	_T 31 _s	R 1E E/W
Distance a	nd direction	frem nearest town or cit	y street address of well if loc Sell	ated within city?				
74	00 N.	Meridia	n Wich	ta, Kansas	3			
WAT	ER WELL O	WNER: GEOF	RGE, Don					
RR#, S	T. ADRESS,	вох#: 5924	4 W. 35th S				Board of Agriculture,	Divivsion of Water Resource
CITY,	STATE, ZIP	code: Wicl	hita, Kansa	.s		67215	Application Num	ber:
		OCATION WITH	4 DEPTH OF COM	APLETED WELL	123	ft. ELI	EVATION:	
⊸AN "X"	IN SECTION	N BOX:	Depth(s) groundw	ater Encountered	1	ft.	2 ft.	3 ft.
1			WELL'S STATIC W	ATER LEVEL 40	FT.	BELOW LAND SU	RFACE MEASURED ON mo/day/yr	01/28/1999
	;	NE.	Pump tes	t data: Well wa	nter was	ft.	after hours pu	
			Est. Yield	gpm: Well w	ater was	ft.	after hours pu	
w Wile		E	Bore Hole Diameter	12 in. t	o 123	ft.	and in	. to ft.
5 "	X		WELL WATER TO	BE USED AS: 5	Public water	supply	8 Air conditioning 11	Injection well
		SIT .	1 Domestic	3 Feedlot 6	Oil field wat	er supply	9 Dewatering 12	Other (Specify below)
	SW	345	2 Irrigation	4 Industrial 7	Lawn and ga	rden only	10 Monitoring well	
ļ			Was a chemical/bacte	eriological sample sub	mitted to De	partment? Yes	No X; If yes,	mo/day/yr sample was
		S	submitted			Wa	ter Well Disinfected? Yes	X No
5 TYI	PE OF CA	SING USED:		5 Wrought iron	8	Concrete tile	CASING JOINTS:	Glued X Clamped
1 Steel	l	3 RMP (SR)		6 Asbestos-Cement	t 9	Other (Specify b	oelow)	Welded
2 PVC	•	4 ABS		7 Fiberglass	SI	DR-26		Threaded
Blank ca	_ sing Diam	eter 5	in. to 43	ft., Dia	in.	to	ft., Dia in.	to ft.
		e land surface]	L2 in.,	weight 2	.35	lbs. / ft.	Wall thickness or gauge No.	.214
_	-	_	TION MATERIAL:	_		PVC	10 Asbestos-ce	
1 Stee	al ·	3 Stainless Steel		5 Fiberglass	8	RMP (SR)	11 other (spec	ify)
2 Bras	s	4 Galvanized ste	el	6 Concrete tile	9	ABS	12 None used ((open hole)
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed v						apped 8 Saw cut 11 None (open hole)		
1 Continous slot 3 Mill slot 6 Wire wrapped							9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)								
SCREE	N-PERFO	RATION INTERV	VALS: from 43		to 123	ft., Fron	n ft. t	o ft.
			from	ft.		•	<u> </u>	
	CRAV	EL PACK INTER	_		to 123	ft., Fron ft., Fron	•	-
	Oldivi	DE PACITION	from	ft.		ft., Fro		-
6 GRO	UT MAT	ERIAL: 1 Neat		Cement grout		tonite	4 Other	
_	tervals:	_	ft. to 24	ft. From	ft.	to	ft. From	ft. to ft.
What is the nearest source of possible contamination:						10 Livestock pens 14 Abandon water well		
1 Septic tank 4 Lateral lines 7 Pit privy						11 Fuel storage 15 Oil well/Gas well		
2 Sewer lines 5 Cess pool 8 Sewage lagoon					n	12 Fertilizer storage 16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Appare								
l	n from we	-	ango pao	•			How many feet?	.o .ippuro.io
FROM	то		LITHOLOGIC LOG		FROM	ТО	PLUGGING INT	ERVALS
0	3	topsoil						
3	11	clay						1944
11	123	gray sha	ale					
7 CO	NTD A CT	ODIS OR LANGUAGE	EDIS CEDTIFICATION T	his water well was /	1) construc	ed (2) recons	ructed, or (3) plugged unde	er my jurisdiction and
Was 2	ompletes	on (moldaylyaa	or) 01/28	11999	and this re	cord is true to	the best of my knowledge a	n my jurisulction and and belief. Kansas Water
Wasc	Contracto	i vii (iiiviuay/yea ir's Licansa No	236	This Water Well D	ecord was	completed on t	mo/day/yr)01/	29/99
Under	r the huei	ness name of H	arp Well &	Pump Serv	ice, I	I.C by (sin	nature)	
				•			Todd	S. Harp