					ELL RECOR	RD Forr		KSA 82a-1				
	ON OF WATE		Fraction				Sec	tion Number			Range Number	
County:		mner	SW		۷W ½	SE		9	<u>  т 31                                  </u>	S	R 1	E
Distance ar	nd direction fro	om neares	t town or city stre					, Belle Pla	ine			
2 WATER	WELL OWNE	ER: Kar	ısas Turnpil									
			1 E. Kellogg						Board of Agricultur	re, Division	of Water Resource	es
City, State,	ZIP Code	: Wic	hita, Ks 67	207					Application Number	er:		
3 LOCATE	E WELL'S LO	CATON W	ITH 4 DEPTH	OE COM	DI ETED WI	E11	45	4 5 5	/ATION:			
AN ^	N SECTION E	SOA:	Donth(a) Cr	OF COM	r Enganata	CLL rod11	37	5	ATION.	4 2		c
			Depth(s) Gr	OUNGWALE	TED LEVE	rea 11.5 _ <b>N</b>		balaw land a	. 2 surface measured on m	_ 11. 3 _		Lr.
	N N											
	1 1	- !	<b>3</b> I						t. afterh			1 6
-	NW	NE	Est. Yield	N	9 625	eli water v	vas		t. after h	ours pum	ping Gr	, L
∰ W <b>-</b>		<u> </u>	E WELL WAT	Diameter ER TO Bit nestic 3	E USED AS	: 5 Pul	olic water si	upply	Ft. and 8 Air conditioning 9 Dewatering	11 In	jection well	Ft.
1	<b>X</b>	<u> </u>							c) 10 Monitoring wel			" 
	9W	SE	• •				_	-	Yes No X			s
<u> </u>	i l	<u> </u>	Submitted						ter Well Disinfected?			
$\blacksquare$	F BLANK CA				Wrought Ir				CASING JOINTS:		Clamped _	
1 Ste		_	MP (SR)	6	Asbestos-	Cement	9 Other	(specify belo	w)	Welded	<b>¬</b> ······	
2 PV	/C	4 AI	3S	7	Fiberglass					Threaded	1 X	
Blank casin	o diameter	2	in to	30	Ft., Dia		In t	'n	ft., Dia	in	to	ft.
Casing heig	aht above land	surface	FLUSH		weight	SC	H 40	Lbs./ft.	Wall thickness or gau	ge No.		
			TION MATERIAL						10 Asbestos			
1 Ste			ainless steel		Fiberglass				11 Other (sp			
2 Bra			alvanized steel		Concrete t		9	ABS	12 None use	ed (open h	ole)	
SCREEN O	R PERFORA	TION OPE	NINGS ARE:		5	Gauzeo	wrapped		8 Saw cut	11	None (open hole)	,
1 Co	ntinuous slot		3 Mill slot		6	Wire w	apped		9 Drilled holes			
2 Lo	uvered shutte	r	4 Key punche	d		Torch o			10 Other (specify)			
SCREEN-P	PERFORATED	INTERV		30	ft. to				rom			
					ft. to		<b></b>	ft. F	rom	ft. to _		Ft.
SAI	ND PACK INT	ERVALS:	From	28	ft. to	D	45		rom			
<u></u>			From			<u> </u>			rom			Ft.
6 GROUT	MATERIAL:	1 N	eat cement		ment grout		_	tonite	4 Other			
Grout Inten	als From3	0	ft. to	26	Ft. From2	26	Ft. to	28	ft. From	f	t to	ft
I .			ble contamination			<del>-</del>					oned water well	
	ptic tank		4 Lateral I		7 F	Pit privy		11 Fuel:		5 Oil well		
	wer lines		5 Cess po	ol		Sewage la	igoon	12 Fertili			specify below)	$\neg$
	atertight sewer	r lines	6 Seepage			eedyard			ticide storage	· · · · · · · · · · · · · · · · · · ·	minated Site	
Direction fro	-			<u> </u>				How many	•			
FROM	то	CODE	LIT	THOLOGI	C LOG		FROM	то	PLUGG	ING INTER	RVALS	
0	45		This was a			ell						$\exists$ $:$
			That was or									
			This well wa	as redr	illed in t	he		1				_
			Same spot									-
												$\neg$
												$\Box$
	ļ											
	-											$\dashv$
									nstructed, or (3) plugge			
Completed	on (mo/day/yr	r)	C	)4/06/0 <del>(</del>	6		And th	is record is t	rue to the best of my kr	nowledge a	and belief. Kansas	ŝ
Water Well	Contractor's L	icense No	).	5	85		This W	/ater Well Re	cord was completed o	n (mo/day/	yr) <b>05/9,1/06</b>	i d
lunder the b	usiness name	of	Asso	ciated	Environ	mental	. Inc.	B	v (signature) Bradi	ev J Jol	hnson イウ/ //᠕	YAL
INSTR	UCTIONS: PK	ease fill in b	lanks and circle the 913-296-5545.	e correct a	nswers. Sen	d three co	pies to Kans	as Departmen	t of Health and Environm	ent, Bureau	of Water, Topeka	
ı nansas	o 000∠0~000 T.	- eleprione	. g 13~∠90~3343. と	one (0	~ VV~\I =K\ VVI		∟r∖ anu retali	n one for your	records.			- 1