WATER WELL REC	CORD	Form W	WC-5	Di	vision of Wate	er Resources App	. No	<u> </u>		
1 LOCATION OF WA' County:	THE XX/EFF T.	Fraction 1/4 SE 1/4 N		Castic	on Number	Township No	2.	Range 1	Number ✓E □W	
Street/Rural Address of	f Well Location: i	f unknown, distance &	direction	Globs				ormation	: <u>Auric LIVV</u>	
from nearest town or intersection: If at owner's address, check here .					Global Positioning System (GPS) information: Latitude:					
1164 E 50th Ave N.				Longitude: (in decimal degrees)						
Belle Plaine Ks				Elevation:						
2 WATER WELL OWNER: Bruce Caven				Collection Method:						
City State 7IP Code . THEY ESOTH AW N.				☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey						
City, State, ZIP Code	Beller	Platne Ks				ioto, ∐ Topogra <3 m,				
3 LOCATE WELL			110		·····					
WITH AN "X" IN SECTION BOX:	Denth(s) Ground	COMPLETED WEL	(1)	f	ft.	ft	(2	9	ft	
N SECTION BOX.	Depth(s) Groundwater Encountered (1)									
Pump test data: Well water wasft. after hours pumping gpm										
EST. YIELDgpm. Well water wasf						ft. after hours pumping gpm				
W E Bore Hole Diameter							well			
WELL WATER TO BE USED AS: Fubic water supply Geothermal Injection well Injection we										
☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well										
Was a chemical/bacteriological sample submitted to Department? Yes Yes										
S If yes, mo/day/yr sample was submitted										
5 TYPE OF CASING USED: Steel YPVC Other										
CASING JOINTS: ™ Glued □ Clamped □ Welded □ Threaded										
Casing diameter										
Casing height above land surface in., Weight										
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)										
Brass Galvanized Steel None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
☐ Continuous slot ► Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut . ☐ Other (specify)										
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft.										
From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From ft. to ft.										
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft. ft. from ft. to ft.										
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Grout Intervals: From	ft. to	2 ft., From								
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								v h alow)		
Septic tank Sewer lines	Cesspool	Sewage lagoon	Fuel storage			d vero ton vero 11			-	
Watertight sewer li	ines Seepage p		Fertilizer s	torage	Oil well/g	as well	١.	reel		
Direction from well FROM TO	LITHOLOG	UC I OG	. Distance FROM	from we		OG (cont.) or I				
	LITHOLOG Soi	IC LOO	LICOIVI	10	LITIO. L	00 (00111.) <u>01</u> 1	LU	OULING	TIALITYAYES	
2 78 7	du Fine	Sand								
18 40 m	led San	d								
				~~~~					·	
				*************************		W				
7 CONTRACTOR'S OF	R LANDOWNEI	PS CERTIFICATIO	N. This wat	er well i	was V const	ructed 🖂 reco	netn	icted or	[] nlugged	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, or plugged under my jurisdiction and was completed on (mo/day/year)										
Kansas Water Well Contractor's License No. 101.1 This Water Well Record was completed on (mo/day/year)										
under the business name of INSTRUCTIONS: Use typew	ofC.LACISE	PIEASE DESC BIDA	Y and DDINIT -1	by (s	signature)	re and chack the	15	Christolab	Sand three conic-	
(white, blue, pink) to Kansas I	Department of Health	and Environment, Bureau	of Water, Geol	ogy Secti	on, 1000 SW Ja	ackson St., Suite	20,	Гореka, К	ansas 66612-1367.	
Telephone 785-296-5522. Ser http://www.kdheks.gov/waterwo		TER WELL OWNER and	retain one for	your reco	rds. Include <u>fe</u>	<u>ee</u> of \$5.00 for ea	ch <u>c</u>	onstructed	well. Visit us at	
KSA 82a-1212										