KOLAR Document ID: 1601344

	WELL R	ECORD Correction		WWC-5 ge in Well Use		vision of Wat			Well ID		
			Fraction		Resources App. No Section Number		Township Numbe		ge Number		
1LOCATION OF WATER WELL:FractionCounty:1/41/4						$\begin{array}{c c} T & S & R & \Box E & W \\ \hline \end{array}$					
	OWNER: La	ist Name:		First:		Rural Address where well is located (if unknown, distance and					
Business:	ist i tunie.		11150.		irection from nearest town or intersection): If at owner's address, check here:						
Address:											
Address: City:			State:	ZIP:							
3 LOCAT											
WITH "				f		5 Latitude:(decimal degrees)					
SECTIO		Depth(s) Gr			Long	Longitude:					
Ν	1	2) ft. 3) ft., or 4) Dry V WELL'S STATIC WATER LEVEL:					Datum: 🗌 WGS 84 📄 NAD 83 📄 NAD 27				
			, measured on (mo-day-		Source for Latitude/Longitude:						
NW	NE	above land surface, measured on (mo-day-yr)									
		Pump test data: Well water was ft.					□ Land Survey □ Topographic Map				
w X	E	after	s pumping		Online Mapper:						
SW	SE	often	vater was f								
		after hours pumping gpm Estimated Yield:gpm				6 Eleva	6 Elevation:ft. Ground Level TOC				
	S	Bore Hole Diameter: in. to ft. and				Source: Land Survey GPS Topographic Map					
1 n	nile	in. to ft.				Other					
7 WELL WATER TO BE USED AS:											
1. Domestic:				ater Supply: well ID							
					11. Test Hole: well ID						
□ Lawn &						Cased Uncased Geotechnical 12. Geothermal: how many bores?					
2. 🗌 Irrigati											
$3. \square$ Feedlot \square Air Span						b) Open Loop Surface Discharge Inj. of Water					
4. 🗌 Industr	ial	Recovery	☐ Injection		13. Other (specify):						
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? Yes No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.											
Casing height above land surface											
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel PVC Other (Specify)											
□ Brass □ Galvanized Steel □ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)											
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
		e contaminati		potential source of cor			1		It.		
Septic '			Lateral Line			Livestock P	ens	Insectici	de Storage		
Sewer 1			Cess Pool	Sewage La		Fuel Storage		Abandor	ned Water	Well	
	□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well										
Direction from well? ft.											
10 FROM	TO		ITHOLO		FROM	ТО			PLUGGIN	GINTERVALS	
10 11(0)01	10	-	1111020		inom	10	211		Leoon		
						ļ	<u> </u>				
						<u> </u>	<u> </u>				
					Notor						
					Notes:						
					-						
				S CERTIFICATION							
under my ju	urisdiction an	d was compl	eted on (n	no-day-year)	and	l this record	is tru	ue to the best of my	knowled	ge and belief.	
Kansas Wa	ter Well Con	tractor's Lice	ense No	This Wa	ater Well Re	cord was co	mple	eted on (mo-day-ye	ar)		
under the b	usiness name	Send one conv to	WATER W	/ELL OWNER and retain	one for your re	cords. Fee of \$	 5.00 t	for each constructed well	<u></u> 1.		
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											
Visit us at h	ttp://www.kdhel	cs.gov/waterwel	/index.html						KS	SA 82a-1212	