11.004	ON OF WATE	D WELL:		TER WELL RECORD	-orm vvv			in Alcontrac	1 5	Nh mah s =
⊣	ON OF WATE	n WELL:	Fraction	14 NW 14 SE	.]	Section Number		ip Number		Number
County:		om nearest town		address of well if located	1/4 within c		1 1 3	<i>I</i> s	R /O	
	$b \in 3$	Prolin	à	address of well it located	with the C	му:				
					•					
\vdash	R WELL OWN		t_~				W	u 3		
RR#, St. A	Address, Box 7						Board	of Agriculture,	Division of W	ater Resources
City, State	, ZIP Code	Molin	ı KS				Applic	ation_Number:		
3 LOCATE	E WELL'S LOC	ATION WITH 4	DEPTH OF	COMPLETED WELL	6	ft. ELEV	ATION: /D	45.49		
☐ AN "X"	IN SECTION	20Y	•	ndwater Encountered 1.						
	<u>\</u>									
†	i 1			IC WATER LEVEL				, ,		
-	- NW	- NE		mp test data: Well water						
	1 1			gpm: Well water						
Wile w	<u> </u>		Bore Hole Dia	meterin. to.			and	in	. to	
₹ "	!	. \ \ \ \ \ \ \	VELL WATER	TO BE USED AS:	5 Public	water supply	8 Air condition	ning 11	Injection well	
7	1	J	1 Domest	ic 3 Feedlot 6	Oil field	water supply	9 Dewatering	12	Other (Speci	fy below)
-	sw -	-/ <u>*</u>	2 Irrigation	n 4 Industrial 7	Lawn a	nd garden only	10 Monitoring	well		
	: 1	i I Iv	Vas a chemica	al/bacteriological sample su				•		mple was sub
i -			nitted	,			ater Well Disin		No	J. h. n.
5 TYPE C	OF BLANK CA			5 Wrought iron	8 C	oncrete tile		JOINTS: Glue		mpod
3, 11120	ool	3 RMP (SR)		•						inped
		, ,		6 Asbestos-Cement	9 01	her (specify belo	iw)	Weld		
		4 ABS		> 7 Fiberglass				ę	aded.	
	•	 ir	\sim	♣ ft., Dia	ir					ft.
Casing hei	ight above land	surface	.	in., weight		lbs.	./ft. Wall thickn	ess or gauge N	0	. . <i>.</i>
TYPE OF	SCREEN OR	PERFORATION	MATERIAL:		17	PVC	10	Asbestos-ceme	ent	
1 Ste	eel	3 Stainless	steel	5 Fiberglass	8	RMP (SR)	11	Other (specify)		
2 Bra	ass	4 Galvanized	d steel	6 Concrete tile	9	ABS	12	None used (op	en hole)	
SCREEN (OR PERFORA	TION OPENING	S ARE:	5 Gauze	d wrappe	ed	8 Saw cut		11 None (c	pen hole)
1 Co	ntinuous slot	(з міш	Slot	6 Wire w	• • •		9 Drilled ho	les	(0	,
	uvered shutter		punched	·				ecify)		
	PERFORATED	•	From	3 / Torch (
JOHLEIN	TENI ONATED	INTERVALS.	_							
_			From	7 C	,					
	GRAVEL PACK	INTERVALS:		.75 ft. to		,		ft. t	O. <i></i>	
-			From	ft. to		ft., Fro	om	ft. t	0	ft.
6 GROUT	MATERIAL:	1 Neat ce		2 Cement grout		77	, .			
Grout Inter	rvals: From.	O ft	. to	ft., From !.		ft. to 4 . 25	ft., Fror	n	ft. to	
What is the	e nearest sour	ce of possible co	ontamination:			10 Lives	stock pens	14 A	bandoned wa	ter well
1 Septic tank 4 Lateral lines				7 Pit privy 11 Fu			el storage 15 Oil well/Gas well			
2 Se	wer lines	5 Cess p	ool	8 Sewage lagoo				er (specify		
3 Wa	atertight sewer	lines 6 Seepag	ne pit	9 Feedyard			cticide storage	UST	ξ (οροω)	,
Direction fr	•		, ,				any feet?			
FROM	TO		LITHOLOGI	CLOG	FROM	-	iny leet:	PLUGGING II	NTERVALS	
O	1.5	Trans-1			1				LITTALO	
-	112	0/	ייסרור	s.H avika	1		1 /			
7	45	pun,	· · · · · · · · · · · · · · · · · · ·	millice sign,	W 0~	former up	اطلالق			
•		DeTwork				<u> </u>				
					ļ					
							~			
							Lyling	shown	لسهب	ŕ
							E	n D. 7	a lan	
								, ,		
					 					
					<u> </u>	-		The state of the s		
					+					
					_				Prior 1 (1984) 1974 1984 1984 1984	the second and the second are second as the
							THE PERSON NAMED IN COLUMN TWO IS NOT THE			
7 CONTO	ACTORIO CO	LANDOMATERIO	CEATIFICA	TION. This		otruote d. (C)		(0)		-41
LI CONTH	ACTUR'S OR	LANDOWNER'S		TION: This water well was	s (1) oon	structed, (2) reco	onstructed, or	(3) plugged und	ier my jurisdi	ction and was
•	` ,,	•							owledge and	belief. Kansas
Water Well	Contractor's L	icense No	432	This Water We	II Record				J	
under the b	business name	of	1.	e.5.T.		by (signa	iture) 😂	ob Robins	on by	رد
				FIRMLY and PRINT clearly. Pleas						Department
4 1 1 141	b and Fourteement	Duragu of Water To	noka Kannan 66	620-0001. Telephone: 913-296-554	15 Cond or	e to WATER WELL O	WNER and retain	one for your records		

-0 14/51