WATER WELL RECORD			Form WW	'C-5	Division of Wat	er Resource	s; App. No.		
1 LOCATION OF WATER WELL:			Fraction		Section Number	Townsh	ip Number		
Distance and direction from nearest town			or city street address of	NW ¹ / ₄	33	T 31	(dasimal das	R 1.5 (E)W	
located within aity?								tees_man. of 4 digits)	
2 m	les W	est and I No	rth of Sylai	Sylamore Longitude: 75 44, 766				Ha	
2 WA	TER WEI	LI OWNER: Dale	Springer		Elevation:				
RR#, St. Address, Box # : 5814 Lennin Read 330 0 Datum:									
2 WATER WELL OWNER: Dale Springer RR#, St. Address, Box # : 5814 towned Read 330 d City, State, ZIP Code 3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL									
3 LOC	CATE WE	LL'S 4 DEPTH OF'C	OMPLETED WELL	20	ft	•			
	CATION 'H AN "X'	YIN Denth(s) Grounds	vater Encountered (1	1,22-3	A (2)		ft (2)	£.	
1	TION BO	X: WELL'S STATION	WATER LEVEL	13 ft	below land surface	e measure	11. (3) Lon mo/day.	/vr 1-5-07	
	N	Pump test	data: Well water was		ft. after	hours	s pumping	gpm	
X	T	☐ Est. Yield	.gpm: Well water was	5	ft. after	hour	s pumping	gpm	
NV	W NE		O BE USED AS: 5 P	ublic water s	upply 8 Air	condition	ng 11 Inje	ection well	
W		E 1 Domestic 3	Feedlot 6 Oil fi	eld water suj	pply 9 Dev	watering	12 Otl	ier (Specify below)	
'	2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well								
SV	SW SE Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs								
Sample was submitted									
S									
		ING USED: 5 Wrot	aght Iron 8 Co	oncrete tile	CASIN	G JOINTS	S: Glued	Clamped	
			estos-Cement 9 Ot	ther (specify	below)		Welded	Y	
2 PVC 4 ABS 7 Fiberglass Threaded X In to 9 ft Diameter in to 9 ft									
2 PVC 4 ABS 7 Fiberglass Threaded. X Blank casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight 20 Fibs./ft. Wall thickness or guage No.									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS Other (Specify)									
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Prilled holes 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut. 10 Other (specify)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)									
From									
From									
6 GRO	UT MATI	ERIAL: 1 Neat cement	2 Cement grout 3	Bentonite	4 Other				
Grout III	nervais.	ΓΙΟΙΙΙ Ι.Ο Ιι. π), From	4.1	ft. to	ft., From		ft. toft.	
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify)									
						below)			
1		1	pit 9 Feedyard	12 Fertiliz		il well/gas			
		1?			/ feet?				
FROM	TO	LITHOLO	OGIC LOG	FROM	ТО	PLUC	GING INT	ERVALS	
6	10	Sold Cay	-1 0.						
20	20 28	1 costes	Draw						
28	38	Shale.							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, (2) reconstructed, or (3) plugged									
under my jurisdiction and was completed on (mo/day/year)									
Kansas Water Well Contractor's License No. 56.1 This Water Well Record was completed on (mo/day/year) 5									
under th	e business	name of Evano Ene	MASE PRESS FIRM		(signature)	LM	7.E	Tot angreem Coult	
three copie	es to Kansas	e typewriter or ball point pen. Department of Health and Envir	onment, Bureau of Water, Ge	eology Section,	1000 SW Jackson St.,	Suite 420, To	opeka, Kansas	66612-1367. Telephone	
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at									
http://www.kdhe.state.ks.us/geo/waterwells.									

KSA 82a-1212