


1 LOCATION OF WATER WELL: County: Lebette Fraction: SW 1/4 SW 1/4 NW 1/4 Section Number: 24 Township Number: T 31 S Range Number: R 19 **EW**

Distance and direction from nearest town or city street address of well if located within city?
801 S. 21st St. Parsons, KS

2 WATER WELL OWNER: Technacarbon
RR#, St. Address, Box #: 801 S. 21st Board of Agriculture, Division of Water Resources
City, State, ZIP Code: Parsons, KS 67357 Application Number: _____

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 
4 DEPTH OF COMPLETED WELL: 11 ft. ELEVATION: _____
Depth(s) Groundwater Encountered: 1. Dry ft. 2. _____ ft. 3. _____ ft.
WELL'S STATIC WATER LEVEL: 6 ft. below land surface measured on mo/day/yr 1/13/93
Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm
Est. Yield _____ gpm: Well water was _____ ft. after _____ hours pumping _____ gpm
Bore Hole Diameter: 8 in. to 16 ft., and _____ in. to _____ ft.
WELL WATER TO BE USED AS:
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
Was a chemical/bacteriological sample submitted to Department? Yes _____ No Yes; If yes, mo/day/yr sample was submitted _____
Water Well Disinfected? Yes _____ No No

5 TYPE OF BLANK CASING USED:
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued _____ Clamped _____
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded _____
7 Fiberglass Threaded
Blank casing diameter: 2 in. to 1 ft., Dia _____ in. to _____ ft., Dia _____ in. to _____ ft.
Casing height above land surface: 36 in., weight _____ lbs./ft. Wall thickness or gauge No. 40
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) _____
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
7 Torch cut 10 Other (specify) _____
SCREEN-PERFORATED INTERVALS: From 11 ft. to 1 ft., From _____ ft. to _____ ft.
GRAVEL PACK INTERVALS: From 11 ft. to 1 ft., From _____ ft. to _____ ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Clay Backfill
Grout Intervals: From 1 ft. to 0 ft., From _____ ft. to _____ ft., From 16 ft. to 11 ft.
What is the nearest source of possible contamination:
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 14 Abandoned water well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 15 Oil well/Gas well
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below) _____
Direction from well? S How many feet? 10

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	±4	Dk gray silty clay			
±4	±8	Yellow brown silty clay			
±8	±15	Lt brown silty clay			
±15	±16	Brown highly weathered shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 1/12/93 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 510. This Water Well Record was completed on (mo/day/yr) 2/15/93 under the business name of MIKON Corporation by (signature) David J. Kramer