WATER WELL REC		Form W	WC-5			o. L	
1 LOCATION OF WATER WELL:		Fraction			Township No.		
County: LaBette Street/Rural Address of Well Location; i		1/4 1/4 SE	1/4 SE 1/4	Clabel Parising	T 31 S		
from nearest town or in		Global Positioning System (GPS) information:  Latitude: .N37,34269. (in decimal degrees)  Longitude: W95.26903 (in decimal degrees)					
Former Sun Oil Company Station 2131 Crawford Avenue, Parsons, KS 67357				Elevation: 909-feet			
2 WATER WELL OWNER, O Caclogs				Datum: WGS 84, NAD 83, NAD 27			
RR#, Street Address, Box #: 14680 115th Road				Collection Method:   GPS unit (Make/Model:)			
City, State, ZIP Code : Erie, K5 67733				☐ Digital Map/Photo, ☑ Topographic Map, ☐ Land Survey			
2 LOCATE WELL	cne	102 011	55	Est. Accuracy:	3 m, <b>[</b> ] 3-5 m, □	5-15 m,  >15 m	
3 LOCATE WELL WITH AN "X" IN		COMPLETED WEL	.ட 29	ft.			
SECTION BOX:	Depth(s) Groundwater Encountered (1).28						
N	WELL'S STATIC WATER LEVEL. 28 ft. below land surface measured on mo/day/yr. 7-3-12						
	Pump test data: Well water was. N/A						
W  NW NE   EST. YIELD JWAgpm. Well water was JWA							
						njection well	
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well MW-1  Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No							
S If yes, mo/day/yr sample was submitted N/A							
Water well disinfected? ☐ Yes ☑ No							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded							
Casing diameter .2 in. to .9							
Casing height above land surface. 0							
☐ Steel ☐ Stainless Steel							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From. N/A ft. to N/A ft., From N/A ft. to N/A ft.							
GRAVEL PACK INTERVALS: From . 7							
6 GROUT MATERIAL: Neat cement Cement grout Department Concrete from 0 to 2-feet							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Concrete from 0 to 2-feet Grout Intervals: From .2 ft. to .7 ft., From N/A ft., From N/A ft., From N/A ft.							
What is the nearest source of possible contamination:							
☐ Septic tank     ☐ Lateral lines     ☐ Pit privy     ☐ Livestock pens     ☐ Insecticide storage     ☐ Other (specify below)       ☐ Sewer lines     ☐ Cesspool     ☐ Sewage lagoon     ☑ Fuel storage     ☐ Abandoned water well							
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well							
Direction from well		The second secon		from well<1.00-fe			
FROM TO	LITHOLOG		FROM	TO LITHO. L	OG (cont.) <u>or</u> PLU	IGGING INTERVALS	
4 9 5.1	1 /	Brown x arean					
9 28 Wen		ale ale					
28 29 clay	1	αy					
,		1					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ☐ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .7.3.12 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 759 This Water Well Record was completed on (mo/day (vear) 7-22-12							
INSTRUCTIONS: Use ty pewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.  Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at							
http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212				Check: W	nite Copy, 🔲 Blu	ue Copy, Pink Copy	