\		R WELL RECORD		KSA 82a-1			
1 LOCATION OF WATER WELL:		0147		tion Number	1	1	Range Number
County: Labette	SW 1/4		SE ½	13	T 31	S	R 19
Distance and direction from nearest to	vn or city street add		St. Parsons,	KS			
2 WATER WELL OWNER: Bob B	artelli						
RR#, St. Address, Box # : <b>2500</b> N					Board of Agricul	ture. Division	of Water Resource
City, State, ZiP Code : Parso	I/C C70E7						
2 LOCATE WELL'S LOCATON WITH							09/25/12
AN "X" IN SECTION BOX:	DEPTH OF CO	OMPLETED WELI	L 15	ft. ELE	VATION:		
N .	Depth(s) Groundv	vater Encountered	1 1.5 <b>3.</b>	<b>5</b> ff	. 2	ft. 3 .	F
<b>↑        </b>	WELL'S STATIC	WATER LEVEL	<b>13.73</b> ft.	below land	surface measured on	mo/day/yr _	09/25/12
NW NE	Pump	test data: vveii v	water was		·t. alter	_ nours pum	ong
0	Est. Yield	Gpm: Well v	water was	F	t. after	_ Hours pum	pingGpn
ž W	Bore Hole Diamet	er <b>8.625</b> In.	. to1	5	ft. and	in. to	jection well ther (Specify below)
	WELL WATER TO	BE USED AS:	5 Public water s	upply	8 Air conditioni	ng 11 Ir 12 O	ijection well ther (Specify below)
SW SE	1 Domestic	3 Feed lot	o Oil lielu water	Supply	c) 10 Monitoring v	12 0	MINI_13
<b>↓                                    </b>							
The topic and to	1	acteriological sam	nple submitted to		Yes No X		
	Submitted				ater Well Disinfected		
5 TYPE OF BLANK CASING USED:		5 Wrought Iron					Clamped
1 Steel 3 RMP	(SR)	6 Asbestos-Ce	ment 9 Other	(specify belo	ow)	Welded	
2 PVC 4 ABS		7 Fiberglass				Threade	<u>d</u> X
Blank casing diameter 2	in to 5	Ft.,	In	to	ft Dia	in	toft
Casing height above land surface	FILISH	Dla	SCH 40	l he /ft	Wall thickness or o	rande No	
TYPE OF SCREEN OR PERFORATION		n., weight	7	DVC	10 Asbes	toe-coment	
	less steel	5 Fiberglass		Paragraphic National Control of the			
	inized steel	6 Concrete tile		ABS	11 Other 12 None	used (open h	ole)
SCREEN OR PERFORATION OPENIN			Sauzed wrapped				None (open hole)
	Mill slot	Call of the first the Call of the All and All and	Nire wrapped		9 Drilled holes		, , , , ,
	Key punched	TO SHARE SHEET HOUSE SHEET	Forch cut		10 Other (specify	<b>/</b> )	****
SCREEN-PERFORATED INTERVALS	* *	<b>5</b> ft. to	15	ft. I			ft
SAND PACK INTERVALS:	From	4 ft to	15	ft. I	From	ft. to	
OAND I MORNINGERVALO.	From		,		From		
6 GROUT MATERIAL: 1 Neat			· · · · · · · · · · · · · · · · · · ·	ntonite			
<del></del>		Et.	Et				
Grout Intervals From2 0.5	ft. to <b>2</b>	From3	<b>2</b> to	4	ft. From		ft. toft
What is the nearest source of possible				10 Lives	stock pens	14 Aband	oned water well
1 Septic tank	4 Lateral lines	7 Pit	privy	11 Fuel	storage	15 Oil wel	l/ Gas well
2 Sewer lines	5 Cess pool	8 Sev	wage lagoon	12 Fertil	izer storage	16 Other	(specify below)
3 Watertight sewer lines	6 Seepage pit	9 Fee	edyard	13 Insec	ticide storage	Conta	aminated Site
Direction from well?				How many	feet?		
FROM TO CODE	LITHOLO	OGIC LOG	FROM	ТО	PLUC	GGING INTE	RVALS
	oncrete					and the same of th	
	Ity Clay						
15 TD Er	nd of Borehole	9					
					free free	CEIVE	an Kan
					Total Control	LICIVE	
					NOV 2 6 2012		
					BURE/	AU OF V	VATER
	- DIO OPPOSITION		1	-1-1 (0)	(0)		and trula distinct and
7 CONTRACTOR'S OR LANDOWNE	0010						
Completed on (mo/day/yr)					true to the best of m		
Water Well Contractor's License No.		585					/yr) 10/08/12
under the business name of	Associate	ed Environm	ental, Inc.	E	By (signature) Bra	ialey J. J	onnson
INSTRUCTIONS: Please fill in blan	ks and circle the corre	ect answers. Send t	inree copies to Kan	sas Departme	nt of Health and Enviro	onmen <b>y b</b> urea	u or vyzater, i opeka,