	VATER WELL RECORD     Form WWC-5       X     Original Record     Correction				Division of Water Resources App. No. Well ID MW4			MW4		
~		ATER WEL		Fraction		10000		er Township Nur		Number
	Labette	AIER WEL	L.	SE ¼ SW	¼ SE	¼ SE ¼		T 31	S R I	
2 WELI	LOWNER: I	ast Name:		First:				ell is located (if unk		
	ss: KDHE							): If at owner's ac	ldress, check he	ere:
	s: 1000 SW J	ackson Blvd			3307 N	lain St., Parsoi	ns, KS			
Addres City		eka S	tate: KS	ZIP: 66612						
the second se	TE WELL	4 <b>I</b>	EPTH OF CO	MPLETED WEL	L: 17.5	5 ft 5		***********************************		cimal degrees)
1	"X" IN	Depth(	s) Groundwater	Encountered: 1)		ft	Longitude	95.287 Datum: WGS		cimal degrees) 83 NAD 27
SECT	ION BOX:		S STATIC WA	3) ft, or 4	)Dry W 7.42			Latitude/Longitude		
	N					· ·	and the second se	unit make/model:	•	. )
	above land surface, measured on (mo-day-yr) (WAAS enabled? Yes, No)							)		
WW	NE	Pum	p test data: We	Il water was	fi		X Land S	Survey 🔝 Topog		
w				ours pumping		n	Online	e Mapper		
				Vater well was ours pumping	ft	n 6	Elevation	899.43 ft	Ground L	evel X TOC
sw	SE			gpm				Land Survey		
					o ft,	and		Other		
	S			r: <u>7.25</u> in to in to	oft		. · · ·			
	WATER TO	BE USED AS:								
1 Domestic:			Public Water St	upply: well ID		. 10		Water Supply: leas		
	hold			ow many wells?			Test Hole: we	II ID		<u></u>
Lawn	& Garden	7	Aquifer Rechar	ge: well ID			Cased	Uncased	Geotechnic	al
Livest			Monitoring: w			12	Geothermal: He	-		
2 Irrigat				ediation: well ID	_		a) Closed Lo			
3 Feedlo			Air Sparge	Soil Vapor E	Extractior			D Surface D	Discharge	Inj. of Water
4 Indust			Recovery			•.	Other (sp	ecity):		
Was a chemi Water well dis		gical sample su Yes X No	bmitted to K	DHE? Yes	X No	If yes, date	e sample was su	ıbmitted:		
8 TYPE	OF CASING	USED:	steel X PVC	Other		CASING JOI	NTS: GI	ued Clampled	Welded	X Threaded
		in. to 7.5	ft, Dian	neter in Veight	i. to	ft,	Diameter	in. to		
	t above land su	rface -0.51 PERFORATIO		Veight	lbs	./ft. Well t	hickness or gau	ge No		
		ess Steel	Fiberglass				ther (Specify)			
Brass			Concrete til		d (open hole		ther (specify)			
		TION OPENI				,				
Contir	nuous Slot	X Mill Slot	Gau	ze Wrapped	Torch Cu	Drille	d Holes	Other (Specif	y)	
Louve	red Shutter	Key Punche		e Wrapped	Saw Cut		(Open Hole)			
1		NTERVALS:		ft. to <u>17.5</u>	ft, From	ft.		ft, From		ft,
GRA	GRAVEL PACK INTERVALS: From 5 ft. to 17.5 ft, From ft. to ft, From ft. to ft, From ft. to ft,									
	MATERIAL:				Bentonite		Concrete: 0-0.			
Grout interva			ft,	Fromft	. to	ft, Fron	nft.	to ft,		
Nearest sour	-	e contaminatio	o <b>n:</b> Lateral Lines	Pit Privy			tools Dore	The section of the se	a Stance	
Septic			Cess Pool	Sewage			tock Pens Storage		e Storage ed Water Well	
	tight Sewer Lin		Seepage Pit	Feedyard	-		izer Storage		Gas Well	
	(Specity)				_				545 11 44	
Direction from		······································		Distance	from well?	~180		ft		
10 FROM	ТО		LITHOLO	OGIC LOG		FROM	TO	LITHO. LOG (co	ont.) or PLUGGI	NG INTERVALS
0	0.5	Gravel								
0.5 4.5	4.5	Limestone/conc Silty clay	rete rubble							
14	17.5	Limestone								
						N				
								Lot; U3-050-14924 shallow groundwate		was installed at
Target of monitoring well is shallow groundwater, <20' of grout was installed at the direction of KDHE.										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was X constructed, reconstructed, or rec										
		pleted on (mo-day		0/5/18 and this r				ind belief. Kansas	Water Well Co	ntractor's
License No				cord was completed		• • •	8 Signature	-AG	to the second se	
	under the business name of Larsen & Associates, Inc. Signature									
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.										
Visit us		heks.gov/waterwei			SA 82a-1212					d 7/10/2015

•

· · · ·

•

.

.

DENNIS L HANDKE 1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home 785-286-1990 Fax

Jess Chapman Larsen & Associates 1311 E. 25<sup>th</sup> Street, Suite B Lawrence, Kansas 66046

RE: Monitor Well Elevation Survey 3130 Main St., Parsons, Kansas October 22, 2018

Proj. 18-00FF Vacant Lot KDHE ID U3-050-14216


Bench Mark: Chisled Sq. on top concrete floor South end of center storage unit adjacent to vacant lot.

Elev: 901.9	5 North	78.97	West 554.86	(from SE Cor. Sec. 14-31-19E)
MW-1	rim	899.79	North 44.17	SW1/4,SE1/4,SE1/4,SE1/4
	top pipe	899.27	West 664.31	Lat = 37.34032 Long = 95.28767
MW-2	rim	899.93	North 57.72	SW1/4,SE1/4,SE1/4,SE1/4
	top pipe	899.51	West 713.06	Lat = 37.34036 Long = 95.28784
MW-3	rim	900.98	North 130.36	SW1/4,SE1/4,SE1/4,SE1/4
	top pipe	900.58	West 641.58	Lat = 37.34056 Long = 95.28759
MW-4	rim	899.94	North 284.12	SE1/4,SW1/4,SE1/4,SE1/4
	top pipe	899.43	West 675.33	Lat = 37.34098 Long = 95.28771
MW-5	rim	901.41	North 74.09	SW1/4,SE1/4,SE1/4,SE1/4
	top pipe	901.01	West 488.98	Lat = 37.34041 Long = 95.28707
MW-6	rim	901.40	South 43.11	NW1/4,NE1/4,NE1/4,NE1/4 (Sec. 22-31-19E)
	top pipe	901.02	West 464.58	Lat = 37.34009 Long = 95.28698
MW-7	rim	900.29	South 69.69	NW1/4,NE1/4,NE1/4,NE1/4 (Sec. 22-31-19E)
	top pipe	899.99	West 562.37	Lat = 37.34001 Long = 95.28731

Elevation derived from USGS BM Z 54. NAVD 88

Lat & Long derived from Parsons West 7.5 Quad Map WGS84.

If you have any questions, please feel free to call me. Thank you for the opportunity to be of service to you Dennis L Handke RS JAN **3 1** 2019 BUREAU OF WATER



TIGUIL 2.2 - JUUT TRADIC	Building with Basement		
<b>C</b> larsen & associates, inc.	<u>PROJECT:</u> Vacant Lot 3307 Main Street Parsons, KS KDHE ID: U3-050-14924 Date: 10/17/18	Approximate Location of Property Line <ul> <li></li></ul>	
1311 E 25th St., Suite B(785) 841-8707 officeLawrence, KS 66046(785) 865-4282 fax	0 100 feet	NOTE: Utility depths, heights and locations are approximate. NOTE: SB5 & SB6 were drilled to collect hydrologic samples. NOTE: The locaton of the former UST basin, pump island and product lines is unknown.	

RECEIVED JAN 3 1 2019 BUREAU OF WATER