


1 LOCATION OF WATER WELL: Fraction 1/4 NW 1/4 NE 1/4 Section Number 7 Township Number T 31 S Range Number R 2 E
 County: Sumner

Distance and direction from nearest town or city street address of well if located within city?
From Belle Plaine, KS 1 mile South and 2 miles East

2 WATER WELL OWNER: Mark Lawky
 RR#, St. Address, Box #: 516 North Oliver Rd. Board of Agriculture, Division of Water Resources
 City, State, ZIP Code: Belle Plaine, KS 67013 Application Number: 45962

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL 40 ft. ELEVATION: ft.
 Depth(s) Groundwater Encountered 1 7 ft. 2 ft. 3 ft.
 WELL'S STATIC WATER LEVEL 7 ft. below land surface measured on mo/day/yr 12-29-04
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield 150 gpm: Well water was ft. after hours pumping gpm
 WELL WATER TO BE USED AS:
 1 Domestic 2 Public water supply 3 Feedlot 4 Industrial 5 Air conditioning 6 Oil field water supply 7 Domestic (lawn & garden) 8 Dewatering 9 Injection well 10 Monitoring well 11 Other (Specify below) 12 Other (Specify below)

5 TYPE OF BLANK CASING USED:
 1 Steel 2 Wrought iron 3 RMP (SR) 4 Concrete tile 5 CASING JOINTS: Glued Clamped
 PVC 6 Asbestos-Cement 7 Other (specify below) 8 Welded
 3 Fiberglass 4 Threaded
 Blank casing diameter 16 in. to 20 ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface 12 in., weight 16 lbs./ft. Wall thickness or gauge No. 1/2"
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 2 Stainless Steel 3 Fiberglass 4 RMP (SR) 5 Asbestos-Cement 6 Other (Specify)
 2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 2 Mill slot 3 Guazed wrapped 4 Saw cut 5 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify) ft.
 SCREEN-PERFORATED INTERVALS: From 20 ft. to 40 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From 20 ft. to 40 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: From 3 ft. to 20 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 2 Lateral lines 3 Pit privy 4 Fuel storage 5 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below) Open Field
 Direction from well? How many feet? Open Field

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	TOP SOIL			
3	13	Clay			
13	16	Fine Sand Silt			
16	25	Clay			
25	30	Small Gravel			
30	36	Small Gravel w/clay streaks			
36	40	Green Shale			
		#3 East Well			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 12-29-04 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 238 This Water Well Record was completed on (mo/day/yr) 12-31-04 under the business name of Weninger Irrigation by (signature) Weninger