WATER WELL REC	CODD #	う Form W	WC5	rs:	vision of Wate	r Resources App. No		
1 LOCATION OF WA		Fraction	V VV C-3		on Number	Township No.	Range Number	
County: Self		1/4 8W4SI	E1/5E1/4	33	Z	S CT	R D XE □W	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:								
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees)			
454 N BOCK Rd					Longitude: (in decimal degrees)			
Bolla Plaina US					Elevation:			
2 WATER WELL OWNER: Zava Anis & S					Datum: WGS 84, NAD 83, NAD 27 Collection Method:			
2 WATER WELL OWNER: RR#, Street Address, Box #: 1530 E 30th Ave N City, State, ZIP Code					GPS unit (Make/Model:)			
City, State, ZIP Code : Defard (SU7)19					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
	-34	Oftware	SCOUM	Est. A	ccuracy: [] <	<3 m, □ 3-5 m, □	5-15 m, >15 m	
3 LOCATE WELL	A DEPTH OF	COMDITTED WE	r T		ft			
WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL							
N	Depth(s) Groundwater Encountered (1)							
a Constant and the Constant of	Pump test data: Well water wasft. after hours pumping gpm							
W XNW NE - E	EST. YIELDgpm. Well water wasft. after hours pumping							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
								Domestic Feedlot Oil field water supply Dewatering Other (Specify below)
Irrigation								
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected? Yes No								
5 TYPE OF CASING USED: Steel PVC Other Other								
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter								
Casing height above land surface in., Weightlbs./ft., Wall thickness or gauge No								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other.								
Grout Intervals: From								
Septic tank		nes Pit privy	Livestock	pens	Insecticid	e storage Oth	ner (specify below)	
Sewer lines Cesspool Sewage lagoon Fuel storag					ge Abandoned water well			
☐ Watertight sewer 1			Fertilizer		☐ Oil well/g			
Direction from well					rell	OC (see) Pri	ICCINC DITEDMATC	
FROM TO	LITHOLOG	ilC LOG	FROM	ТО	LITHO. L	OG (cont.) or PLU	JGGING INTERVALS	
01 40	10 SO1							
11118	arx	0					**************************************	
171411	eyrav							
13/26/2	534000	<u> </u>				V	7.000.000	
125 57 70	7 3 W E							
25 2-6 Cl	Samo							
38 31 cla	ul							
31 50 me	dovavel	claymix						
50 60 Sh	are	J						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year)								
under the business name of Well-Wolf. Dr. 100 his water well record was completed on (mo/day/year)								
under the business name INSTRUCTIONS: Use typev	OI W.M.M.M.W.	n PLEASE PRESS FIRM	I.V and PRINT	learly PI	signature)	ks and check the corre	ct answers. Send three conies	
(white blue pink) to Kansas	Department of Health	and Environment, Burea	au of Water, Geo	ology Sect	ion, 1000 SW J	ackson St., Suite 420,	Topeka, Kansas 66612-1367.	
Telephone, 785-296-5524. Se	nd one copy to WA'	TER WELL OWNER an	d retain one for	your reco	ords. Include <u>f</u>	ee of \$5.00 for each	constructed well. Visit us at	
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								