WATER WELL R		Form WW(			ision of Water		V-11 ID	
1 LOCATION OF W					urces App. No tion Number	Township Number	Vell ID Range Number	
	Moer		/4	NE% SCC	28	T 3/ S	RQ DE W	
2 WELL OWNER: L		First:			al Address w	here well is located (if		
Business: Roke Lold '00 5 1 C direction from nearest town or intersection): If at owner's address, check here:								
1909 A 1909 A 1909								
Address: The Vi U	1001S	State: FL ZIP:	3242			laine KS 6		
3 LOCATE WELL	- 0			7		when y		
WITH "X" IN		OF COMPLE			5 Latitud	le:	(decimal degrees)	
SECTION BOX:		oundwater Encour				ıde:		
N	2)	ft. 3)	II., or 4)[	_ Dry Well		☐ WGS 84 ☐ NAD 83	B □ NAD 27	
WELL'S STATIC WATER LEVEL: Source for Latitude/Longitude: GPS (unit make/model: GPS (uni								
NIW - I NIE	below land surface, measured on (mo-day-yr)							
	Pump test data: Well water was							
W E	after	hours pump				ine Mapper:		
SW SE	Well water was ft.							
	after							
S	Bore Hole Diameter: A in. to A ft. and Source: Land Survey GPS Top						Topographic Map	
mile			. in. to	ft.		☐ Other		
7 WELL WATER TO BE USED AS:								
1. Domestic:		Public Water Sur			10. 🗌 Oil	Field Water Supply: lease		
☐ Household		Dewatering: hov				ole: well ID		
Lawn & Garden Livestock		7. Aquifer Recharge: well ID				☐ Cased ☐ Uncased ☐ Geotechnical		
2. Irrigation	8. Monitoring: well ID							
3. Feedlot	☐ Air Sparge ☐ Soil Vapor Extraction				b) Open Loop  Surface Discharge  Inj. of Water			
4. 🔲 Industrial		Recovery	☐ Injection			er (specify):		
Was a chemical/bacteriological sample submitted to KDHE?  Yes No If yes, date sample was submitted:								
Water well disinfected? Wes \square No								
8 TYPE OF CASING USED: A PVC Other								
Casing diameter								
Casing height above land surface 36 in. Weight 2.4 lbs./ft. Wall thickness or gauge No								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot								
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From Lo., ft. to ft., From ft., From ft. to								
GRAVEL PACK INTERVALS: From ft. to ft. to ft., From ft. to ft., From ft., From ft.								
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout MBentonite ☐ Other								
Grout Intervals: From ft. to ft., From ft., From ft. to ft.								
Nearest source of possible contamination:  ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
Sewer Lines		Cess Pool	☐ Sewage La		Fuel Storage		•	
Watertight Sewer Lin		Seepage Pit	☐ Feedyard		Fertilizer Stora			
Other (Specify)								
Direction from well??						ft.		
10 FROM TO	L.	ITHOLOGIC L	OG	FROM	TO I	ITHO. LOG (cont.) or PL		
0 3	100 das	£					/ Turn 120	
3 00	Mary.	<u> </u>				Washington M	- sacis size	
3 30 35 3	MAN C	I BNG				NOV 28	70147	
	Bluce	Mole -				NOV AU	<u> 2012                                  </u>	
						BUREAU OF	\A/ATTEL>	
				Notes:		were a trained to the State of	3 0 / A 1 Imp[]	
110635								
				_				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was V constructed, reconstructed, or plugged								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No. This Water Well Record was completed on (mo-day-year).								
Kansas Water Well Contractor's License No								
INSTRÜCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas								
Diam's Tomicion					0.000	. 17	0	

KSA 82a-1212

Revised 9/10/2012

Visit us at http://www.kdheks.gov/waterwell/index.html