WATER WELL RECORD			.Form W	WC-5	Division	of Wate	r Resources App. No	0. 40000	
1 LOCATION OF WATER WELL:		Fraction		Section Nu	mber		Range Number		
	nty: Sur		1/4 1/4	1/4 NE 1/4				R 2	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:									
from nearest town or intersection: If at owner's address, check here								(in decimal degrees)	
	E. 50th Ave N. and N. Rock Rd. Hole #4 SOUTHEAST HOLE					tude: (in decimal degrees)			
HOIR #4 SOUTHEAST HOLE						vation:			
2 WATER WELL OWNER: Ron Neises						lethod:	*, [] NAD 65, []	NAD 21	
RR#, Street Address, Box #: 409 N, Rock Rd.					☐ GPS u	it (Mak	e/Model:	)	
City, State, ZIP Code : Belle Plain, KS 67013					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
<u>Est. Accurady</u> :									
	ATE WE	LL A DEPTH OF	OMDIETED WEI	T 45			,		
		I AN "X" IN Depth of COMPLETED WELL 45							
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1).15								
Pump test data: Well water was									
Test viter p 50 Well materials A -A									
W   Bore Hole Diameter 30in. to									
"		WELL WATER	TO BE USED AS: [	Public wat	er supply	☐ Ge	othermal     I	niection well	
	w   s	D Domestic						Other (Specify below)	
3	<b>V</b>   3	☑ Irrigation	☐ Industrial ☐						
		Was a chemical/	bacteriological sample	e submitted to	Department	2 🗆	Yes 🗹 No		
S If yes, mo/day/yr sample was submitted									
	l mile	Water well disin	fected? 📝 Yes 🗌	No					
5 TVP	E OF CA	SING USED:  Steel	PVC D	Other					
5 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter .16									
Casing height above land surface. 12 in., Weight 16 lbs./ft., Wall thickness or gauge No. SCH40									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Continuous slot									
SCREEN-PERFORATED INTERVALS: From									
From ft to ft From ft to ft									
GRAVEL PACK INTERVALS: From 29 ft. to 45 ft.   From ft. to ft.									
From									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From .3 ft. to .20 ft., From									
What is the nearest source of possible contamination:									
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								er (specify below)	
				☐ Fuel storage ☐ Fertilizer ste		andoned l well/ga:		E - OPEN FIELD	
		n well			rom well	. weinga	o well		
FROM		LITHOLOG		FROM		HO. L.C	OG (cont.) or PLII	GGING INTERVALS	
0	10	Clay					- () <u>VI</u> I DO	- JANUARI MANAGEMENT AND MANAGEMENT	
10	20	Medium Sand							
20	25	Clay	/				<del></del>		
25	32	Medium Gravel	•					•	
32	45	Shale							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 2 constructed, $\square$ reconstructed, or $\square$ plugged									
under my jurisdiction and was completed on (mo/day/year) .8/.11/2014 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 238 This Water Well Record was completed on (200/day/year) .08/18/2014									
		ss name of Premier Pun							
		Use typewriter or ball point pen.							
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterweil/index.html									