WATE	R WEI	L RECORD	Form WW	C <b>-5</b>	Division of Wate	r Resources App. N	° 1788	<u>27</u>		
1 LOCATION OF WATER WELL:			Fraction		Section Number	I TOWNSHIP NO.	Kallge Ni	IIIIDEI		
County: Sumner					26	T 31 S		<b>Z</b> E □W		
from nearest town or intersection: If at owner's address, check here  E 40th and River Rd WELL #2 CENTER WEST WELL										
L TOUT AND THE TO VALLE WE CENTER MEZI MECC										
					Datum: WGS 84. NAD 83. NAD 27					
		ELL OWNER: Darren	rons		Collection Method:					
RR#, Street Address, Box #: 2001 Worthington Ln. City, State, ZIP Code : Edmond, OK 73013										
City	, State, Z	IP Code : Edmono	I, OK 73013							
3 100	ATE WE	T T			Fst. Accuracy: [ ] <	3 m, ∐ 3-3 m, ∐	3-15 m, ∐	>15 m		
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 50										
	TION BO	X: Depth(s) Ground	ft. (2)	ft. (	´3)	ft.				
N WELL'S STATIC WATER LEVEL13ft. below land surface measured on mo/day/yr										
Pump test data: Well water wasft after hours pumping gpm								gpm		
EST. YIELD. 350gpm. Well water wasft. after							gpm			
sv										
1		✓ Irrigation								
	1 mile									
		SING USED: Steel	PVC U Othe	er	••••	•••••				
CASIN	G JOIN I	S: Glued U Clan	iped   Welded	I hreaded	a 6 D	iomotor	in to	A		
Casing height above land surface 12 in Weight 16 lbs /ft Wall thickness or gauge No SCH40										
		EN OR PERFORATION		Global Positioning System (GPS) information:   Calitrude:						
	Steel	☐ Stainless Stee:	mped							
☐ Brass ☐ Galvanized Stee! ☐ None used (open hole)										
		ERFORATION OPENING		Dil field water supply						
		us slot		Threaded er in to ft., Diameter in to ft. eight 16 lbs./ft., Wall thickness or gauge No. SCH40  Other (Specify)  oen hole)  Torch cut Drilled holes None (open hole)  Saw cut Other (specify)  ft. to 50 ft., From ft. to ft.  ft. to ft. to ft., From ft. to ft.  ft. to ft. to ft., From ft. to ft.  ft. to ft. to ft., From ft. to ft.						
SCREE	N-PFRF	ORATED INTERVALS	From 30 ft to	aw cut	ft From	ft :	to	ft		
JUNE	ATT LINI			submitted to Department?						
GRAVEL PACK INTERVALS: From 20 ft. to 50 ft., From ft. to ft.										
			From ft. to	0	ft., From	ft.	to	ft.		
6 GRO	UT MA	ΓERIAL: 🔲 Neat ceme	nt Cement grout	Benton	ite 🗌 Other					
Grout In	itervals:	From .3 ft. to	20 ft., From	f	t. to ft.,	From	ft. to	ft.		
		est source of possible conta			_	<b></b>				
	Septic tar Sewer lir						er (specify b	elow)		
		it sewer lines					IE-OPEN F	FIELD		
		n well								
FROM	TO	LITHOLOG	IC LOG F	ROM	TO LITHO. LO	OG (cont.) or PLU	IGGING IN	TERVALS		
0	12	Topsoil								
12	32	Medium Sand								
32	34	Clay w/ Sand								
34	47	Medium Sand								
47	50	Shale								
	ļ									
ļ 	<b>  </b>						<u> </u>			
# CONT	ED A CT	INTO AN A NIESCHANISTE	to CIEDTERIA SECT	This t				I 1 1		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged										
Under my jurisdiction and was completed on (mo/day/year)										
under the business name of Fremier Pump & Well Service, It c. by (signature)										
INSTRUC	CTIONS:	Use typewriter or ball point pen	PLEASE PRESS FIRMLY and	FRINT cies	eriy. Please fill in blanks	and check the correct	answers. Sen	d one copy to		
	Kansas De	partment of Health and Environr	nent, Bureau of Water, Geology	Section, 100	10 SW Jackson St., Suite	e 420, Topeka, Kansa	s 66612-1367.			
Telepho	ne 785-296	-5524. Send one copy to WATF	R WELL OWNER and retain o	ne for your re	acoads. Include fee of \$	5.00 for each construc	ted well. Visi	t us at		