WATE	D WFI	LL RECORD	Form W	WC-5	Divisio	on of Water	r Resources App. N	48,559	
		OF WATER WELL:	Fraction	<del>WC-5</del>	Section N		Township No.	Range Number	
	ty: Sun		NW 1/4 SW 1/4 NE	1/4 SE 1/4	1		T 31 S		
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here						Global Positioning System (GPS) information:  Latitude: .37.32311419			
					Longitude: 97.2094934 (in decimal degrees)				
1-1/4 mile West & 3-1/4 mile North of Oxford, Ks.									
						Elevation: .1170			
2 WATER WELL OWNER: Thane Buss						Collection Method:			
RR#, Street Address, Box #: 418 Olive St.						GPS unit (Make/Model:)			
City, State, ZIP Code : Oxford, Kansas 67119						☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Oxidiu, Nansas 0/119						Est. Accuracy:			
3 LOCATE WELL									
WITI	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL								
SECT	Depth(s) Groundwater Encountered (1)								
	N WELL'S STATIC WATER LEVEL7ft. below land surface measured on mo/day/yr1/28/2016.								
	Pump test data: Well water wasft. after hours pumping								
	EST VIELD 300-500 Well water was the after hours numping and								
w NY	[-NW								
"   _			TO BE USED AS:						
	.   '	X Domostic							
SV	Domestic Feedlot Oil field water supply Dewatering Other (Specify below)  Industrial Domestic-lawn & garden Monitoring well								
	Was a chemical/bacteriological sample submitted to Department? Yes V No								
	S If yes, mo/day/yr sample was submitted								
Water well disinfected?   Yes   No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS:  Glued  Clamped  Welded  Threaded									
Casing diameter 10 in. to 24 ft., Diameter in. to ft., Diameter ft., Diameter ft.,									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)									
Louvered shutter									
SCREEN-PERFORATED INTERVALS: From									
From									
From									
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout									
Grout Intervals: From .0									
What is the nearest source of possible contamination:									
☐ Septic tank     ☐ Lateral lines     ☐ Pit privy     ☐ Livestock pens     ☐ Insecticide storage     ☐ Other (specify below)       ☐ Sewer lines     ☐ Cesspool     ☐ Sewage lagoon     ☐ Fuel storage     ☐ Abandoned water well									
	Sewer lin	nes		Fuel storag		voandoned Dil well/ga			
Direct	watertig	n well. None within 1/4 n	nile						
FROM	TO	LITHOLOG		FROM				JGGING INTERVALS	
			ic Lou	FROM	10 L	HO. LC	od (cont.) or PLC	DOUNG INTERVALS	
0	2	Sand, fine							
2	5	Clay, brown							
5	18	Sand, w/clay 70/30							
18	38	Sand, medium							
38	42.5	Sand, medium-coarse	w/clay streaks					4.0	
42.5	44	Shale, gray							
					1170				
ļ				<del>                                     </del>					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ☐ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year)1/28/2016 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No897 This Water Well Record was completed on (mo/day/year)211/2016									
under the business name of Peterson McNett Drilling, Inc. by (signature)									
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to									
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html									