WATER WELL RECORD Form WWC-5	Division of Water Resources; App. No.
1 LOCATION OF WATER WELL: Fraction	Section Number Township Number Range Number T 31 S R 20 E
Distance and direction from nearest town or city street address of well located within city? 806 N 16 th Street, Parsons	Latitude: N°
2 WATER WELL OWNER: ParCom Telephone Co., c/o Vincent B. Schibi	Longitude: W° Elevation:
hand a set of the set	Datum: above mean sea level
RR#, St. Address, Box # : 806 N 16 St. City, State, ZIP Code : Parsons, KS 3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL	Data Collection Method: legal survey
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL	15 ft.
I OCATON :	MXV2
WITH AN "X" IN Depth(s) Groundwater Encountered 1	ft. 2 ft. 3 ft.
SECTION BOX: WELL'S STATIC WATER LEVEL	ft. 2 ft. 3 ft. ft. below land surface measured on mo/day/yr
N Pump test data: Well water was	ft. after hours pumping gpm ft. after hours pumping gpm
Est. Yield gpm: Well water was	ft. after hours pumping gpm
WELL WATER TO BE USED AS: 5 Publi	c water supply 8 Air conditioning 11 Injection well
W X E 1 Domestic 3 Feed lot 6 Oil field water	supply 9 Dewatering 12 Other (Specify below)
2 Irrigation 4 Industrial 7 Domestic (law)	& garden) [10] Monitoring well
SW + SE -	
	itted to Department? Yes No X; If yes, mo/day/yrs
	Water Well Disinfected? Yes No X
5 TYPE OF CASING USED: 5 Wrought Iron 8 Co	ncrete tile CASING JOINTS: Glued Clamped
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Ot	ner (specify below) Welded
(2) PVC 4 ABS 7 Fiberglass	Threaded X
② PVC 4 ABS 7 Fiberglass Blank casing diameter 2 in. to 5 ft., Dia	in. to ft., Dia in. to ft.
Casing height helow land surface ft Weight	lbs /ft Wall thickness or gauge No
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR)	
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC	9 ABS 11 Other (specify)
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 2 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 5 SCREEN-PERFORATED INTERVALS: From 5 ft. to	forch cut 9 Drilled holes 11 None (open hole)
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 S	aw Cut 10 Other (specify)
SCREEN-PERFORATED INTERVALS: From 5 ft. to	15 ft. From ft. to ft.
From n. to	π . From π to π
GRAVEL PACK INTERVALS: From 4 ft. to	15 ft. From ft. to ft.
From ft. to	ft. From ft. to ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3	entonite (4)Other cement, 0-2
Grout Intervals From 2 ft. to 4 ft. From	ft. to ft. From ft. to ft.
What is the nearest source of possible contamination:	
1 Septic tank 4 Lateral lines 7 Pit privy 10 Liv	estock pens 13 Insecticide Storage 16 Other (specify
2 Sewer lines 5 Cess pool 8 Sewage lagoon (1) Fue	el storage 14 Abandoned water well below)
	tilizer storage 15 Oil well/ gas well
Direction from well? How r	nany feet?
FROM TO LITHOLOGIC LOG FR	OM TO PLUGGING INTERVALS
0 4' Brown clay	
4' 7' Clay and highly weathered limestone	
7' 15' Gray shale, dry	
	Flush mount waiver from Don Taylor
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: T	
under my jurisdiction and was completed on (mo/day/year) 7/5/07 and this record is true to the best of my knowledge and belief.	
	Record was completed on (mo/day/year) 7/24/07
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment. Bureau of Water. Geology Section, 1000 SW Jackson St., Suite 420. Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for	
vour records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.	