WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL:	Fraction	Section Number Township No. Range Number
County: Labette	NE ¼ NE ¼ NE ¼ SW ¼	19 T 31 S R 20 ☑E □W
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here		
nom nearest town of intersection. If at owner's address, check here		Global Positioning System (GPS) information: Latitude: 37.332699 (in decimal degrees) Longitude: 95.359547 (in decimal degrees)
PumpN' Pete's		Elevation: 89.3
901 South 16th Street, Parsons, KS 67357		Datum: WGS 84, W NAD 83, NAD 27
2 WATER WELL OWNER: Pete's Corporation		Collection Method:
RR#, Street Address, Box #: 1712 Broadway		GPS unit (Make/Model:)
City, State, ZIP Code : Parsons, KS 67357		☑ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey
1 4/30/13	. 10 01001	Est. Accuracy: 2 <3 m, 3-5 m, 5-15 m, >15 m
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 20 ft.		
SECTION BOX: Depth(s) Groundwater Encountered (1)		
WELL SSIATIC WATER LEVEL		
Pump test data: Well water was N/A ft. after N/A hours pumping N/A gpm		
EST. YIELD. N/A		
W Bore Hole Diameter on in to A ft.		
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well		
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)		
Irrigation Industrial Domestic-lawn & garden Monitoring well MW-		
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted N/A		
water well disin	fected? Yes No	
5 TYPE OF CASING USED: Steel V PVC Other		
CASING JOINTS: Glued Clamped Welded Threaded		
Casing diameter		
Casing height above land surface 0 in., Weight N/A lbs./ft., Wall thickness or gauge No. Schedule 40		
TYPE OF SCREEN OR PERFORATION MATERIAL:		
☐ Steel ☐ Stainless Steel		
Brass Galvanized Steel None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:		
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)		
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)		
SCREEN-PERFORATED INTERVALS: From N/A ft. to N/A ft. from N/A ft. to N/A ft. from N/A ft. to N/A ft. ft. from N/A ft. ft. ft.		
GRAVEL PACK INTERVALS: From		
From N/A ft to N/A ft, From N/A ft to N/A ft. ft. N/A ft. to N/A ft.		
COPOUT MATERIAL. [] News are	From II. to	II. II. II. III. III. III. III. III. I
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Concrete 0 to 2 feet Grout Intervals: From 2 ft. to ft., From N/A ft., From N/A ft., From N/A ft.		
What is the nearest source of possible contamination: Septic tank		
Sewer lines Cesspool	Sewage lagoon Fuel storage	
Watertight sewer lines Seepage p		
Direction from well		rom well 75/
FROM TO LITHOLOG	IC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
O C 5 Asphalt	9	7,5 " " rellowish bown der Bal
0,5 6.5 fat Clay Yellow.	sh beaun +0 9.5 1	2,5 Limestone light gray very hard
light alax moist		13.5 Black
Plastic Trace ion	11/1/12 =	7.5 Limestone Light near you hard.
and calcite	12.5	18 Lexathered SHALE tout the livings how
		70 SHALE DIM OCON VSCV 54: FL
	10.00 00000	20 SHIPL DIVE STRY 10 STITE
Tracom oral	137 37/17	
	olomo gux	
O I I I I I I I I I I I I I I I I I I I	Drown or X	
Some (AA) 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged		
under my jurisdiction and was completed on (mo/day/year)		
Kansas Water Well Contractor's License No. 759 This Water Well Record was completed on (mo/day/year)		
under the business name of RAZEK Environmental, LLC by (signature) by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to		
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.		
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at		

http://www.kdheks.gov/waterwell/index.html