		m WWC-5 KSA 82a-1212 ID No	MW-14
1 LOCATION OF WATER V		Section Number Township N	
County: Cowl	ley NW ½ NW ½ NW	у 4 т 31	S R 3 (E)W
Distance and direction from nearest town or city street address of well if located within city? 301 East Highway K-15, Udali KS			
2 WATER WELL OWNER: Frank Kistler			
RR#, St. Address, Box # :		Board of Agri	culture, Division of Water Resources
City State 71D Code	. IIdali KS 67446	Application N	·
3 LOCATE WELL'S LOCAT	TON WITH .		
AN "X" IN SECTION BOX	X: 4 DEPTH OF COMPLETED WELL	18 ft. ELEVATION:	
N	Depth(s) Groundwater Encountered 1	ft. 2	ft. 3 ft.
A X	WELL'S STATIC WATER LEVEL	Ory ft. below land surface measured	on mo/day/yr 1-11-07
NWN		was ft. after	
	Est. Yield gpm: Well water	was ft. after	hours pumping apm
₹ w	E Bore Hole Diameter 8 in. to	18 ft. and	in. to ft.
7	WELL WATER TO BE USED AS: 5 Pu	blic water supply 8 Air condition	oning 11 Injection well
Bore Hole Diameter 8 in. to 18 ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well			
	2 imgation 4 industrial 7 La	wn and garden (domestic) 10 Monitorir	g well
S	Was a chemical/bacteriological sample su		
	submitted		ed? Yes No X
5 TYPE OF BLANK CASIN	_		
Steel	• •	9 Other (specify below)	Welded
2 PVC	4 ABS 7 Fiberglass		Threaded X
Blank casing diameter 2 in. to 8 ft., Dia in. to ft., Dia in. to ft.			
Casing height above land surface 0 in., weight .716 lbs./ft. Wall thickness or gauge No154 TYPE OF SCREEN OR PERFORATION MATERIAL: PVC 10 Asbestos-cement			
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)			
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes			
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)			
SCREEN-PERFORATED INTERVALS: From 8 ft. to 18 ft. From ft. to ft.			
From ft. to ft. From ft. to ft.			
GRAVEL PACK INTERVALS: From 5 ft. to 18 ft. From ft. to ft.			
From ft. to ft. From ft. to ft.			
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals From 0 ft. to 1 ft. to 5 ft. From ft. to ft.			
Grout Intervals From 0 ft. to 1 ft. From 1 ft. to 5 ft. From ft. to ft.			
What is the nearest source of	of possible contamination:	10 Livestock name	14. Abandoned water well
1 Septic tank	4 Lateral lines 7 Pit privy	11 Fuel storage	15 Oil well/ Gas well
2 Sewer lines	5 Cess pool 8 Sewage	agoon 12 Fertilizer storage	16 Other (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Contaminated Site			
Direction from well?		How many feet?	
FROM TO 0	CODE LITHOLOGIC LOG Grass Surface	FROM TO PI	UGGING INTERVALS
0.5 3	Silt, Dark Brown		
3 18	Clay, Olive Green		
			A CONTRACTOR OF THE CONTRACTOR
		+	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was			
completed on (mo/day/yr) 1-10-07 and this record is true to the best of my knowledge and belief. Kansas			
Water Well Contractor's Lice	ense No. 554	This Water Well Record was compl	
under the business name of Woofter Pump & Well Inc. by (signature)			
INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, 1000 S W Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.			