WATER WELL ON R#, St. Address, Bo ty, State, ZIP Code		Fraction							
Stance and direction  Mi. Sout  WATER WELL ON  R#, St. Address, Boty, State, ZIP Code	2Y		. 1		Section Number		lumber	Range	Number
WATER WELL ON R#, St. Address, Bo ty, State, ZIP Code		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	NW1/4	NW1/4	7	<u>  T 3/</u>	S	1 R 3	<b>6</b> W
WATER WELL ON R#, St. Address, Bo ty, State, ZIP Code	n from nearest town				/?				
R#, St. Address, Bo ty, State, ZIP Code	4 And 181	Mule EA	15T of L	) da[[					
y, State, ZIP Code		Klinge		·					
	ox # : <b>LR 3</b>	Box 1	11F6			Board of	Agriculture, I	Division of Wat	er Resource
	: Udzu	1 Ks	67146			Applicatio	n Number:		
AN "X" IN SECTION	LOCATION WITH 4	DEPTH OF CO	MPLETED WELL			ATION:			
X		ELL'S STATIC V	WATER LEVEL .	<b>32</b> . f	. below land su	urface measured or	n mo/day/yr	3/12/9	ب.ع <b>ـ</b>
NW	NE Es					after			
L i	Bc Bc	ore Hole Diamete	er <i>C i</i> n.	to		and	in	. to	
W	T I W	ELL WATER TO	BE USED AS:	5 Public w	ater supply	8 Air conditioning	11	Injection well	
		Domestic	3 Feedlot	6 Oil field	water supply	9 Dewatering	12	Other (Specify	below)
sw	SE	2 Irrigation	4 Industrial			10 Monitoring we			
	l w	as a chemical/ba	cteriological samp	ole submitted to	Department?	∕esNo	; If yes,	mo/day/yr sar	nple was sub
<u> </u>	S mi	itted			W	ater Well Disinfect	ed? Yes	No	
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Cor	ncrete tile	CASING JC	INTS: Glue	d Clam	ped
1 Steel	3 RMP (SR)		6 Asbestos-Ceme	ent 9 Oth	er (specify belo	ow)	Weld	ed	· 
2 PVC	4 ABS		7 Fiberglass		(-1 - ) -			aded	
	ır					ft., Dia			
sing beight above	land surface	/2 i	n weight	160		./ft. Wall thickness			
	OR PERFORATION N		i., weight		PVC		pestos-ceme		
	_		5 <b>5</b> :5		3				
1 Steel	3 Stainless st		5 Fiberglass		RMP (SR)				
2 Brass	4 Galvanized		6 Concrete tile		ABS		ne used (op	· ·	
	PRATION OPENINGS			auzed wrapped	l	8 Saw cut		11 None (op	en hole)
1 Continuous sl			6 W	ire wrapped		9 Drilled holes			
2 Louvered shu	itter 4 Key i			orch cut		10 Other (specif	y)		
CREEN-PERFORAT	TED INTERVALS:	From 🕊	. 🧭 ft. t	o . <del>*******</del> **	ft., Fro	om	ft. t	o	
		From	ft. t	o <b></b>	ft., Fro	om	ft. t	0	
GRAVEL PA	ACK INTERVALS:	From	? ft. t	o . <b>3</b> 7. 🖭	ft., Fro	om	ft. t	0	
	•	From	ft. t	0	ft., Fro	om	ft. t	0	ft.
<b>GROUT MATERIA</b>	L: 1 Neat cem	nent 2	Cement grout	Be	ntonite 4	Other			
out Intervals: Fro	om <b></b>	to .20	ft., From	ft	. to	ft., From		ft. to	
hat is the nearest s	source of possible cor	ntamination:			10 Live	stock pens	14 A	bandoned water	er well
1 Septic tank	4 Lateral li	lines	7 Pit privy		11 Fuel	storage	15 O	il well/Gas wel	ı
2 Sewer lines	•		Sewage lagoon		12 Fertilizer storage		16 Other (specify below)		elow)
3 Watertight se	wer lines 6 Seepage		9 Feedyard			cticide storage			
rection from well?	down	close				any feet? 70	4		
ROM TO		LITHOLOGIC LO	OG	FROM			LUGGING II	NTERVALS	
0 2	dirt	-							
	brown c	les							
2 11	4 ellow								
2 11	2000	ele							
11 68	1 / / //	1 •							
68 74		lome			_				
68 74	shaley "								
68 74	Share								
68 74	Shary	The second of th							
68 74	Shary	THE RESERVE OF THE SECOND OF T		B. IAME					
68 74	Share								
68 74	Share			111111111111111111111111111111111111111					
68 74	Share			11.10.10					
68 74	Share								
68 74	Share								
68 74	Share								
68 74	Share					,			
11 68 68 74 74 90			A) Th						
11 68 68 74 74 90 CONTRACTOR'S	OR LANDOWNER'S	CERTIFICATIO	N: This water we	II was (1) cons					
CONTRACTOR'S mpleted on (mo/day	OR LANDOWNER'S	CERTIFICATIO			and this rec	ord is true to the be			
CONTRACTOR'S mpleted on (mo/day	OR LANDOWNER'S y/year)	CERTIFICATIO			and this rec	ord is true to the boom (mo/day) r)			