


USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

31 6E32E NE NE
T R EW sec 1/4 1/4 1/4 No.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas State Dept. Of Health
(Water Well Contractors)
Forbes-Bldg. 740
Topeka, Kansas 66620

1 Location of well:	County Cowley	Township name Silver Creek	Fraction SE 1/4 NE 1/4 - NE 1/4	Section number 32	Town number 315	Range number 6E
Distance and direction from nearest town or city: 2 mi West of			3 Owner of well: Vernon Dennett			
Street address of well location if in city: Burden, + 1/4 S			Address: Burden Ks. RFD #1			
Locate with "X" in section below: N  W E S 1 Mile		Sketch map:		4 Well depth: 120 ft. Date of completion 7-9-75 Well diameter 11 in.		
2 Type and color of material				5 <input checked="" type="checkbox"/> Coble tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
				6 Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Commercial <input type="checkbox"/> Test well <input type="checkbox"/>		
				7 Casing: Material PVC Height: above /below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 12 in. Wall Diam. 10 in. to 19 ft. depth Drive shoe? <input type="checkbox"/> Yes <input type="checkbox"/> No 10 in. to 19 ft. depth Weight 239 lb/ft.		
				8 Screen: Manufacturer Jean + Powell Type PVC Dia. 10" <input checked="" type="checkbox"/> Gauze Length 19' Set between 0 ft. and 19 ft. Fittings: Gravel pack <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Size range of material ---		
				9 Static water level: 28 ft. below land surface Date 7-8-75		
				10 Pumping level below land surfaces: Boring --- ft. after --- hrs. pumping --- g.p.m. --- ft. after --- hrs. pumping --- g.p.m. Estimated maximum yield 1.5 g.p.m.		
				11 Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date ---		
Type and color of material				12 Well head completion: <input type="checkbox"/> Pitless adapter <input type="checkbox"/> Inches above grade		
Soil + loose rock - 4				13 Well grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> --- Depth: From 0 ft. to 19 ft.		
lime 4 54				14 Nearest source of possible contamination: ft. 60 Direction SW Type Reptic Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Shaley lime, grey 54 68				15 Pump: <input type="checkbox"/> Not installed Manufacturer's name Pumpco Model number 8910 HP --- Volts 220V Length of drop pipe 110 ft. capacity 10 g.m.p. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
Shale, - blue 68 74				17 Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Bailey Drilling Co 209A Business name License No. --- Address Burden, Ks. 67019 Signed Donald E. Bailey date 7-15-75 Authorized representative		
lime - grey, sharp 74 82						
Shale, grey 82 104						
lime - grey 104 120						
(use a second sheet if needed)						
16 Remarks: elevation Old casing was pulled, well was Reamed + deepened. Original depth was 85'						
Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley						

31 6E 32 SE NE NE