1 LOCATION OF WATER WELL:			FRACTION	Wate	er Well Record	Form WWC-	Section Numbe		Range Number
Ľ	Sumne		NW 1/	4 NW	1/4 SI	W 1/4	7	20	1 2
						N 1/7	<u> </u>	T 32 s	R IE E/W
Distance and direction from nearest town or city street address of well if located within city? 1 1/2 m. W. of I-35, 1/2 N. of I-60, W. side of N. Meridian Wellington, KS.									
					I-60	, W. s	ide or	N. Meridian we.	llington, KS.
	TER WELL O		INS, Bre	nt				Board of Agricultur	e, Divivsion of Water Resource
	ST. ADRESS,	•••						•	
	, STATE, ZIP		ington,			100	67152	Application Nu	nber:
	TE WELL'S L " IN SECTION	LOCATION WITH 4 ON BOX:	DEPTH OF C			100		ELEVATION:	
		N	Depth(s) groun			1	ft.	2 ft.	3 ft.
			WELL'S STATIC					SURFACE MEASURED ON mo/day/yı	01, 13, 1330
	NW	NE.	-	p test data:		ater was	ft.	after hours p	- 0
<u>.</u>		1 1 1	Est. Yield	gpm:	Well w	vater was	ft.	after hours p	
M Mile	 	. L	Bore Hole Diamet			to 100			n. to ft.
_	^		WELL WATER T			Public wate		•	1 Injection well
1	sw		1 Domestic	3 Feedl		Oil field wa		•	2 Other (Specify below)
			2 Irrigation	4 Indus		,	garden only	10 Monitoring well	
+	<u>i</u>	C	Was a chemical/b	acteriological	i sample sub	mitted to D	•		s, mo/day/yr sample was
5 TY	DE OF CA	ASING USED:	submitted						es X No
1 Steel		ASING USED: 3 RMP (SR)			ought iron stos-Cement		8 Concrete tile		Glued X Clamped
		` '					9 Other (Specif	ly below)	Welded Threaded
2 PVC	_	4 ABS		7 Fiber			SDR-26		
E .	asing Diam	_	in. to 24	ft.,	Dia	in		ft., Dia in	
		ve land surface 12 EN OR PERFORATI			weight 2		lbs. / ft. 7 PVC	Wall thickness or gauge No. 10 Asbestos-co	.214
1 Stee		3 Stainless Steel	ION MATERIA	ப: 5 Fiberg	plass		8 RMP (SR)	11 other (spec	
2 Bras		4 Galvanized steel		6 Concr			9 ABS	12 None used	• ,
				• • • • • • • • • • • • • • • • • • • •				8 Saw cut	11 None (open hole)
	IN OK PEF nous slot	RFORATION OPEN				ed wrapped wrapped		9 Drilled holes	II Home (open men.)
		3 Mill slot				••			
1	ered shutte				7 Torch			10 Other (specify)	_
SCREE	N-PERFO	RATION INTERVA		24	ft.	to 100	ft., Fi	rom ft.	
			from		ft.		ft., F		to ft.
	GRAVI	EL PACK INTERVA		24		to 100	ft., F		
Long	7777 3.4.4.77	1 Nont or	from		ft.		ft., F		to ft.
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 4 ft. to 24 ft. From ft. to ft.									
1		From 4 st source of possible c	ft. to 24	ft. J	From	ft.	. to	ft. From estock pens 1	ft. to ft.
1 Septi		st source of possible c 4 Lateral		7	Pit privy			• • •	4 Abandon water well
1					8 Sewage lagoon				15 Oil well/Gas well 16 Other (specify below)
	er unes ertight sewe	5 Cess p	-	9 Feedyard		-		ecticide storage	to Other (specify below)
1	_		ge pit	7.	еецуиги				
FROM	n from well TO		LITHOLOGIC LO	OC		FROM	ТО	How many feet? 15(
0	4	topsoil	THOUSE -	<u> </u>		T HOW		100000000000000000000000000000000000000	LEKTALO
4	12	clay	-						
12	100	grey shall	le						
									and the second second
7 CON	трастс	DIC OR LANDOWNERS	- CERTIFICATION.	This water	···ell was /4	\ conetrue	45-4 (2) recon	-tctod or /2\ plugged unde	iuriodiction and
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)									
Well Contractor's License No									
Under	the busir	ness name of Ha	ro Well	& Pump	Servi	ce, I	nC by (s	innature)	.MA.4
Under the business name of Harp Well & Pump Service, Inc. by (signature) fane Frederick									
								faræ	o teste tiero