KOLAR Document ID: 1335192

Original Record ☐ Correction ☐ Change in Well Use Resources App. No. ☐ Well ID ☐ LOCATION OF WATER WELL: Fraction County: ☐ I well Use Resources App. No. ☐ Well ID ☐ Township Number Range N ☐ T S R ☐	
	umbor
County.	E DW
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:	
Address:	
Address:	
City: State: ZIP:	
3 LOCATE WELL 4 DEPTH OF COMPLETED WELL:	
WITH "A" IN	
SECTION BOA: 2) ft or 4) $\square$ Dry Well Dry Well Dry Well $\square$ Dry Well	
THE LAG CONTROL HAND LEVEL	2.7
WELL'S STATIC WATER LEVEL: tt. Source for Latitude/Longitude: ☐ below land surface, measured on (mo-day-yr) ☐ GPS (unit make/model:	`
NWNE □ above land surface, measured on (mo-day-yr)	)
Pump test data: Well water wasft. Land Survey Topographic Map	
W E after hours pumping gpm	
Well water was ft.	
after hours pumping	1 TTOC
Estimated Yield:gpm  6 Elevation:ft. Ground Level	
S Bore Hole Diameter:	
1 inite 1	
7 WELL WATER TO BE USED AS:	
1. Domestic: 5. $\square$ Public Water Supply: well ID	
☐ Household 6. ☐ Dewatering: how many wells?	
☐ Lawn & Garden 7. ☐ Aquifer Recharge: well ID ☐ Cased ☐ Uncased ☐ Geotechnical	
☐ Livestock  8. ☐ Monitoring: well ID	
2. ☐ Irrigation 9. Environmental Remediation: well ID	f Water
3. ☐ Feedlot ☐ Air Sparge ☐ Soil Vapor Extraction ☐ Becovery ☐ Injection ☐ Description ☐ Descriptio	
Was a chemical/bacteriological sample submitted to KDHE?  Yes  No If yes, date sample was submitted:	
Water well disinfected?  No	
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded	
Casing diameter	
Casing height above land surface	
TYPE OF SCREEN OR PERFORATION MATERIAL:	
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)	
SCREEN OR PERFORATION OPENINGS ARE:	
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)	
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)	
SCREEN-PERFORATED INTERVALS: From	
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.	
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other	
Grout Intervals: From	
Nearest source of possible contamination: No potential source of contamination within 200 ft.	
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage	
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well	
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well	
☐ Other (Specify)	
Direction from well?	
10 FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING IN	TERVALS
	· · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·
Notes:	
	plugged
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed, reconstructed, or	
under my jurisdiction and was completed on (mo-day-year)	d belief.
under my jurisdiction and was completed on (mo-day-year)	d belief.
under my jurisdiction and was completed on (mo-day-year)	d belief.
under my jurisdiction and was completed on (mo-day-year)	d belief.